UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhil	bit: B
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc			Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-	1							Nonrecurring		Namaa	Disconnect			000	Rates(\$)		
<b></b>							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Feature Activation on D-4 Channel Bank FX Trunk Side Loop						FIISL	Auu i	Filat	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Slot			UEP93	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI SO	11 Q117	0.00										
		Different Wire Center			UEP93	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
'		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
		Slot			UEP93	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed			UEP93	USAC2		1.03	0.29				30.89	7.03			
$\vdash$		changes, per port  New Centrex Standard Common Block		<del>                                     </del>	UEP93 UEP93	M1ACS	0.00	658.60	0.29				30.89	7.03	<b>-</b>		
$\vdash \vdash \vdash'$		New Centrex Standard Common Block  New Centrex Customized Common Block	1	<del>                                     </del>	UEP93	M1ACC	0.00	658.60			1		30.89	7.03	1		
$\vdash \vdash \vdash$		NAR Establishment Charge, Per Occasion		1	UEP93	URECA	0.00	68.57					30.89	7.03	<del>                                     </del>		
$\vdash$	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		<del>                                     </del>	02. 00	JILLO/		55.57					00.00	7.00			
		- Requres Interoffice Channel Mileage															
		- Requires Specific Customer Premises Equipment															
		CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
		tet Rates are applied where BellSouth is not required by FCC					ındled Local Sv	itching or Swi	tch Ports.								
		irring Charges for all Standard Centrex and Centrex Conrol Fe															
		Office and Tandem Switching Usage and Common Transport															
,		first and additional Port nonrecurring charges apply to Not Cเ	urrently	Comb	ined Combos. Fo	r Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections. A	Additional NR	Cs may
		also and are categorized accordingly.															
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo					-										
	UNE PO	ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
'		Non-Design		1	UEP91												
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					26 48										
					UEF91		26.48										
		INon-Design		2													
		Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		26.48 30.31										
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2													
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	UEP91		30.31										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		<u> </u>	UEP91		30.31 35.32										
	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		<u> </u>	UEP91		30.31										
1	UNE Po	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design  nt/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		3	UEP91 UEP91 UEP91		30.31 35.32 30.56										
	UNE Po	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design 7-Wire VG Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP91		30.31 35.32										
	UNE Po	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design prt/Loop Combination Rates (Design) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-		3	UEP91 UEP91 UEP91		30.31 35.32 30.56 35.63										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design		3	UEP91 UEP91 UEP91		30.31 35.32 30.56										
	UNE Lo	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  tr/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  op Rate		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	LIECCA	30.31 35.32 30.56 35.63 42.28										
	UNE Lo	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 LIECS1	30.31 35.32 30.56 35.63 42.28										
	UNE Lo	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  1		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	30.31 35.32 30.56 35.63 42.28 12.48 16.31										
	UNE Lo	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91		30.31 35.32 30.56 35.63 42.28										
	UNE Lo	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  op Rate  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32										
	UNE Lo	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3		3 1 2 3 1 2 3 1	UEP91	UECS1 UECS1 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56										
	UNE LC	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63										
	UNE LC	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Stree (Except North Carolina and Sout Carolina)		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28										
	UNE LC	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex) Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63	90.00	45.00	20.00	10.00		30.89	7.03			
	UNE LC	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  3-Wire Voice Grade Loop (SL 2) - Zone 3  3-TIS  1-See (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 300 termination)Basic Local		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28										
	UNE LC	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28	90.00	45.00 45.00	20.00	10.00		30.89	7.03			
	UNE LC	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28	90.00	45.00	20.00	10.00		30.89	7.03			
	UNE LC	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex Poice Grade Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28										
	UNE LC	2-Wire VĞ Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28 14.00	90.00	45.00 45.00	20.00	10.00		30.89	7.03 7.03			
	UNE LC	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex Poice Grade Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area		3 1 2 3 1 2 3 1 2	UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UEPYA UEPYB	30.31 35.32 30.56 35.63 42.28 12.48 16.31 21.32 16.56 21.63 28.28	90.00	45.00	20.00	10.00		30.89	7.03			

Version 3Q02: 10/07/02 Page 271 of 280

ONDUND	LEL	NETWORK ELEMENTS - Tennessee	1	ı	1	1 1						C C1	Com Cont	Attachment:			bit: B
ATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electronic
														1st	Add'I	Disc 1st	Disc Add
								Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	II.	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP91	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL,		LA, MS, & TN Only			LIEBA I			22.22	4= 00	22.22				=			
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
<b></b>		2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		1	UEP91 UEP91	UEPQB UEPQH	14.00 14.00	90.00 90.00	45.00 45.00	20.00	10.00 10.00		30.89 30.89	7.03 7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID) 1 2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEP91	UEFQH	14.00	90.00	45.00	20.00	10.00		30.69	7.03			
		Center)2			UEP91	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			OLI 31	OLI QIVI	14.00	30.00	+3.00	20.00	10.00		30.03	7.03			
		Term	l	1	UEP91	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	-																
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Loc	cal S	witching															
		Centrex Intercom Funtionality, per port			UEP91	URECS	0.6381										
Loc	cal N	umber Portability															
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Fea	ature																
		All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00						30.89	7.03			
NAI	RS																
		Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	L			30.89	7.03			
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00				30.89	7.03			
		Unbundled Network Access Register - Outdial		<u> </u>	UEP91	UAROX	0.00	0.00	0.00				30.89	7.03			
		aneous Terminations Frunk Side															
2-44		Trunk Side Trunk Side Terminations, each			UEP91	CENA6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
Inte		ce Channel Mileage - 2-Wire		1	UEP91	CENAO	0.70	90.00	45.00	20.00	10.00	1	30.69	7.03		1	
IIILE		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174	50.00	40.00	20.00	10.00		00.00	7.00			
Fea		Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02. 0.		0.0111										
		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		•															
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP91	1PQWP	0.66										
		England Authorities on B.4.Oharra 12, 122 and 12, 12		1	LIEBOA	450000	2.5-										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ	<u> </u>	UEP91	1PQWV	0.66			<b> </b>						ļ	
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
<b>———</b>		Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	1	<u> </u>	UEP91	1PQWQ	0.66			<del>                                     </del>						ļ	
			1	<u> </u>	UEP91	1PQWA	0.66			<del>                                     </del>						ļ	
Nor		curring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed	-	1		+				<del>                                     </del>						<b> </b>	
		changes, per port	l	1	UEP91	USAC2		1.03	0.29				30.89	7.03			
$\vdash$		New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60	0.29	<del>                                     </del>			30.89	7.03		<del> </del>	
<del>                                     </del>		New Centrex Standard Common Block  New Centrex Customized Common Block	1		UEP91	M1ACC	0.00	658.60				<u> </u>	30.89	7.03		1	1
<del>                                     </del>		Secondary Block, per Block	1		UEP91	M2CC1	0.00	73.55				<u> </u>	30.89	7.03		1	1
<del>                                     </del>		NAR Establishment Charge, Per Occasion	1		UEP91	URECA	0.00	68.57				<u> </u>	30.89	7.03		1	
UNI		CENTREX - 5ESS (Valid in All States)				1				† †				1.30	İ	1	
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo				1				† †				İ	İ	İ	
		rt/Loop Combination Rates (Non-Design)								1					1	1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design	l	1	UEP95		26.48						I		I		

NRONDLE	D NETWORK ELEMENTS - Tennessee			1									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual S Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring	Disconnect				Rates(\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		35.32										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	LIEDOE		00.50										
	Design		1	UEP95		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		05.00										
	Design Control of the		2	UEP95		35.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.00										
	Design		3	UEP95		42.28										
UNE L	oop Rate		L.,	LIEBOE	LIEGOA	40.10			ļ							
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48			ļ							
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	16.31	ļ									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32			ļ .						-	
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56			ļ .						-	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
	ort Rate															
All Sta																
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2 Basic Local Area			UEP95	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP95	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, K	', LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2			UEP95	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term		<u> </u>	UEP95	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	A Only								<u> </u>							
	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local	Number Portability						1									
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35	ĺ									
Featur	es						ĺ									
	All Standard Features Offered, per port			UEP95	UEPVF	0.00	ĺ					30.89	7.03			
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	İ		İ			30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00				30.89	7.03			
Miscel	laneous Terminations															
	Trunk Side		1	İ			†		† 1					İ	İ	
<del></del>	Trunk Side Terminations, each		t	UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			<del>                                     </del>

<u>NBU</u> NDL	ED NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
4-Wii	e Digital (1.544 Megabits)						FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
7-1111	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67	00.10				30.89	7.03			
Inter	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57					30.89	7.03			
	P CENTREX - DMS100 (Valid in All States) e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	Port/Loop Combination Rates (Non-Design)															
0.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design		1	UEP9D		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		30.31										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9D		35.32										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP9D		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		35.63										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D		35.63										
	Design		3	UEP9D	1	42.28										
UNE	Loop Rate	<b> </b>		02.00	+	72.20	+									1
	2-Wire Voice Grade Loop (SL 1) - Zone 1	<u> </u>	1	UEP9D	UECS1	12.48									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	21.63		•		•						
	2-Wire Voice Grade Loop (SL 2) - Zone 3	ļ	3	UEP9D	UECS2	28.28										
	Port Rate	ļ														ļ
ALL	STATES	<b> </b>	<u> </u>	LIEDOD	LIEDYA	1100	00.00	45.00	00.00	10.00		00.00	7.00			ļ
-	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<b> </b>	<del>                                     </del>	UEP9D	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03		<b> </b>	ļ
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP9D	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03		1	
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	<del>                                     </del>	-	UEP9D	UEPYC	14.00	90.00	45.00	20.00	10.00		30.89	7.03		<del>                                     </del>	1
1	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area	1	1	UEP9D	UEPYD	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03		1	1

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee			1							1 -	_	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	O Wise Vision Conds Book (Contract / EBC ME200)\2 Books I and						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OLI 3D	OLITE	14.00	30.00	45.00	20.00	10.00		30.03	7.03			
	Area			UEP9D	UEPYF	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Area			UEP9D	UEPYT	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPTV	14.00	90.00	45.00	20.00	10.00		30.09	7.03		1	
	Area			UEP9D	UEPY3	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area			UEP9D	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area			UEP9D	UEPYW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3			OLI OD	OLI IVV	14.00	50.00	40.00	20.00	10.00		00.00	7.00			
	Basic Local Area			UEP9D	UEPYJ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2 Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03		1	
	Basic Local Area			UEP9D	UEPYO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3															
	Basic Local Area			UEP9D	UEPYP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			OLF9D	OLFIQ	14.00	90.00	43.00	20.00	10.00		30.03	7.03			
	Basic Local Area			UEP9D	UEPYR	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3															
	Basic Local Area			UEP9D	UEPYS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			02. 03	02	1 1100	00.00	10.00	20.00	10.00		00.00	7.00			
	Basic Local Area			UEP9D	UEPY5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPY6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Basic Local Area			UEP9D	UEPY7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term			UEP9D	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic		<b>!</b>	OFLAD	ULF 19	14.00	90.00	45.00	20.00	10.00		30.09	1.03		<b> </b>	<b> </b>
	Local Area		<u>L</u>	UEP9D	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
AL, K	Y, LA, MS, SC, & TN Only				UEDC:											
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP9D UEP9D	UEPQA UEPQB	14.00 14.00	90.00 90.00	45.00 45.00	20.00 20.00	10.00 10.00		30.89 30.89	7.03 7.03			-
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)3		1	UEP9D	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03		<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Fort (Centrex / EBS-M5009)3			UEP9D	UEPQD	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3			UEP9D	UEPQE	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3		<u> </u>	UEP9D UEP9D	UEPQF UEPQG	14.00 14.00	90.00 90.00	45.00 45.00	20.00 20.00	10.00 10.00		30.89 30.89	7.03 7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3  2-Wire Voice Grade Port (Centrex / EBS-M5008)3		1	UEP9D	UEPQG	14.00	90.00	45.00	20.00	10.00		30.89	7.03		<del>                                     </del>	<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3		1	UEP9D	UEPQU	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3			UEP9D	UEPQV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3			UEP9D	UEPQ3	14.00	90.00	45.00	20.00	10.00		30.89	7.03	ļ	1	
	2-Wire Voice Grade Port (Centrex with Caller ID)		l	UEP9D	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03	l	L	

<u>NBUNDLE</u>	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	l	1
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPQW	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
_	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPQV	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Fort (Centrex/Msg Wtg Lamp Indication)/3			OLI 3D	OLI QU	14.00	30.00	43.00	20.00	10.00		30.03	7.00			
	2			UEP9D	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3			UEP9D	UEPQO	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3			UEP9D	UEPQP	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3			UEP9D	UEPQQ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3			UEP9D	UEPQR	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wile Voice Grade Fort (Centrex diller GWC / EBG-W3112)2, 3			OLFBD	ULFQK	14.00	90.00	43.00	20.00	10.00		30.09	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3			UEP9D	UEPQS	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3			UEP9D	UEPQ4	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPQ5	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	- W. W. G. J. D. (O. ). (IV. O.). (ED. ). (ED. ).							4= 00					= 00			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3			UEP9D	UEPQ6	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3			UEP9D	UEPQ7	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Certife Valler Swc /EBS-NSS16)2, 3  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPQ1	14.00	90.00	45.00	20.00	10.00		30.69	7.03			
	Term			UEP9D	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Local	Number Portability				111000											
Featur	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
reatur	All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00				30.89	7.03			
	Ilaneous Terminations Trunk Side															
2-wire	Trunk Side Terminations, each			UEP9D	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-Wire	Digital (1.544 Megabits)			OLI 3D	CLINDO	0.70	90.00	43.00	20.00	10.00		30.03	7.03			
1	DS1 Circuit Terminations, each			UEP9D	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	108.67					30.89	7.03			
Interof	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03		ļ	
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	е	<b> </b>		-										<del> </del>	1
D4 Ch	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66	+		<del>                                     </del>					-	-	-
-	i eature Activation on 5-4 Channel Bank Centrex Loop Stot		<del>                                     </del>	OLFBD	IF WVVO	0.00	1		<del> </del>						1	-
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		1	UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop					2.00			1						İ	
	Slot		L	UEP9D	1PQW7	0.66			<u> </u>						<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -					_										
	Different Wire Center			UEP9D	1PQWP	0.66										
ı	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66								l	ĺ	1

OMBONDL	ED NETWORK ELEMENTS - Tennessee											_	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWQ 1PQWA	0.66									-	
Non	Recurring Charges (NRC) Associated with UNE-P Centrex			UEF9D	IFQVVA	0.00										
NOTI	NRC Conversion Currently Combined Switch-As-Is with allowed								-		1				-	-
	changes, per port			UEP9D	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block		1	UEP9D	M1ACS	0.00	658.60	0.29	1		1	30.89	7.03			
	New Centrex Standard Common Block		1	UEP9D	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion		1	UEP9D	URECA	0.00	68.57		1		1	30.89	7.03			
UNE	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			OLI OD	OILEON		00.07					00.00	7.00			
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)															
- 0.1.2	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP9E		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>													
	Non-Design	1	2	UEP9E		30.31								l	I	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP9E		35.32										
UNE	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9E		30.56										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9E		35.63										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		42.28										
UNE	Loop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										
	Port Rate															
AL, F	FL, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire							4= 00					=			
	Center)2 Basic Local Area		<u> </u>	UEP9E	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBOE	UEPYZ	44.00	00.00	45.00	20.00	40.00		30.89	7.03			
	Term - Basic Local Area			UEP9E	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEBOE	UEPY9	44.00	90.00	45.00	20.00	10.00		30.89	7.03			
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -		<u> </u>	UEP9E	UEPT9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
				UEP9E	LIEDVO	14.00	90.00	45.00	20.00	10.00		20.00	7.03			
AI L	Basic Local Area (Y, LA, MS, & TN Only	<b>-</b>	<del>                                     </del>	OEF9E	UEPY2	14.00	90.00	45.00	20.00	10.00	1	30.89	7.03	-	<del></del>	
AL, I	2-Wire Voice Grade Port (Centrex )	-	1	UEP9E	UEPQA	14.00	90.00	45.00	20.00	10.00	<b> </b>	30.89	7.03	1	<del> </del>	-
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	14.00	90.00	45.00	20.00	10.00	<del>                                     </del>	30.89	7.03	1	t	
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1	<del>                                     </del>		UEP9E	UEPQH	14.00	90.00	45.00	20.00	10.00	<b> </b>	30.89	7.03	<del>                                     </del>	t	
	2-Wire Voice Grade Port (Centrex with Caller 15)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	021 02	OL: WII	17.00	30.00	45.00	20.00	10.00	<b> </b>	30.03	7.03		<b> </b>	
	Center)2		1	UEP9E	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03	1	I	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		1	J. J.	JEI WIN	14.00	30.00	⊣0.00	20.00	10.00		00.00	7.00		<b>-</b>	
	Term	1	1	UEP9E	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03	l	I	
	1.5			0_1 0_	OL1 42	14.00	30.00	45.00	20.00	10.00		30.03	7.03	<b> </b>	<b>I</b>	t
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	1	UEP9E	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03	l	I	
	2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent		1	UEP9E	UEPQ2	14.00	90.00	45.00	20.00	10.00	<b> </b>	30.89	7.03		<b> </b>	
	Il Switching		<del>                                     </del>	J. J.	JL1 &2	14.00	55.50	-10.00	20.00	10.00	1	00.00	7.00		1	1

ONRONDLE	D NETWORK ELEMENTS - Tennessee		1	ı									Attachment:			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.6381										
Local	Number Portability	<u> </u>	<u> </u>	LIEDOE	LNDOO	0.05										
Featur	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
reatur	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	433.78					30.89	7.03			
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	433.70					30.89	7.03			
NARS				02. 02	02. 10	0.00						00.00	7.00			
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00				30.89	7.03		1	
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00				30.89	7.03			
	llaneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.78	90.00	45.00	20.00	10.00		30.89	7.03			
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03			
Interof	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	MIGBM	0.0174										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e			+ +											
D4 Cha	annel Bank Feature Activations			UEP9E	1PQWS	0.00										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	IPQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex				$\bot$											
	NRC Conversion Currently Combined Switch-As-Is with allowed												=			
	changes, per port  New Centrex Standard Common Block			UEP9E UEP9E	USAC2 M1ACS	0.00	1.03 658.60	0.29				30.89 30.89	7.03 7.03			
	New Centrex Standard Common Block  New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60					30.89	7.03			
-	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57					30.89	7.03		-	
IINF-P	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			ULFBL	UNLUA	0.00	00.57					30.09	7.03			
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	Port/Loop Combination Rates (Non-Design)				+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP93		26.48										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		30.31										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP93		35.32										
INC	Non-Design Port/Loop Combination Rates (Design)	<del>                                     </del>	3	UEP93	+	35.32								<del>                                     </del>	<del>                                     </del>	1
UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	<del>                                     </del>	<del>                                     </del>		+						<b>—</b>			-	<del></del>	-
	Design		1	UEP93	1	30.56									1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		35.63										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	Design	<b> </b>	3	UEP93	+ +	42.28								<b> </b>	<b>!</b>	
UNE L	oop Rate 2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP93	UECS1	12.48								<b> </b>	<del>                                     </del>	
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP93	UECS1	16.31					-					1

<u>NBUNDLE</u>	D NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	ibit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										
_	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93 UEP93	UECS2	16.56										<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63 28.28										
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEF93	UECS2	20.20										
	, LA, MS, & TN only		1								1					
AL, KI	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1	30		0					1			
	Center)2 Basic Local Area  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP93	UEPYM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPYZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	- Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term -			UEP93	UEPY9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	Basic Local Area			UEP93	UEPY2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2			UEP93	UEPQM	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term			UEP93	UEPQZ	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
1 1	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	14.00	90.00	45.00	20.00	10.00		30.89	7.03			
Local	Switching Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local	Number Portability			UEP93	URECS	0.0361										
Local	Local Number Portability (1 per port)			UEP93	LNCCC	0.35										
Featur				02. 00	2.1000	0.00										
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00				30.89	7.03			
	Unbundled Network Access Register - Outdial		<u> </u>	UEP93	UAROX	0.00	0.00	0.00				30.89	7.03			<u> </u>
	laneous Terminations		1		+											<b> </b>
2-Wire	Trunk Side		<u> </u>	LIEDOS	CENDO	0.70	00.00	45.00	20.00	40.00	<u> </u>	20.00	7.00	ļ	ļ	<del>                                     </del>
4 W:	Trunk Side Terminations, each		<del>                                     </del>	UEP93	CEND6	8.78	90.00	45.00	20.00	10.00	}	30.89	7.03	1	<b> </b>	<b> </b>
4-wire	Digital (1.544 Megabits)  DS1 Circuit Terminations, each		<u> </u>	UEP93	M1HD1	35.55	75.93	38.15			-	30.89	7.03	-		<b> </b>
	DS0 Channels Activated, Per Channel			UEP93	M1HD0	0.00	108.67	30.13				30.89	7.03			
Interof	fice Channel Mileage - 2-Wire	<del></del>		OE1 33	WITTE	0.00	100.07				<del>                                     </del>	30.09	7.03		<del>                                     </del>	<del>                                     </del>
III.C.O.	Interoffice Channel Facilities Termination			UEP93	MIGBC	18.58	90.00	45.00	20.00	10.00		30.89	7.03			1
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	MIGBM	0.0174	55.56	.0.00	20.00	.0.50		55.55			1	1
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1
	annel Bank Feature Activations										Ì					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	1PQW6	0.66										
	Slot Feature Activation on D-4 Channel Bank FA Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	1PQW7	0.66										
	Different Wire Center			UEP93	1PQWP	0.66										

UNBUI	NDLE	NETWORK ELEMENTS - Tennessee												Attachment:	2	Exhi	bit: B
													Svc Order Submitted		Incremental Charge -	Incremental Charge -	Incremental Charge -
			Interi									Elec				Manual Svc	
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l.	I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66										
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage															
		- Requires Specific Customer Premises Equipment						•	•	•							
	Note: I	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Terr	ns and Condition	ons.									

# **Attachment 3**

**Network Interconnection** 

# TABLE OF CONTENTS

Network Interconnection and the Corresponding Bill and Keep Compensation Mechanism		3
Interconnection Trunk Group Architectures		7
Network Design and Management	1	4
Local Dialing Parity	1	7
Interconnection Compensation for Traffic Other Than Local and ESP/ISP Traffic	1	8
Frame Relay Service Interconnection	2	23
Operational Support Systems (OSS) Rates	2	27
Rates B	Exhibit A	1

The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (local) and exchange access (intraLATA toll and switched access) on the following terms:

# 1. Network Interconnection and the Corresponding Bill and Keep Compensation Mechanism

All negotiated rates, terms and conditions set forth in this Attachment pertain only to the provision of network interconnection where Knology owns and provides its switch(es).

1.1 Network Interconnection for call transport and termination may be provided by the Parties at any technically feasible point. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request process set out in the General Terms and Conditions. The Parties agree that Knology may establish interconnection through physical interconnection, through Virtual Interconnection as described in Section 1.2.2.1 below, or through a Fiber Meet as described in Section 8 below.

#### 1.2 Interconnection Points

- 1.2.1 An Interconnection Point (IP) is the physical telecommunications interface that performs the interconnection function for BellSouth and Knology. The Parties agree that Knology has established physical interconnection arrangements with BellSouth as of the Effective Date of this Agreement at the following locations: Augusta, Ga.; Columbus, GA; Panama City, FL.; Montgomery, AL; Huntsville; AL; Charleston, S.C.; and Knoxville, Tenn. Each Party is responsible for providing the network on its side of the IP.
- 1.2.1.1 For all future IPs, Knology shall establish an IP at each BellSouth access tandem in the LATA to which Knology intends to serve and exchange traffic with BellSouth. Knology may establish physical IPs, including a Fiber Meet as described in Section 8 of this Agreement, at the BellSouth access tandem to satisfy this requirement. In lieu of establishing physical IPs at the BellSouth access tandem, Knology may satisfy this requirement by establishing a Virtual IP as described in Sections 1.2.2 and 1.2.2.1 below if BellSouth has existing facilities in place. In those LATAs where Knology has established the physical interconnection arrangements identified in Section 1.2.1 above, and where such physical interconnection arrangements do not include the establishment of a physical IP at each BellSouth access tandem in that LATA, the Parties will assume that a Virtual IP is established at each applicable access tandem. interconnection shall provide for the exchange of traffic between BellSouth and Knology within the basic local calling areas served by such tandems. It

may also be used by Knology to exchange Transit Traffic with third Parties subtending such tandems, including Interexchange Carriers with whom Knology exchanges Switched Access Traffic.

- 1.2.1.2 Geographically Relevant Interconnection Points ("GR-Ips) In addition to the establishment of IPs at each BellSouth access tandem, BellSouth may require that Knology establish IPs that are geographically relevant to the NXXs (and associated rate centers) assigned by Knology to serve end users within a basic local calling area. Such geographically relevant IP(s), if required, shall be established by Knology at BellSouth local tandems, or if there is not a BellSouth local tandem, at a mutually acceptable BellSouth end office. This interconnection shall provide for the exchange of traffic between BellSouth and Knology end users within such basic local calling areas. Such GR-Ips may be physical interconnection points as described in 1.2.1 or Virtual Interconnection Points as described in Sections 1.2.2 and 1.2.2.1.
- 1.2.1.3 Knology shall notify BellSouth prior to the activation of new NXXs to determine if a geographically relevant IP shall be required, and such IPs shall be established prior to the activation of new NXXs by Knology. If Knology fails to establish such IP(s) as provided herein, then Knology shall be deemed to have established a Virtual Interconnection Point (as described in Sections 1.2.2 and 1.2.2.1 below), and BellSouth shall bill and Knology shall pay nonrecurring and monthly recurring transport charges based on the dedicated interoffice transport rates in Exhibit A. The charges shall be calculated from a designated BellSouth local tandem or end office, pursuant to the previous section and within the basic local calling area where Knology has assigned NXXs, to an existing Knology IP for BellSouth originated traffic from such basic local calling area that is delivered to such existing Knology IP.
- 1.2.2 <u>Virtual Interconnection Points</u> A Virtual IP, for purposes of this Attachment 3, allows Knology to establish an IP at a BellSouth tandem or end office without providing the physical facilities to, or establishing a collocation arrangement within, such BellSouth office. In lieu of providing an IP in a collocation arrangement and if existing BellSouth facilities are in place, Knology may choose to designate a Virtual IP and BellSouth shall charge and Knology shall pay the nonrecurring and monthly recurring cost-based dedicated interoffice transport rates from the Virtual IP location to the physical Knology IP location designated by Knology at such rates as set forth in Exhibit A to this Attachment. A Virtual IP arrangement may be used if collocation within a BellSouth tandem or end office is not feasible. The Parties will implement Virtual IP to Physical IP Connections according

to BellSouth's customary ordering processes consistent with Knology's ASRs.

- 1.2.2.1 Effective in 2003 and upon BellSouth's notification, Knology will implement Virtual IP using the appropriate Virtual IP rate elements in Exhibit A.
- 1.2.3 At any time that Knology establishes a collocation arrangement at a BellSouth local tandem or end office, then either Party may request that such collocation arrangement be established as an IP for the exchange of Local Traffic between Knology's end users and BellSouth end users. Such request and approval shall not be unreasonably withheld or delayed.

## 1.2.4 **[SECTION INTENTIONALLY OMITTED]**

- 1.2.5 Furthermore, unless the Parties otherwise agree, Knology, in its capacity as the originating Party, must establish direct end office trunking facilities (the charges for which will be subject to the bill and keep provisions of this Agreement) to a BellSouth end office (which may have a tandem routed overflow) if the volume of Knology originated traffic destined for that end office exceeds the equivalent capacity of two (2) DS1 circuits connecting that end office ("overloaded end office") and the BellSouth tandem ("overloaded tandem") to which it is subtended.
- 1.2.5.1 Should Knology fail to order trunking facilities in a timely manner so as to comply with this end office trunking requirement, BellSouth will notify Knology that the bill and keep compensation arrangement set forth in this Agreement shall no longer apply for Knology originated traffic terminated by BellSouth to that overloaded end office, and Knology shall pay the appropriate call transport and termination rates set forth in Exhibit A to this Attachment 3 for delivering that Knology-originated traffic to the overloaded end office. In the event Knology has properly forecasted and ordered the required trunking from BellSouth and BellSouth has been unable to provision the ordered trunking, Knology shall not be obligated to pay such reciprocal compensation until BellSouth is able to provide the requested trunking.

#### 1.2.6 Bill and Keep Compensation

1.2.6.1 As of the effective date of this Agreement, in accordance with subsections 1.2.6.1.1 and 1.2.6.1.2, the Parties' reciprocal compensation obligations pursuant to 47 USC Section 251(b)(5), with the exception of multiplexing, shall be subject to the bill and keep compensation plan (described herein) under which neither Party will charge the other Party for call transport and termination compensation for Local and ISP-Bound Traffic between the

Parties. The Parties shall also institute a bill and keep compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges associated with trunks and facilities for the exchange of Local and ISP-bound Traffic.

- 1.2.6.1.1. For purposes of this Agreement, a "bill and keep" compensation plan refers to the Parties' mutual waiver of any and all transport and termination charges customarily recovered from one another (pursuant to 47 U.S.C. Section 251(b)(5) for the exchange of Local Traffic and Enhanced Service Provider/Information Service Provider Traffic between the Parties. Such waived charges include all recurring and non-recurring charges such as (i) transport charges to and from the access tandem or end office at which Knology has an IP (other than a Virtual IP), (ii) call completion charges (including end office switching), and (iii) trunks and associated facilities charges for facilities connecting the Parties' networks on the respective sides of the physical IP. The bill and keep compensation plan does not apply to charges (i) for access traffic, other toll traffic, and transit traffic between the Parties, (ii) Multiplexing, or (iii) for dedicated transport and applicable charges pursuant to Sections 1.2.2 and 1.2.2.1.
- 1.2.6.1.2. As designated on the spreadsheet attached to this Attachment 3 as "Exhibit A," the charges designated with a "bk" and which are subject to the Percent Local Facility ("PLF") and Percent Local Usage ("PLU") Factors are to be applied in accordance with the Bill and Keep Compensation provisions of this Section 1.2.6. Charges that are 1) not designated with a "bk" on the spreadsheet, or 2) charges that are not subject to PLF and PLU Factors are not subject to the Bill and Keep Compensation provisions of this Section 1.2.6. All rate elements not listed in the spreadsheet are subject to future inclusion in this Agreement, subject to mutual agreement by the Parties consistent with the terms of this Agreement.
- 1.2.6.2 For reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any circuit switched call that is originated by an end user of one Party and terminated to an end user of the other Party within a given LATA on that other Party's network, except for those calls that are originated or terminated through switched access arrangements as established by the ruling regulatory body.

Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls between specific wire centers established as a local call by the ruling regulatory body.

1.2.6.3 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider ("ISP") that are dialed by using a local dialing pattern (7 or 10 digits) by a calling party in one LATA to an ISP server or

modem in the same LATA. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.

- 1.2.6.4 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 ("ISP Order on Remand"), BellSouth and Knology agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Knology that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and Knology further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or Knology that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 1.2.6.4.1 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 1.2.6.5 Nothing in this Agreement shall be construed to limit either Party's ability to designate the areas within which that Party's end users may make calls which that Party rates as "local" in its end user tariffs.
- 1.2.6.6 Neither Party shall represent access services traffic as Local Traffic.
- 1.2.6.7 The jurisdiction of a call is determined by its originating and terminating (end-to-end) points. If Knology assigns NPA/NXXs to specific BellSouth rate centers within a LATA and assigns numbers from those NPA/NXXs to Knology end users physically located outside of that LATA, BellSouth traffic originating from within the BellSouth rate center where the NPA/NXX is assigned and terminating to a Knology customer physically located outside of that LATA shall not be deemed Local Traffic.
- 1.2.6.7.1 To the extent Knology utilizes its NPA/NXXs to collect traffic from BellSouth end users that appears to be Local Traffic, but then delivers that traffic to Knology's end users located outside the LATA in which the call originated, Knology shall identify such traffic to BellSouth and compensate BellSouth based on the applicable rates for originating intrastate or interstate network access service as reflected in BellSouth's Intrastate or Interstate Access Service Tariff.
- 1.2.6.7.2 If Knology does not identify such traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole Knology

NPA/NXXs on which to charge the applicable rates for originating intrastate or interstate network access service as reflected in BellSouth's Intrastate Interstate Access Service Tariff. BellSouth shall make appropriate billing adjustments if Knology can provide sufficient information for BellSouth to determine whether said traffic is Local Traffic.

1.2.6.8 BellSouth shall be compensated for Knology's ordering of trunks and facilities transporting Transit Traffic as well as the elemental functions BellSouth performs in the transport and termination of Knology's Transit Traffic in accordance with this Agreement.

#### 1.2.6.9 [Section Intentionally Omitted]

#### 2.0 **Interconnection Trunk Group Architectures**

- 2.1 BellSouth and Knology shall establish interconnecting trunk groups and trunk group configurations between networks including the establishment of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating end user and in accordance with the Local Exchange Routing Guide (LERG).
- Any Knology interconnection request that deviates from the trunking architectures as described in this Agreement that affects traffic delivered to Knology from a BellSouth switch that requires special BellSouth switch translations and other network modifications will require Knology to submit a Bona Fide Request/New Business Request via the Bona Fide Request/New Business Request Process set forth in the General Terms and Conditions.
- Knology shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where Knology has homed (i.e. assigned) its NPA/NXXs. Knology shall home its NPA/NXXs on the BellSouth tandems that serve the Exchange Rate Center Areas to which the NPA/NXXs are assigned. The specified association between BellSouth tandems and Exchange Rate Centers is defined in the LERG. Knology shall enter its NPA/NXX access and/or local tandem homing arrangement into the LERG.
- 2.2.1 Switched Access traffic will be delivered to and by IXCs based on Knology's NXX Access Tandem homing arrangement as specified by Knology in the national Local Exchange Routing Guide (LERG).
- All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.

In cases where Knology is also an IXC, the IXC's Feature Group D (FG D) trunk groups must remain separate from the local interconnection trunk groups.

Unless in response to a blocking situation or for a project, when either Party orders interconnection trunk group augmentations, a Firm Order Confirmation (FOC) shall be returned to the ordering Party within four (4) business days from receipt of a valid error free ASR. A project is defined as a new trunk group or the request of 96 or more trunks on a single or multiple trunk group(s) in a given local calling area. Blocking situations and projects shall be managed through the BellSouth Interconnection Trunking Project Management group and Knology's equivalent trunking group.

# 2.6 Interconnection Trunk Groups for Exchange of Local, IntraLATA Toll and Transit Traffic

2.6.1 If the Parties' originated local and/or intraLATA toll traffic is utilizing the same two-way trunk group, the Parties shall mutually agree to use this type of two-way interconnection trunk group with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Interconnection Point(s) for two-way interconnection trunk groups transporting both Parties local and/or intraLATA toll shall be mutually agreed upon. Knology shall order such two-way trunks via the Access Service Request (ASR) process in place for Local Interconnection upon determination by the Parties, in a joint planning meeting, that such trunk groups shall be utilized. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Both Parties reserve the right to issue ASRs, if so required, in the normal course of business. Furthermore, the Parties shall jointly review such trunk performance and forecasts on a periodic basis. The Parties use of two-way interconnection trunk groups for the transport of local and/or intraLATA toll traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated local and/or intraLATA toll traffic to the other Party.

#### 2.6.2 BellSouth Access Tandem Interconnection Architectures

2.6.2.1 BellSouth Access Tandem Interconnection provides intratandem access to subtending end offices. BellSouth Multiple Tandem Access (MTA), described later in this Agreement, may be ordered using any of the following access tandem architectures.

#### 2.6.2.2 Basic Architecture

2.6.2.2.1 In this architecture, Knology's originating Local and IntraLATA Toll and originating and terminating Transit Traffic is transported on a single two-way trunk group between Knology and BellSouth access tandem(s) within a LATA. This group carries intratandem Transit Traffic between Knology and Independent Companies, Interexchange Carriers, other CLECs and

other network providers with which Knology desires interconnection and has the proper contractual arrangements. This group also carries Knology originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local and IntraLATA Toll traffic is transported on a single one-way trunk group terminating to Knology. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Basic Architecture is illustrated in Exhibit B.

## 2.6.2.3 One-Way Trunk Group Architecture

2.6.2.3.1 In this architecture, the Parties interconnect using two one-way trunk groups. One one-way trunk group carries Knology-originated local and intraLATA toll traffic destined for BellSouth end-users. The other oneway trunk group carries BellSouth-originated local and intraLATA toll traffic destined for Knology end-users. A third two-way trunk group is established for Knology's originating and terminating Transit Traffic. This group carries intratandem Transit Traffic between Knology Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Knology desires interconnection and has the proper contractual arrangements. This group also carries Knology originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The One-Way Trunk Group Architecture is illustrated in Exhibit C.

# 2.6.2.4 **Two-Way Trunk Group Architecture**

2.6.2.4.1 The Two-Way Trunk Group Architecture establishes one two-way trunk group to carry local and intraLATA toll traffic between Knology and BellSouth. In addition, a two-way transit trunk group must be established for Knology's originating and terminating Transit Traffic. This group carries intratandem Transit Traffic between Knology and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Knology desires interconnection and has the proper contractual arrangements. This group also carries Knology originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Two-Way Trunk Group Architecture is illustrated in Exhibit D.

### 2.6.2.5 **Supergroup Architecture**

In the Supergroup Architecture, the Parties Local and IntraLATA Toll and Knology's Transit Traffic are exchanged on a single two-way trunk group between Knology and BellSouth. This group carries intratandem Transit Traffic between Knology and Independent Companies, Interexchange Carriers, other CLECs and other network providers with which Knology desires interconnection and has the proper contractual arrangements. This group also carries Knology originated intertandem traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. Other trunk groups for operator services, directory assistance, emergency services and intercept may be established if required. The LERG should be referenced for current routing and tandem serving arrangements. The Supergroup Architecture is illustrated in Exhibit E.

#### 2.6.3 **Local Tandem Interconnection**

- 2.6.3.1 Local Tandem Interconnection arrangement allows Knology to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of Knology-originated Local Traffic transported and terminated by BellSouth to BellSouth end offices within the local calling area as defined in BellSouth's General Subscriber Services Tariff (GSST), section A3 served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 2.6.3.2 When a specified local calling area is served by more than one BellSouth local tandem, Knology must designate a "home" local tandem for each of its assigned NPA/NXXs and establish trunk connections to such local tandems. Additionally, Knology may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. Knology may deliver local traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where Knology does not choose to establish an interconnection trunk group(s). It is Knology's responsibility to enter its own NPA/NXX local tandem homing arrangements into the Local Exchange Routing Guide (LERG) either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to Knology's codes. Likewise, Knology shall obtain its routing information from the LERG.

- 2.6.3.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, Knology must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which Knology has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 2.6.3.4 BellSouth's provisioning of local tandem interconnection assumes that Knology has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

#### 2.6.4 **Direct End Office-to-End Office Interconnection**

- 2.6.4.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating local or intraLATA toll traffic to the terminating Party on a Direct End Office-to-End Office basis.
- 2.6.4.2 The Parties shall utilize Direct End Office-to-End Office trunk groups under the following conditions:
- 2.6.4.3 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between Knology and BellSouth's subscribers.
- 2.6.4.4 Traffic Volume To the extent either Party has the capability to measure the amount of traffic between a Knology switching center and a BellSouth end office, either Party shall install and retain direct end office trunking sufficient to handle actual or reasonably forecasted traffic volumes, whichever is greater, between a Knology switching center and a BellSouth end office where the traffic exceeds or is forecasted to exceed a single DS1 of local traffic per month. Either Party will install additional capacity between such points when overflow traffic between Knology's switching center and BellSouth's end office exceeds or is forecasted to exceed a single DS1 of local traffic per month. In the case of one way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

2.6.4.5 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above and agreement will not unreasonably be withheld.

# 2.6.5 **Transit Traffic Trunk Group**

2.6.5.1 Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by Knology to deliver and receive local and intraLATA toll Transit Traffic from third parties, such as Independent Companies and other CLECs, via BellSouth access tandems (or BellSouth local tandems for local traffic), and Switched Access traffic to and from Interexchange Carriers via BellSouth access tandems pursuant to the Transit Traffic section of this Attachment. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

#### 2.6.5.2 **Toll Free Traffic**

- 2.6.5.2.1 If Knology chooses BellSouth to handle Toll Free database queries from its switches, all Knology originating Toll Free traffic will be routed over the Transit Traffic Trunk Group.
- 2.6.5.2.2 All originating Toll Free Service (Toll Free) calls for which Knology requests that BellSouth perform the Service Switching Point ("SSP") function (i.e., perform the database query) shall be delivered using GR-394 format over the Transit Traffic Trunk Group. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 2.6.5.2.3 Knology may handle its own Toll Free database queries from its switch. If so, Knology will determine the nature (local/intraLATA/interLATA) of the Toll Free call based on the response from the database. If the query determines that the call is a BellSouth local or intraLATA Toll Free number, Knology will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the query determines that the call is a third party (ICO or other CLEC) local or intraLATA Toll Free number, Knology will route the postquery local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group. In such case, Knology is to provide a Toll Free billing record when appropriate. If the query reveals the call is an interLATA Toll Free number, Knology will route the post-query interLATA call (Toll Free number) directly from its switch for carriers interconnected with its network or over the Transit Traffic Trunk Group to carriers not directly connected to its network but are connected to BellSouth's access tandem. Calls will be routed to BellSouth over the

local/intraLATA and Transit Traffic Trunk Groups within the LATA in which the calls originate.

2.6.5.2.4 All post-query Toll Free Service (Toll Free) calls for which Knology performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend the BellSouth access tandem.

# 3. Network Design And Management For Interconnection

- Network Management and Changes. Both Parties will work cooperatively with each other to install and maintain the most effective and reliable interconnected telecommunications networks, including but not limited to, the exchange of toll-free maintenance contact numbers and escalation procedures. Both Parties agree to provide public notice of changes in the information necessary for the transmission and routing of services using its local exchange facilities or networks, as well as of any other changes that would affect the interoperability of those facilities and networks.
- 3.2 <u>Interconnection Technical Standards</u>. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Bellcore Standard No. TR-NWT-00499. Signal transfer point, Signaling System 7 ("SS7") connectivity is required at each interconnection point. BellSouth will provide out-of-band signaling using Common Channel Signaling Access Capability where technically and economically feasible, in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall hand off calling number ID (Calling Party Number) when technically feasible.
- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- 3.4 <u>Network Management Controls</u>. Both Parties will work cooperatively with each other to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.

- Common Channel Signaling. Both Parties will provide LEC-to-LEC Common Channel Signaling ("CCS") to each other, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All CCS signaling parameters will be provided, including automatic number identification ("ANI"), originating line information ("OLI") calling company category, charge number, etc. All privacy indicators will be honored, and each Party will cooperate with each other on the exchange of Transactional Capabilities Application Part ("TCAP") messages to facilitate full interoperability of CCS-based features between the respective networks. Neither Party shall alter the CCS parameters, or be a party to altering such parameters, or knowingly pass CCS parameters that have been altered in order to circumvent appropriate interconnection charges.
- 3.6 <u>Signaling Call Information</u>. BellSouth and Knology will send and receive ten (10) digits for local traffic. Additionally, BellSouth and Knology will exchange the proper call information, i.e. originated call company number and destination call company number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

## 3.7 Forecasting for Trunk Provisioning

- 3.7.1 Within six (6) months after execution of this agreement, Knology shall provide an initial interconnection trunk group forecast for each LATA that it shall provide service within BellSouth's region, except for LATAs for which Knology has previously provided such forecasts. Upon receipt of Knology's forecast, the Parties shall schedule and participate in a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions Part A of this Agreement.
- 3.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, Knology-to-BellSouth one-way trunks ("Knology Trunks"), BellSouth-to-Knology one-way trunks ("Reciprocal Trunks") and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' local and intraLATA toll. The quantities shall be projected for a minimum of six (6) months in advance and shall include the current year plus next two (2) years total forecasted quantities. Considering Knology's provided forecast, the Parties shall mutually develop Reciprocal Trunk and/or two-way interconnection trunk forecast quantities for the time periods listed and to be included within the initial forecast.

- 3.7.1.2 Additionally all forecasts shall include, at a minimum, Access Carrier Terminal Location ("ACTL"), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for Knology location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 3.7.2 Each Party shall exercise its commercially reasonable efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.
- 3.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process in place for local interconnection trunks.
- 3.7.4 Once initial interconnection trunk forecasts have been developed, Knology shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. Knology shall use its commercially reasonable efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. Interconnection trunk forecasts shall be updated and provided to BellSouth on an as needed basis, but no less frequently than semiannually and no more frequently than monthly. Upon receipt of Knology's forecast, including forecast updates, the Parties shall confer to mutually develop BellSouth Reciprocal Trunk and/or two-way interconnection trunk forecasted quantities for the listed time periods within such subsequent forecasts.

#### 3.8 Trunk Utilization

3.8.1 BellSouth and Knology shall monitor traffic on each interconnection trunk group that is installed pursuant to the initial interconnection trunk requirements and subsequent forecasts. At any time after the end of a calendar quarter, based on a review of the capacity utilization during such quarter for installed Reciprocal Trunk groups and/or two-way interconnection trunk groups, subject to the provision of the section following, after fifteen (15) business days advance written notice to Knology, BellSouth may disconnect any Non-utilized Reciprocal Trunk(s) and/or request Knology to disconnect any Non-utilized two-way interconnection trunk(s) if BellSouth has determined that the trunk group is not being utilized at eighty-five percent (85%) of the time consistent busy hour utilization level, provided that the Parties have not otherwise agreed.

Non-utilized trunks are defined as the trunks not being utilized as a result of a time consistent busy hour utilization of less than eighty-five percent (85%).

- 3.8.1.1 Within ten (10) business days following the notice prescribed in the section above, Knology may request that BellSouth not disconnect or not request disconnection for some or all of the Non-utilized Trunks, in which event BellSouth shall keep the trunks in service and may invoice Knology for, and Knology shall pay, all applicable recurring and nonrecurring trunk and facility access tariff charges for the Non-utilized Trunks. The charges shall be applied retroactive to the date on which such trunks were installed and to continue until such trunks are disconnected, or to the extent Knology requests that such trunks remain in service, until the trunk group reaches an eighty-five percent (85%) time-consistent busy hour utilization level. In addition, Knology shall reimburse BellSouth for any nonrecurring and/or recurring charges BellSouth may have paid to Knology for the Non-utilized Trunks and for any trunk installation expense BellSouth incurred. This expense shall equal the nonrecurring installation charge for trunks in BellSouth's intrastate tariff. Furthermore, the Knology forecasts for each subsequent forecast period shall be automatically reduced by the number of Reciprocal Trunks and/or two-way interconnection trunks that have been determined to be subject to disconnection pursuant to the foregoing procedures.
- 3.8.2 To the extent Knology requests BellSouth and BellSouth agrees to install additional Reciprocal and/or two-way interconnection trunks in any forecast period following the initial forecasting period that are not included in the forecast for that period (as such forecast may be revised from time to time), such trunks may be provisioned by BellSouth subject to the conditions set forth in the preceding sections above, and all applicable recurring and nonrecurring charges for such trunks shall be billed to and paid by Knology until such trunk groups reach an eighty-five percent (85%) time-consistent busy hour utilization level for Local Traffic.
- 3.8.3 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of ninety percent (90%) or greater, the Parties shall negotiate in good faith for the installation of augmented facilities.

## 4. Local Dialing Parity

4.1 BellSouth and Knology shall provide local and toll dialing parity to each other with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call. BellSouth and Knology shall permit similarly situated telephone

exchange service end users to dial the same number of digits to make a local telephone call notwithstanding the identity of the end user's or the called party's telecommunications service provider.

# 5 Interconnection Compensation for Traffic Other Than Local and ESP/ISP Traffic as Provided in Section 1.2.6

# 5.1 Billing Factors

- Dercent Local Use. Each Party will report to the other a Percent Local Usage ("PLU") factor. The application of the PLU will determine the amount of Local Traffic and ISP-bound Traffic minutes to be billed to the other Party. For purposes of developing the PLU, each Party shall consider every Local call, every ISP-bound call and every long distance call. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) calendar days after the first of each such month based on Local Traffic and ISP-bound Traffic usage for the past three (3) months ending the last day of December, March, June, and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Local Facility. Each Party will report to the other a Percent Local Facility ("PLF") factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. For purposes of developing the PLF, each Party shall consider every Local call, every ISP-bound call and every long distance call. The PLF shall be applied to multiplexing, local channel and interoffice channel switched dedicated transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) calendar days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percentage Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage ("PIU") factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to Knology. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and

billing of local interconnection. Each Party shall update its PIU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than thirty (30) calendar days after the first of each such month, for all services showing the percentages of use for the past three (3) months ending the last day of December, March, June and September.

- Notwithstanding the provisions in Section 5.1, 5.2, and 5.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least fifteen (15) days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 5.5 below.
- 5.5 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and Knology shall retain records of call detail for a minimum of nine (9) months from which a PLU, PLF and/or PIU can be ascertained. The audit shall be accomplished during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditory paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two (2) quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage (20%) points or more, that Party shall reimburse the auditing Party for the cost of the audit.

#### 5.6 8XX Traffic

5.6.1 <u>Compensation for 8XX Traffic</u>. Each Party shall compensate the other pursuant to the appropriate switched access charges, including the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs.

- 5.6.2 <u>Records for 8XX Billing</u>. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 5.6.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX TFD to Knology requires interconnection from Knology to BellSouth 8XX SCP. Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Bellcore's CCS Network Interface Specification document, TR-TSV-000905. Knology shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that Knology desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff as amended.
- 5.7 Mutual Provision of Switched Access Service
- 5.7.1 <u>Switched Access Traffic</u>. Switched Access Traffic is described in the BellSouth Access Tariff. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the physical location of the calling party and the physical location of the called party are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic.
- 5.7.2 When Knology's end office switch, subtending the BellSouth Access Tandem switch for receipt or delivery of switched access traffic, provides an access service connection to or from an interexchange carrier ("IXC") by either a direct trunk group to the IXC utilizing BellSouth facilities, or via BellSouth's tandem switch, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. Thirty (30)-day billing periods will be employed for these arrangements. For tandem routed traffic, the tandem company agrees to provide to the Initial Billing Company as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. The Initial Billing Company will provide the switched access summary usage data, for all originating and terminating traffic, to all Subsequent Billing Companies as defined in MECAB within ten (10) days of rendering the initial bill to the IXC. Each Party will notify the other when it is not feasible to meet these requirements

so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change data reporting requirements may be modified as necessary.

In the event that either Party fails to provide switched access detailed usage data to the other Party within ninety (90) days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of unbillable access revenues. A negotiated settlement will be agreed upon between the companies.

- 5.7.3 Each Party will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data which is lost or damaged by their company or any third party involved in processing or transporting data.
- Each Party agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 5.7.5 Each Party also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 5.7.6 All claims should be filed with the other Party within one hundred and twenty (120) days of the receipt of the date of the unbillable usage.
- 5.7.7 The Initial Billing Company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 5.7.8 Knology agrees not to deliver switched access traffic to BellSouth for termination except over Knology ordered switched access trunks and facilities.

Transit Traffic Service. BellSouth shall provide tandem switching and transport services for Knology's Transit Traffic. Transit traffic is traffic originating on Knology's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third Party's network that is switched and/or transported by BellSouth and delivered to Knology's network. Rates for local and ISP-bound Transit Traffic shall be the applicable call transport and termination charges as set forth in Exhibit A to this Attachment. Rates for intraLATA toll and Switched Access Transit Traffic shall be the applicable call transport and termination charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Switched Access Transit Traffic presumes that Knology's end office is subtending the BellSouth Access Tandem for switched access traffic to and from Knology's end users utilizing BellSouth facilities, either by direct trunks with the IXC, or via the BellSouth Access Tandem. Billing associated with all Transit Traffic shall be pursuant to Multiple Exchange Carrier Access Billing (MECAB) guidelines. Traffic between Knology and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between Knology and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

The delivery of traffic which transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees and will be delivered at the rates stipulated in this Agreement to a terminating carrier. BellSouth agrees to deliver this traffic to the terminating carrier; provided, however, that Knology is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to Knology. Knology agrees to compensate BellSouth for any charges or costs for the delivery of Transit Traffic to a connecting carrier on behalf of Knology. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

#### 6. Frame Relay Service Interconnection

In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and Knology's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange

Access Frame Relay Service in those states in which Knology is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between Knology and BellSouth Frame Relay Switches in the same LATA.

- The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection ("POI(s)") within the LATA. All POIs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- Upon the request of either Party, such interconnection will be established where BellSouth and Knology have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- The Parties agree to provision local and IntraLATA Frame Relay Service and Exchange Access Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the POIs.
- The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 6.5.1 If the data packets originate and terminate in locations in the same LATA, and consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local ("Local VC").
- 6.5.2 If the originating and terminating locations of the two way packet data traffic are not in the same LATA, the traffic on that VC is interLATA ("InterLATA VC").
- 6.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, Knology may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method

for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies Knology that it has found that this method does not adequately represent the PLCU.

- 6.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and Knology will pay, the total non-recurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Knology will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of Knology's PLCU.
- The Parties agree to compensate each other for Frame Relay network-tonetwork interface (NNI) ports based upon the NNI rates set forth in
  BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each
  pair of NNI ports will be calculated as follows: BellSouth will invoice, and
  Knology will pay, the total non-recurring and recurring charges for the
  NNI port. Knology will then invoice, and BellSouth will pay, an amount
  calculated by multiplying the BellSouth billed non-recurring and recurring
  charges for the NNI port by Knology's PLCU.
- 6.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).
- For the PVC segment between the Knology and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 6.9 Compensation for PVC rate elements will be calculated as follows:
- 6.9.1 If Knology orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the Knology Frame Relay switch, BellSouth will invoice, and Knology will pay, the total non-recurring and recurring PVC charges for the PVC segment between the BellSouth and Knology Frame Relay switches. If the VC is a Local VC, Knology will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to Knology for the PVC segment.

- 6.9.2 If BellSouth orders a Local VC connection between a Knology subscriber's PVC segment and a PVC segment from the Knology Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and Knology will pay, the total non-recurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and Knology Frame Relay switches. If the VC is a Local VC, Knology will then invoice and BellSouth will pay the total non-recurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to Knology for the PVC segment.
- 6.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 6.9.4 If Knology requests a change, BellSouth will invoice and Knology will pay a Feature Change charge for each affected PVC segment.
- 6.9.4.1 If BellSouth requests a change to a Local VC, Knology will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 6.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three (3) times the port speed, or not more than six (6) times the port speed on a DS3 NNI port.
- 6.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- Knology will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per section 6.5.3 above.
- Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.
- 6.12 If during the term of this Agreement, BellSouth obtains authority to provide interLATA Frame Relay in any State, the Parties agree to renegotiate this arrangement for the exchange of Frame Relay Service Traffic within one hundred eighty (180) days of the date BellSouth receives

interLATA authority. In the event the Parties fail to renegotiate this Section 6 within the one hundred eighty-day period, they will submit this matter to the appropriate State commission(s) for resolution.

#### 7. Operational Support Systems (OSS) Rates

All Local Service Requests ("LSRs") or Access Service Requests ("ASRs") submitted for products and services under this Attachment will be subject to the OSS charges set forth in the General Terms and Conditions of this Agreement.

#### 8. **Fiber Meet**

- A "Fiber Meet" is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends.
- 8.2. If Knology elects to interconnect with Bellsouth pursuant to a fiber meet, Knology and Bellsouth shall jointly engineer, operate and maintain a synchronous optical network ("SONET") transmission system by which they shall interconnect their transmission and routing of local traffic via a local channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, Knology's SONET transmission system must be compatible with Bellsouth's equipment, and the data communications channel (DCC) must be turned off.
- 8.2.3 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.

- 8.2.4 The Parties shall agree to a fiber meet point between the BellSouth serving wire center and the Knology serving wire center. The Parties shall deliver their fiber optic facilities to the fiber meet point with sufficient spare length to reach the fusion splice point for the fiber meet point. Bellsouth shall, at its own expense, provide and maintain the fusion splice point for the fiber meet. A building type common language location identification ("CLLI") code will be established for each fiber meet point. All orders for interconnection facilities from the fiber meet point shall indicate the fiber meet point as the originating point for the facility.
- 8.2.5 Upon verbal request by Knology, BellSouth shall allow Knology access to the fusion splice point for the fiber meet point for maintenance purposes on Knology's side of the fiber meet point.
- 8.2.6 Neither Party shall charge the other for its local channel portion of the fiber meet facility used exclusively for local traffic. All other appropriate charges will apply. Knology shall be billed for a mixed use of the local channel as set forth in the appropriate tariff(s) using the PIU/PLF factors supplied by Knology. Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

	_ INTE	RCONNECTION - Alabama												Attach	ment: 3	Exhi	bit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
							Dee	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		.1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$ldsymbol{\Box}$																	
		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		'bk" beside a rate indicates that the Parties have agreed to bi															
		nd Office Switching Function per MOU rate element is not sh	own be	low bu	it is subject to the B	ill and Keep	provision of At	tachment 3 of	the Agreement	between Knol	ogy and BellS	outh					
+		M SWITCHING Tandem Switching Function Per MOU			OHD	-	0.000498bk										+
+		Multiple Tandem Switching, per MOU (applies to intial tandem			OHD	-	0.000498DK								-		+
1		only)			OHD		0.000498										
$rac{1}{2}$		Tandem Intermediary Charge, per MOU*			OHD		0.0015										+
- 1		harge is applicable only to transit traffic and is applied in add	lition to	annli		l/or intercon		L									+
		CHARGE		<u> </u>		1	loonon onargo										1
ı		Installation Trunk Side Service - per DS0			OHD	TPP++		333.69bk	56.91bk								1
二十		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00									<u> </u>	
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
$ldsymbol{\sqcup}$		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
igspace		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	ffice Switching and	Tandem Swi	tching, per MOI	J rate elements	5								
<b>─</b> ─ <b>'</b>	СОММ	ON TRANSPORT (Shared)			O. I.D.												<u> </u>
$\longrightarrow$		Common Transport - Per Mile, Per MOU		<u> </u>	OHD		0.0000023bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003224bk										
		CONNECTION (DEDICATED TRANSPORT) OFFICE CHANNEL - DEDICATED TRANSPORT				-											<del> </del>
<del></del>		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				-											
1		Per Mile per month			OHL, OHM	1L5NF	0.008838bk										
+		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OFIL, OF IIVI	ILSINI	0.000030DK										+
1		Facility Termination per month			OHL. OHM	1L5NF	21.13bk	40.54bk	27.41bk	16.74bk	6.9bk						
-		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIL, OTIVI	ILOIVI	21.1000	40.54bk	27.4108	10.74bk	0.301	1					+
ı		per month			OHL, OHM	1L5NK	0.008838bk										
$rac{1}{2}$		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
ı		Termination per month			OHL, OHM	1L5NK	15.12bk	40.54bk	27.41bk	16.74bk	6.9bk	:					
i i		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
ı		per month			OHL, OHM	1L5NK	0.008838bk										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	15.12bk	40.54bk	27.41bk	16.74bk	6.9bk						
1		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
$ldsymbol{\sqcup}$		month			OH1, OH1MS	1L5NL	0.18bk										
1		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
$\longmapsto$		Termination per month			OH1, OH1MS	1L5NL	60.16bk	89.27bk	81.81bk	16.35bk	14.44bk						
ı		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	0110 0110:20	41.550									I		1
$\longrightarrow$		month		-	OH3, OH3MS	1L5NM	4.09bk								<del>                                     </del>	1	+
i		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			OH3, OH3MS	1L5NM	703.52k	278.75bk	162.76bk	60.2bk	58.46bk				1		1
<del></del>		CHANNEL - DEDICATED TRANSPORT		<del>                                     </del>	U113, U113IVI3	ILDINIVI	703.52K	∠/8./3DK	10∠./0DK	ου.∠DK	38.46DK	+			<del></del>	1	+
		Local Channel - Dedicated - 2-Wire Voice Grade per month		-	OHL, OHM	TEFV2	13.97bk	193.1bk	33.17bk	36.64bk	3.2bk				+		+
$\leftarrow$		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	14.93bk	193.10k	33.6bk	37.11bk	3.20k				t	1	+
-		Local Channel - Dedicated - 4-Wire voice Grade per month			OH1	TEFHG	35.76k	177.47bk	153.72bk	22.19bk	15.26bk				<b>I</b>	1	+
-					1		55.7 GK			ZZ. I SBR					1		1
i															1		
$ldsymbol{\sqcup}$		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	416.54bk	451.52bk	263.94bk	119.49bk	83.58bk				1		<b></b>
		INTERCONNECTION MID-SPAN MEET		<u> </u>	<u> </u>	1									ļ		<del></del>
		f Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Ch				2.4-								ļ	<b>↓</b>
$\longmapsto$		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							-	ļ	+
$\longrightarrow$		Local Channel - Dedicated - DS3 per month		-	OH3MS	TEFHJ	0.00	0.00							<del>                                     </del>	1	+
<del>     </del>		INTERCONNECTION - VIRTUAL INTERCONNECTION POINT		ļ											-		<del>                                     </del>
igspace		Local Channel-Dedicated- DS3 - per month			BP3	BP3LC	416.54	451.52	263.94	119.49	83.58				1		↓
		Interoffice Channel - Dedicated transport - DS3 per mile per		1											I		1
		month		<u> </u>	BP3	1L5BP	4.09									ļ	
!		Interoffice Channel - Dedicated transport - DS3 facility															

LO	CAL IN	TERCONNECTION - Alabama												Attachr	ment: 3	Exhil	oit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	m	Zone	BCS	USOC		RATES (\$) per L						Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	MUL	TIPLEXERS															
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72								
	Note	s: If no rate is identified in the contract, the rates, terms, an	d condition	ns for t	he specific service	or function w	Il be as set fort	h in applicable	BellSouth tar	iff.	•						

LOC	AL INTE	RCONNECTION - Florida												Attachi	ment: 3	Exhil	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATE	GUKT	RATE ELEMENTS	m	Zone	603	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonre		Nausassuuisea	Disconnect			000	Detec(t)		
	-						Rec					001150	0011411		Rates(\$)	001141	001111
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																	ļ
LOCA		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi															
		nd Office Switching Function per MOU rate element is not sh	own be	low bu	it is subject to the B	Bill and Keep	provision of At	tachment 3 of	the Agreement	between Knol-	ogy and BellS	outh					
	TANDE	M SWITCHING															
		Tandem Switching Function Per MOU			OHD		0.0006019bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.0006019										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										İ
	* This	charge is applicable only to transit traffic and is applied in ad-	dition to	annli		Vor intercon											
		CHARGE	1	uppii	l	1	l cotton onarges	•									<del> </del>
	1110141	Installation Trunk Side Service - per DS0		<b>-</b>	OHD	TPP++		336.43bk	57.38bk			<del> </del>			<b> </b>	<del> </del>	+
				-	OHD	TDE0P	0.00	330.43DK	37.300K			1					<del>                                     </del>
	-	Dedicated End Office Trunk Port Service-per DS0**  Dedicated End Office Trunk Port Service-per DS1**	-	<del>                                     </del>	0H1 OH1MS	TDE1P	0.00					1				-	<del>                                     </del>
	_																
	-	Dedicated Tandem Trunk Port Service-per DS0**		<b>_</b>	OHD	TDW0P	0.00					1			ļ	ļ	<b>↓</b>
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										ļ
		rate element is recovered on a per MOU basis and is included	in the	End Of	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
LOCA	L INTER	CONNECTION (DEDICATED TRANSPORT)															
		OFFICE CHANNEL - DEDICATED TRANSPORT															1
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.0091bk										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			O. 12, O. 1111		0.0001510										†
		Facility Termination per month			OHL. OHM	1L5NF	25.32bk	47.35bk	31.78bk	18.31bk	7.03bk	.					
<b>-</b>				-	Onl, Only	ILOINE	23.32DK	47.33DK	31.70DK	10.310K	7.03DK	·					<del> </del>
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			0111 01114	41.55117	0.00041.1										
		per month			OHL, OHM	1L5NK	0.0091bk										ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	18.44bk	47.35bk	31.78bk	18.31bk	7.03bk						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.0091bk										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	18.44bk	47.35bk	31.78bk	18.31bk	7.03bk						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															İ
		month			OH1, OH1MS	1L5NL	0.1856bk										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			orri, orrinio	120112	0.10005.0										
		Termination per month			OH1, OH1MS	1L5NL	88.44bk	105.54bk	98.47bk	21.47bk	19.05bk						
	+	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTI, OTTINIO	ILSINE	00. <del>44</del> 0K	100.0401	30.47 DK	21.4708	13.0000	1					-
		month			OH3, OH3MS	1L5NM	3.87bk										
				-	Una, Unaivia	ILSINIVI	3.07DK					1					<del> </del>
		Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.1010		40=411		0.40.001.1	=======================================	======						
		Termination per month			OH3, OH3MS	1L5NM	1071bk	335.46bk	219.28bk	72.03bk	70.56bk						ļ
<u> </u>	LOCAL	CHANNEL - DEDICATED TRANSPORT			ALL OLD	L			,			ļ					<b></b>
		Local Channel - Dedicated - 2-Wire Voice Grade per month		<u> </u>	OHL, OHM	TEFV2	19.66bk	265.84bk	46.97bk	37.63bk	4bk						ļ
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20.45bk	266.54bk	47.67bk	44.22bk	5.33bk						1
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49bk	216.65bk	183.54bk	24.3bk	16.95bk						
				1	<u> </u>										<u> </u>		
		Local Channel - Dedicated - DS3 Facility Termination per month	<u></u>	<u></u>	OH3	TEFHJ	531.91bk	556.37bk	343.01bk	139.13bk	96.84bk	<u> </u>			<u> </u>	<u> </u>	<u> </u>
	LOCAL	INTERCONNECTION - VIRTUAL INTERCONNECTION POINT															
		Local Channel-Dedicated- DS3 - per month			BP3	BP3LC	531.91	556.37	343.01	139.13	96.84	İ			1	Ì	1
<b>-</b>	+	Interoffice Channel - Dedicated transport - DS3 per mile per	-	-	טו ט	DF 3LC	551.91	330.37	343.01	135.13	30.04	1			-		<del>                                     </del>
					DD2	11 EPD	2.07										
	-	month		-	BP3	1L5BP	3.87					1				1	<del>                                     </del>
l		Interoffice Channel - Dedicated transport - DS3 facility		1	L	1	1								1		Ì
<u> </u>		termination per month			BP3	1L5BP	1,071.00	335.46	219.28	72.03	70.56	ļ					ļ
		INTERCONNECTION MID-SPAN MEET			l .							Į					
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch													
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
	MIII TI	PLEXERS			1	1	1					l			İ	1	T .

Version 3Q02: 10/07/02 Page 3 of 12

LOCAL INTE	ERCONNECTION - Florida												Attachr	nent: 3	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	13.76	10.07	7.08								
Notes:	If no rate is identified in the contract, the rates, terms, and	condition	s for th	ne specific service o	or function wi	Il be as set fort	h in applicable	BellSouth tar	iff.							

LOC	<u>al int</u> e	RCONNECTION - Georgia												Attachi	ment: 3	Exhil	bit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec		curring		g Disconnect				Rates(\$)	•	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						ļ											
LOCA		CONNECTION (CALL TRANSPORT AND TERMINATION)	<u>.                                    </u>	<u> </u>	<u> </u>	<u> </u>			l								
		"bk" beside a rate indicates that the Parties have agreed to bi									15.00	<u> </u>					
		nd Office Switching Function per MOU rate element is not sh M SWITCHING	own be	low bu	It is subject to the B	ili and Keep	provision of At	tacnment 3 of	tne Agreemen	between Knoi	logy and Bells	outn					
	IANDE	Tandem Switching Function Per MOU			OHD	+	0.0011009bk					1				-	
		Multiple Tandem Switching, per MOU (applies to intial tandem			OLID	1	0.0011009DK					1					<del>                                     </del>
		only)			OHD		0.0011009										
		Tandem Intermediary Charge, per MOU*			OHD		0.0011005										<del>                                     </del>
	* This	charge is applicable only to transit traffic and is applied in ad-	dition to	appli		/or intercon		j.									
		CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP++		333.28bk	56.84bk								
	1	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	ffice Switching and	Tandem Swi	tching, per MOI	J rate element	S								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000080bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004152bk										
LOCA		CONNECTION (DEDICATED TRANSPORT)															
	INTER	DFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			OHL, OHM	1L5NF	0.0222bk										
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OHL, OHIVI	ILDINF	0.0222DK										-
		Facility Termination per month			OHL, OHM	1L5NF	17.07bk	79.61bk	36.08bk								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OFIL, OF IIVI	ILJINI	17.070K	79.0108	30.00DK			1					
		per month			OHL, OHM	1L5NK	0.0222bk										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIE, OTIM	TEGITIT	O.OZZZDIK										<del>                                     </del>
		Termination per month			OHL, OHM	1L5NK	16.45bk	79.61bk	36.08bk								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			0.1.E, 0.1.III	1201111	10.105.0	70.0121	00.0001								
		per month			OHL, OHM	1L5NK	0.0222bk										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			- /-												
		Termination per month			OHL, OHM	1L5NK	16.45bk	79.61bk	36.08bk								
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.4523bk										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
		Termination per month			OH1, OH1MS	1L5NL	78.47bk	147.07bk	111.75bk								
1	1	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			I						]				1	_	
	1	month			OH3, OH3MS	1L5NM	2.72bk					ļ					<b></b>
	1	Interoffice Channel - Dedicated Transport - DS3 - Facility			0110 0110340	41 58154	700'	F44 4	200 77:		]				1	I	
	1.0041	Termination per month			OH3, OH3MS	1L5NM	788bk	511.1bk	330.77bk								ļ
	LUCAL	CHANNEL - DEDICATED TRANSPORT  Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	13.91bk	382.95bk	62.4bk								-
-		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV4	14.99bk	368.44bk	64.05bk			1				-	
	+	Local Channel - Dedicated - 4-vvire voice Grade per month			OHL, OHM	TEFHG	38.36bk	356.44bk	312.89bk		1	<del>                                     </del>			1	t	<del></del>
<b>-</b>	+	Local Grainer - Dedicated - DOT per month			0.11	ILITIO	30.300K	550. ISBK	312.03DK		<del> </del>	<b> </b>			<del>                                     </del>	t	<del>                                     </del>
	1	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	515.91bk	639.5bk	426.31bk		]				1	I	
	LOCAL	INTERCONNECTION - VIRTUAL INTERCONNECTION POINT					2.2.2.0	222.001								1	
	LOUAL	Local Channel-Dedicated- DS3 - per month			BP3	BP3LC	515.91	639.50	426.31							<b>-</b>	<del>                                     </del>
-	+	Interoffice Channel - Dedicated transport - DS3 per mile per	-		ט וט	DESEC	515.81	039.30	420.31		1	<b> </b>			1	+	<del> </del>
	1	month			BP3	1L5BP	2.72				]				1	I	
	1	Interoffice Channel - Dedicated transport - DS3 facility			-· ·	. 2021	2.,2								<b> </b>	<b>I</b>	<b>†</b>
	1	termination per month			BP3	1L5BP	788.00	511.10	330.77		]				1	I	
	LOCAL	INTERCONNECTION MID-SPAN MEET				1	122700	20							İ	İ	
		If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch	annel rate is applica	ble.											
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
	MIII TI	PLEXERS															

LOCAL INT	ERCONNECTION - Georgia												Attachr	nent: 3	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	126.22	198.22	123.59								
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	182.04	280.66	195.33								ĺ
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.02	12.02	8.66		•			•			
Notes	: If no rate is identified in the contract, the rates, terms, and c	ondition	s for tl	ne specific service o	r function wi	II be as set fort	h in applicable	e BellSouth tar	iff.							

LOCAL	INTE	RCONNECTION - Kentucky												Attach	ment: 3	Exhil	bit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge -
							Rec	Nonre		Nonrecurring					Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						ļ											
		CONNECTION (CALL TRANSPORT AND TERMINATION)	<u>.                                    </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>										<u> </u>
		"bk" beside a rate indicates that the Parties have agreed to bi										<u> </u>					
		nd Office Switching Function per MOU rate element is not sh M SWITCHING	own be	low bu	It is subject to the B	ili and Keep	provision of At	tacnment 3 of	tne Agreement	between Knoi	ogy and Bells	outn			-		+
	ANDE	Tandem Switching Function Per MOU			OHD	1	0.0006772bk										+
		Multiple Tandem Switching, per MOU (applies to intial tandem			OFID		0.0000772DK										+
		only)			OHD		0.0006772										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015										1
*	This o	charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	/or intercon	nection charges	·									
		CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP++		334.09bk	57.12bk								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
$\vdash \vdash$		Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>		OH1 OH1MS	TDW1P	0.00					ļ					1
		rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swi	tching, per MOI	J rate elements	8								
C	OMMO	ON TRANSPORT (Shared)			OUD		0.00000001.1										
-		Common Transport - Per Mile, Per MOU			OHD OHD		0.0000030bk 0.0007466bk										-
LOCAL	NTED/	Common Transport - Facilities Termination Per MOU CONNECTION (DEDICATED TRANSPORT)			OHD	-	0.0007466BK										+
		DEFICE CHANNEL - DEDICATED TRANSPORT				+						1			-	-	+
ır		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+						1			-	-	+
		Per Mile per month			OHL, OHM	1L5NF	0.01bk										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OTIL, OTIVI	TESINI	0.010K										+
		Facility Termination per month			OHL, OHM	1L5NF	29.11bk	47.34bk	31.78bk	22.77bk	8.75bk						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTIL, OTIVI	I LOI VI	20.11010	77.0401	01.7051	22.77010	0.7001	`					<b>†</b>
		per month			OHL, OHM	1L5NK	0.0115bk										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	20.97bk	47.35bk	31.78bk	22.77bk	8.75bk	:					
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.0115bk										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			OHL, OHM	1L5NK	20.97bk	47.35bk	31.78bk	22.77bk	8.75bk						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			OH1, OH1MS	1L5NL	0.23bk										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility															
<u> </u>		Termination per month			OH1, OH1MS	1L5NL	96.04bk	105.52bk	98.46bk	23.09bk	20.49bk						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	4.97bk										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			OH3, OH3IVIS	ILSINIVI	4.97DK					1			-	-	+
		Termination per month			OH3, OH3MS	1L5NM	1175.15bk	335.4bk	219.24bk	89.57bk	87.75bk	.					
<b>├</b>	OCAL	CHANNEL - DEDICATED TRANSPORT			OT 13, OT 131VIO	TESINIVI	1173.13BK	333.4bk	213.24DK	03.37 DK	07.7308	1					+
	OOAL	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	18.57bk	265.78bk	46.96bk	46.79bk	4.98bk						+
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	19.86bk	266.48bk	47.65bk	47.54bk	5.73bk						<b>†</b>
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.46bk	209.6bk	176.51bk	30.21bk	21.07bk						<u> </u>
I		Local Channel - Dedicated - DS3 Facility Termination per month	<u></u>		OH3	TEFHJ	576.05bk	551.38bk	338.08bk	173bk	120.42bk			<u> </u>	<u> </u>	<u> </u>	<u> </u>
L	OCAL	INTERCONNECTION - VIRTUAL INTERCONNECTION POINT															1
		Local Channel-Dedicated- DS3 - per month			BP3	BP3LC	576.05	551.38	338.08	173.00	120.42						
		Interoffice Channel - Dedicated transport - DS3 per mile per								, , ,							†
L l		month	<u> </u>		BP3	1L5BP	4.97			<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
		Interoffice Channel - Dedicated transport - DS3 facility															
		termination per month			BP3	1L5BP	1,175.15	335.40	219.24	89.57	87.75						<u> </u>
		INTERCONNECTION MID-SPAN MEET															
N	OTE:	If Access service ride Mid-Span Meet, one-half the tariffed se	vice Lo	cal Ch													
$\vdash \vdash$		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00							1	1	<del></del>
$\Box$		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00				ļ			<b>.</b>	<b>.</b>	<b></b>
, IM	IUI TII	PLEXERS	l	1	I	1	1			1		1		l	1	1	1

LOCAL INT	ERCONNECTION - Kentucky												Attachr	nent: 3	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	11.80	10.07	7.08								
Notes	: If no rate is identified in the contract, the rates, terms, and c	ondition	s for th	ne specific service o	r function wi	II be as set fort	h in applicable	BellSouth tar	iff.							

LOCA	L INTE	RCONNECTION - South Carolina												Attachi	ment: 3	Exhil	bit: A
												Submitted	Submitted	Incremental Charge -	Charge -	Incremental Charge -	Incrementa Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svo Order vs.
			m						,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						_ 1	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		Ц
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi															
		nd Office Switching Function per MOU rate element is not sh	own be	low bu	t is subject to the B	ill and Keep	provision of Att	tachment 3 of	the Agreement	between Knol	ogy and BellS	outh					
	I ANDE	M SWITCHING Tandem Switching Function Per MOU			OHD		0.0007360bk										<del> </del>
					OHD		0.0007360bK										<b></b>
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.000736										
	1	Tandem Intermediary Charge, per MOU*			OHD	-	0.000736										+
	* This (	charge is applicable only to transit traffic and is applied in add	dition to	annli		Vor intercon											1
		CHARGE	I	αρριι	cable switching and	lior intercom	lection tharges	•									+
	1110111	Installation Trunk Side Service - per DS0			OHD	TPP++		335.14bk	57.16bk								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk										
LOCAL		CONNECTION (DEDICATED TRANSPORT)															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.0167bk										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHL, OHM	1L5NF	24.3bk	40.63bk	27.47bk	16.77bk	6.91bk						ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHL, OHM	1L5NK	0.0167bk										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility					40	40.0011		40							
		Termination per month			OHL, OHM	1L5NK	16.76bk	40.63bk	27.47bk	16.77bk	6.91bk						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			OHL, OHM	1L5NK	0.040751										
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OHL, OHM	1L5NK	0.0167bk										
		Termination per month			OHL, OHM	1L5NK	16.76bk	40.63bk	27.47bk	16.77bk	6.91bk						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			Onl, Onivi	ILSINK	10.76DK	40.03DK	27.47DK	10.77DK	0.91DK						<del> </del>
		month			OH1, OH1MS	1L5NL	0.3415bk										
	1	Interoffice Channel - Dedicated Tranport - DS1 - Facility	-		OHT, OHTIVIS	ILSINL	0.3413DK										+
		Termination per month			OH1, OH1MS	1L5NL	77.14bk	89.47bk	81.99bk	16.39bk	14.48bk						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTI, OTTIMO	TEOTYE	77.1461	00.47 BR	01.0000	10.00010	14.4001						<del> </del>
	1	month	1		OH3, OH3MS	1L5NM	8.02bk								1		
	<b>†</b>	Interoffice Channel - Dedicated Transport - DS3 - Facility			2, 0		C.CEDIK										
1	1	Termination per month	1		OH3, OH3MS	1L5NM	880.65bk	279.37bk	163.12bk	60.33bk	58.59bk				1		
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	15.33bk	193.53bk	33.24bk	36.72bk	3.21bk						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	16.54bk	193.97bk	33.68bk	37.19bk	3.68bk						
	<u></u>	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62bk	177.87bk	154.06k	22.24bk	15.3bk						
		<u> </u>															
	<u> </u>	Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	446bk	452.52bk	264.53k	119.75bk	83.77bk						
	LOCAL	INTERCONNECTION - VIRTUAL INTERCONNECTION POINT															
		Local Channel-Dedicated- DS3 - per month			BP3	BP3LC	446.00	452.52	264.53	119.75	83.77						
	1	Interoffice Channel - Dedicated transport - DS3 per mile per															1
1	1	month	1		BP3	1L5BP	8.02								l		
	Ì	Interoffice Channel - Dedicated transport - DS3 facility															
<u> </u>	<u> </u>	termination per month	<u> </u>		BP3	1L5BP	880.65	279.37	163.12	60.33	58.59				<u> </u>		<u> </u>
		INTERCONNECTION MID-SPAN MEET															
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Ch													
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
	MIII TI	PLEXERS															

Version 3Q02: 10/07/02 Page 9 of 12

LOCAL INTE	RCONNECTION - South Carolina												Attachn	nent: 3	Exhil	oit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90						
	DS3 Interface Unit (DS1 COCI) per month				SATCO	8.64	6.59	4.73		•						
Notes:	If no rate is identified in the contract, the rates, terms, and co	ndition	s for th	ne specific service o	r function wi	Il be as set fort	h in applicable	BellSouth tar	iff.	<u> </u>						

LOCA	L INTE	RCONNECTION - Tennessee												Attachi	ment: 3	Exhil	bit: A
												Submitted	Submitted	Incremental Charge -	Charge -	Incremental Charge -	Incrementa Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Sv
			m						- (.,			per Lon	per Lor	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL		CONNECTION (CALL TRANSPORT AND TERMINATION)															<u> </u>
		bk" beside a rate indicates that the Parties have agreed to bi															
		nd Office Switching Function per MOU rate element is not sh	own be	low bu	t is subject to the B	ill and Keep	provision of At	tachment 3 of	the Agreement	between Knol	ogy and BellS	outh					<b>↓</b>
		M SWITCHING Tandem Switching Function Per MOU			OHD		0.0009778bk										+
					OHD	-	0.0009778bK										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.0009778										
		Tandem Intermediary Charge, per MOU*			OHD	-	0.0009778										+
		harge is applicable only to transit traffic and is applied in ad-	dition to	annli		Vor intercon		<u> </u>									+
		CHARGE	I	αρριι	l switching and	i/or intercom	lection charges	). 									+
		Installation Trunk Side Service - per DS0			OHD	TPP++	İ	334.29bk	57.01bk						1		<b>†</b>
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDE0P	0.00		,						1		<b>†</b>
		Dedicated End Office Trunk Port Service-per DS1**			0H1 OH1MS	TDE1P	0.00										1
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDW0P	0.00										1
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
		rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	tching, per MO	U rate elements	S								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000064bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003871bk										
LOCAL		CONNECTION (DEDICATED TRANSPORT)															
		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHL, OHM	1L5NF	0.0174bk										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			OHL, OHM	1L5NF	18.58bk	55.39bk	17.37bk	27.96bk	3.51bk						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OLIL OLIM	41 ENIZ	0.047451										
		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OHL, OHM	1L5NK	0.0174bk										-
		Termination per month			OHL, OHM	1L5NK	17.98bk	55.39bk	17.37bk	27.96bk	3.51bk						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OHL, OHM	ILDINK	17.98DK	55.39DK	17.37DK	27.96DK	3.51DK	1			-		+
		per month			OHL, OHM	1L5NK	0.0174bk										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			OTIL, OTIM	ILOIVIC	0.017458										+
		Termination per month			OHL, OHM	1L5NK	17.98bk	55.39bk	17.37bk	27.96bk	3.51bk						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0. i.i., 0. iiii	.20.414	17.005.0	00.005.1	1710721	27.0001	0.0121	1					+
		month			OH1, OH1MS	1L5NL	0.3562bk										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			,												1
		Termination per month			OH1, OH1MS	1L5NL	77.86bk	112.4bk	76.27bk	19.55bk	14.99bk						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			OH3, OH3MS	1L5NM	2.34bk										
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			OH3, OH3MS	1L5NM	848.99bk	395.29bk	176.56bk	109.04bk	105.91bk						
		CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHL, OHM	TEFV2	19.43bk	199.33bk	24.16bk	54.81bk	4.8bk						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHL, OHM	TEFV4	20.56bk	201.53bk	24.83bk	55.52bk	5.51bk						
<u> </u>	1	Local Channel - Dedicated - DS1 per month	<u> </u>		OH1	TEFHG	40.99bk	277.35bk	233.26bk	33.18bk	22.3bk	1			-		<del></del>
1		Local Channel Dedicated DCC Facility Terrain stick	1		OHa	TEELU	044.051	EOE 077	204 511	245 001	154 451 1				I		
		Local Channel - Dedicated - DS3 Facility Termination per month	<del>                                     </del>		OH3	TEFHJ	611.3bk	595.37bk	304.5bk	215.82bk	151.15bk	1			<del>                                     </del>	1	+
		INTERCONNECTION - VIRTUAL INTERCONNECTION POINT	<u> </u>				ļ								-		<del></del>
		Local Channel-Dedicated- DS3 - per month			BP3	BP3LC	611.30	595.37	304.50	215.82	151.15				1		<b></b>
		Interoffice Channel - Dedicated transport - DS3 per mile per	l		D.D.O.	41.500									1		
		month	<u> </u>		BP3	1L5BP	2.34								-		<del></del>
		Interoffice Channel - Dedicated transport - DS3 facility	1		D.D.o.	41.500			.=0.5-						I		
		termination per month	<b> </b>		BP3	1L5BP	848.99	395.29	176.56	109.04	105.91				<b>!</b>	1	+
		INTERCONNECTION MID-SPAN MEET		! 0'		la la									-		+
	INO I E:	f Access service ride Mid-Span Meet, one-half the tariffed ser	VICE LO	cai Ch	annel rate is applica OH1MS		0.00	0.00							<b>!</b>	1	
				1	IOHIMS	TEFHG	0.00	0.00				1			1		1
		Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									1

Version 3Q02: 10/07/02 Page 11 of 12

LOCAL INTE	RCONNECTION - Tennessee												Attachn	nent: 3	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	l.	·
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23						
	DS3 Interface Unit (DS1 COCI) per month				SATCO	17.58	6.07	4.66								
Notes:	If no rate is identified in the contract, the rates, terms, and co	ndition	s for th	ne specific service o	r function wi	Il be as set for	th in applicable	BellSouth tar	iff.	•						

# **Attachment 4**

**Physical Collocation** 

#### BELLSOUTH

#### PHYSICAL COLLOCATION

### 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when Knology is physically collocated as a sole occupant or as a Host within a Premises location pursuant to this Attachment. BellSouth Premises include BellSouth Central Offices and Serving Wire Centers (hereinafter "Premises"). This Attachment is applicable to Premises owned or leased by BellSouth. However, if the Premises occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions of this Attachment.
- Right to Occupy. BellSouth shall offer to Knology collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms and conditions of this Attachment where space is available and it is technically feasible, BellSouth will allow Knology to occupy that certain area designated by BellSouth within a BellSouth Premises, or on BellSouth property upon which the BellSouth Premises is located, of a size which is specified by Knology and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for BellSouth locations other than BellSouth Premises shall be negotiated upon request for collocation at such location(s).
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth below.
- 1.2.1.1 In all states other than Florida, the size specified by Knology may contemplate a request for space sufficient to accommodate Knology's growth within a two-year period.
- 1.2.1.2 In the state of Florida, the size specified by Knology may contemplate a request for space sufficient to accommodate Knology's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate Knology's requested preferences if any. In allocating Collocation Space, BellSouth shall not materially increase Knology's cost or materially delay Knology's occupation and use of the Collocation Space, shall not assign Collocation Space that will impair the quality of service or otherwise limit the service Knology wishes to offer, and shall not reduce unreasonably the total space available for physical collocation or preclude unreasonably physical collocation within the Premises. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocator; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly

reserved for future use, either by BellSouth or by another carrier; or (f) essential for the administration and proper functioning of BellSouth's Premises. BellSouth may segregate Collocation Space and require separate entrances in accordance with FCC rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a Central Office Premises, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Central Office Premises. Knology will be responsible for any justification of unutilized space within its space, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. Knology shall use the Collocation Space for the purposes of installing, maintaining and operating Knology's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements for the provision of telecommunications services, as specifically set forth in this Attachment. The Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. Knology agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.8 The parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

### 2. Space Availability Report

- 2.1 Space Availability Report. Upon request from Knology, BellSouth will provide a written report ("Space Availability Report") describing in detail the space that is available for collocation and specifying the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises.
- 2.1.1 The request from Knology for a Space Availability Report must be written and must include the Premises street address, as identified in the Local Exchange Routing Guide ("LERG"), and Common Language Location Identification ("CLLI") code of the Premises. CLLI code information is located in the National Exchange Carriers Association ("NECA") Tariff FCC No. 4.

2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Premises within the same state. The response time for requests of more than five (5) Premises shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Knology and inform Knology of the time frame under which it can respond.

#### 3. Collocation Options

- 3.1 <u>Cageless.</u> BellSouth shall allow Knology to collocate Knology's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow Knology to have direct access to Knology's equipment and facilities. BellSouth shall make cageless collocation available in single bay increments. Except where Knology's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Knology must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 Caged. At Knology's expense, Knology may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard enclosure specification, Knology and Knology's Certified Supplier must comply with the more stringent local building code requirements. Knology's Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Knology and provide, at Knology's expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for Knology to obtain the zoning, permits and/or other licenses. Knology's Certified Supplier shall bill Knology directly for all work performed for Knology pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Knology's Certified Supplier. Knology must provide the local BellSouth building contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Knology's locked enclosure prior to notifying Knology. Upon request, BellSouth shall construct the enclosure for Knology.
- 3.2.1 BellSouth may elect to review Knology's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Knology indicating BellSouth's desire to execute this

review will be provided in BellSouth's response to the Initial Application, if Knology has indicated its desire to construct its own enclosure. If Knology's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Knology's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Knology. BellSouth shall require Knology to remove or correct within seven (7) calendar days at Knology's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- 3.3 Shared Caged Collocation. Knology may allow other telecommunications carriers to share Knology's caged collocation arrangement pursuant to terms and conditions agreed to by Knology ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option. Knology shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Knology that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and Knology.
- 3.3.1 Knology, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide Knology with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In all states other than Florida, and in addition to the foregoing, Knology shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement of the Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these

interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.

- 3.3.3 Knology shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Knology's Guests in the Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent collocation arrangements ("Adjacent Arrangement") on the Premises' property, where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises property. The Adjacent Arrangement shall be constructed or procured by Knology and in conformance with BellSouth's design and construction specifications. Further, Knology shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.
- 3.4.1 Should Knology elect Adjacent Collocation, Knology must arrange with a Certified Supplier to construct an Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. BellSouth will provide guidelines and specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Knology and Knology's Certified Supplier must comply with the more stringent local building code requirements. Knology's Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Knology's Certified Supplier shall bill Knology directly for all work performed for Knology pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Knology's Certified Supplier. Knology must provide the local BellSouth building contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Knology's locked enclosure prior to notifying Knology.
- 3.4.2 Knology must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Knology's plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Adjacent Arrangement during and after construction to confirm it is constructed according to the submitted plans and specifications. If BellSouth decides to inspect, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from Knology. BellSouth shall require Knology to remove or correct within seven (7) calendar days at Knology's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's guidelines and specifications.

- 3.4.3 Knology shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Knology's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Knology's Certified Supplier shall be responsible, at Knology's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Caged Collocation within an Adjacent Arrangement pursuant to the terms and conditions set forth herein.
- 3.5 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Knology to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same central office. Both Knology's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Knology use the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Knology must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Knology. Such connections to other carriers may be made using either optical or electrical facilities. In cases where Knology's equipment and the equipment of the other interconnector are located in contiguous caged Collocation Spaces, Knology will have the option of using Knology's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Knology may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Knology may not self-provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Knology is responsible for ensuring the integrity of the signal.
- 3.5.2 Knology shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Knology-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Knology will have the option of using Knology's own technicians to construct its own dedicated support structure.

3.5.3 To order CCXCs Knology must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

#### 4. Occupancy

- 4.1 Occupancy. BellSouth will notify Knology in writing that the Collocation Space is ready for occupancy ("Space Ready Date"). Knology will schedule and complete an acceptance walk-through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Knology that the Collocation Space is ready for occupancy. BellSouth will correct any deviations to Knology's original or jointly amended requirements within seven (7) calendar days after the walk-through, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walk-through will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walk-through will be limited to those items identified in the initial walk-through. If Knology has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Knology's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Knology fails to complete an acceptance walk-through within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by Knology. Billing will commence on the Space Ready Date or on the Space Acceptance Date, whichever is sooner. Knology must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Knology's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provisioning.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement, Knology may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Knology's right to occupy the Collocation Space in the event Knology fails to comply with any provision of this Agreement including the payment of applicable fees.

Upon termination of occupancy, Knology at its expense shall remove its equipment and other property from the Collocation Space. Knology shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Knology's Guests, unless Knology's Guest has assumed responsibility for the Collocation Space housing the Guest's equipment

and executed the documentation required by BellSouth prior to such removal date. Knology shall continue payment of monthly fees to BellSouth until such date as Knology, and if applicable Knology's Guest, has fully vacated the Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Knology or Knology's Guest fail to vacate the Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of Knology or Knology's Guest(s), in any manner that BellSouth deems fit, at Knology's expense and with no liability whatsoever for Knology's property or Knology's Guest(s)'s property. Upon termination of Knology's right to occupy Collocation Space, the Collocation Space will revert back to BellSouth, and Knology shall surrender such Collocation Space to BellSouth in the same condition as when first occupied by Knology except for ordinary wear and tear, unless otherwise agreed to by the Parties. Knology's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Central Office Record Drawings and ERMA Records. Knology shall be responsible for the cost of removing any Knology constructed enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

### 5. <u>Use of Collocation Space</u>

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Premises must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria

Level 1 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Knology's failure to comply with this Section.

- Knology shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as equipment already placed in the arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that Knology submits an application for terminations that exceed the total capacity of the collocated equipment, Knology will be informed of the discrepancy and will be required to submit a revision to the application.
- Knology shall identify to BellSouth whenever Knology submits a Method of Procedure ("MOP") adding equipment to Knology's Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured and otherwise, in the equipment in Knology's Collocation Space.
- 5.3 Knology shall not use the Collocation Space for marketing purposes nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the Premises.
- 5.4 Knology shall place a plaque or other identification affixed to Knology's equipment necessary to identify Knology's equipment, including a list of emergency contacts with telephone numbers.
- 5.5 Entrance Facilities. Knology may elect to place Knology-owned or Knology-leased fiber entrance facilities into the Collocation Space. BellSouth will designate the point of interconnection in close proximity to the Premises building housing the Collocation Space, such as an entrance manhole or a cable vault, which are physically accessible by both Parties. Knology will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. Knology will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth, which will extend from the splice location to Knology's equipment in the Collocation Space. In the event Knology utilizes a non-metallic, riser-type entrance facility, a splice will not be required. Knology must contact BellSouth for instructions prior to placing the entrance facility cable in the manhole. Knology is responsible for maintenance of the entrance facilities. At Knology's option BellSouth will accommodate where technically feasible a microwave entrance facility pursuant to separately negotiated terms and conditions. In the case of

adjacent collocation, unless BellSouth determines that limited space is available for the entrance facilities, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point.

- Dual Entrance. BellSouth will provide at least two interconnection points at each Premises where there are at least two such interconnection points available and where capacity exists. Upon receipt of a request for physical collocation under this Attachment, BellSouth shall provide Knology with information regarding BellSouth's capacity to accommodate dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose for utilization within 12 months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to Knology's arrangement. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance is not available due to lack of capacity, BellSouth will so state in the Application Response.
- 5.5.2 <u>Shared Use</u>. Knology may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Knology's collocation arrangement within the same BellSouth Premises. BellSouth shall allow the splice, provided that the fiber is non-working fiber. Knology must arrange with BellSouth for BellSouth to splice the Knology provided riser cable to the spare capacity on the entrance facility. The rates set forth in Exhibit B will apply. If Knology desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- 5.6 Demarcation Point. BellSouth will designate the point(s) of demarcation between Knology's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). Knology shall be responsible for providing, and a supplier certified by BellSouth ("BellSouth Certified Supplier") shall be responsible for installing and properly labeling/stenciling the common block and necessary cabling pursuant to Section 7. For all other terminations BellSouth shall designate a demarcation point on a per arrangement basis. Knology or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between Knology's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a Knology provided Point of Termination Bay (POT Bay) in a common area within the Premises. Knology shall be responsible for providing, and a supplier certified by

BellSouth shall be responsible for installing and properly labeling/stenciling the POT Bay as well as installing the necessary cabling between Knology's Collocation Space and the demarcation point. Knology or its agent must perform all required maintenance to equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within the Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the demarcation point in Tennessee in the event that Knology desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.

- Knology's Equipment and Facilities. Knology, or if required by this Attachment, Knology's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Knology which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Knology and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time BellSouth may require access to the Collocation Space. BellSouth retains the right to access such space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cables). BellSouth will give notice to Knology at least forty-eight (48) hours before access to the Collocation Space is required. Knology may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that Knology will not bear any of the expense associated with this work.
- 5.9 Access. Pursuant to Section 12, Knology shall have access to the Collocation Space twenty-four (24) hours a day, seven (7) days a week. Knology agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agent of Knology or Knology's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Knology and returned to BellSouth Access Management within fifteen (15) calendar days of Knology's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Knology agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Knology's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Knology or upon the termination of this Attachment or the termination of occupancy of an individual collocation arrangement.
- 5.9.1 BellSouth will permit one accompanied site visit to Knology's designated collocation arrangement location after receipt of the Bona Fide Firm Order (BFFO) without

charge to Knology. Knology must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Premises a minimum of thirty (30) calendar days prior to the date Knology desires access to the Collocation Space. In order to permit reasonable access during construction of the Collocation Space, Knology may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Knology desires access to the Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Knology to access the Collocation Space accompanied by a security escort at Knology's expense. Knology must request escorted access at least three (3) business days prior to the date such access is desired.

- Lost or Stolen Access Keys. Knology shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key buildings or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Knology shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Knology shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Knology violates the provisions of this paragraph, BellSouth shall give written notice to Knology, which notice shall direct Knology to cure the violation within forty-eight (48) hours of Knology's actual receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Knology fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Knology's equipment. BellSouth will endeavor, but is not required, to provide notice to Knology prior to taking such action and shall have no liability to Knology for any damages

- arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- For purposes of this Section, the term significantly degrade shall mean an action that 5.11.2 noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Knology fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Knology or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, Knology shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.
- Personalty and its Removal. Facilities and equipment placed by Knology in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by Knology at any time. Any damage caused to the Collocation Space by Knology's employees, agents or representatives during the removal of such property shall be promptly repaired by Knology at its expense.
- 5.12.1 <u>If Knology</u> decides to remove equipment from its Collocation Space and the removal requires no physical changes, BellSouth will bill Knology an Administrative Only Application Fee as set forth in Exhibit B for these changes. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Knology or any person acting on behalf of Knology make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the BellSouth Premises without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any such specialized alterations shall be paid by Knology. Any such material rearrangement, modification, improvement, addition, or other alteration shall require a Subsequent Application and Subsequent Application Fee, which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 5.14 <u>Janitorial Service</u>. Knology shall be responsible for the general upkeep of the Collocation Space. Knology shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis upon request.

#### 6. Ordering and Preparation of Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Knology and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof.
- Initial Application. For Knology or Knology's Guest(s) initial equipment placement, Knology shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The Initial Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event Knology or Knology's Guest(s) desires to modify the use of the Collocation Space after a BFFO, Knology shall complete an application detailing all information regarding the modification to the Collocation Space ("Subsequent Application"). The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the Subsequent Application are completed with the appropriate type of information. BellSouth shall determine what modifications, if any, to the Premises are required to accommodate the change requested by Knology in the application. Such necessary modifications to the Premises may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by Knology for its request to modify the use of the Collocation Space shall be dependent upon the level of assessment needed for the modification requested. The fee for a Subsequent Application where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This non-recurring fee will be billed on the date that BellSouth makes an Application Response.
- 6.4 <u>Space Preferences</u>. If Knology has previously requested and received a Space Availability Report for the Premises, Knology may submit up to three (3) space preferences on its application identifying specific space identification numbers as referenced on the Space Availability Report. In the event that BellSouth can-not accommodate the Knology's preference(s), Knology may elect to accept the space allocated by BellSouth or may cancel its application and submit another application requesting additional preferences, which will be treated as a new application and an

application fee will apply which will be billed by BellSouth on the date that BellSouth makes an Application Response.

#### 6.5 <u>Space Availability Notification.</u>

- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Knology of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Knology or differently configured, Knology must resubmit its application to reflect the actual space available.
- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Premises. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an application fee will be billed by BellSouth on the date that BellSouth makes an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Knology or differently configured, Knology must amend its application to reflect the actual space available prior to submitting a BFFO.
- 6.5.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Knology of the amount of space that is available and no application fee shall apply. When BellSouth's response includes an amount of space less than that requested by Knology or differently configured, Knology must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items necessary to cause the application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies Knology that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Knology that BellSouth has no available space in the requested Premises, BellSouth will allow Knology, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Premises must be received by BellSouth within five (5) calendar days of the Denial of Application.

- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Knology to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, Knology must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Knology has originally requested caged Collocation Space and cageless Collocation Space becomes available, Knology may refuse such space and notify BellSouth in writing within that time that Knology wants to maintain its place on the waiting list without accepting such space. Knology may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Knology does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Knology from the waiting list. Upon request, BellSouth will advise Knology as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Central Offices that are without available space. BellSouth shall update such document within ten (10) calendar days of the date

BellSouth becomes aware that there is insufficient space to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Central Office previously on the space exhaust list.

## 6.10 <u>Application Response.</u>

- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within fifteen (15) calendar days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.
- In Florida, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Knology to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Knology submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10.3 In Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- 6.10.4 In Louisiana, when space has been determined to be available, BellSouth will provide an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.

### 6.11 Application Modifications.

6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Knology or necessitated by technical considerations, said application shall be considered a new

application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth may charge Knology an additional application fee. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require Knology to submit the application with an Initial Application Fee. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

#### 6.12 Bona Fide Firm Order.

- Knology shall indicate its intent to proceed with equipment installation in a BellSouth Premises by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Knology's Bona Fide application or the application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Knology's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. <u>Construction and Provisioning</u>

#### 7.1 Construction and Provisioning Intervals

7.1.1 In Alabama, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements when preconditioned space is available within thirty (30) calendar days from receipt of a BFFO (ordinary conditions) or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for cageless collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. Preconditioned space is defined as when all infrastructure is in place and only a record change is required to show that the space has been assigned to Knology. Ordinary conditions are defined as space available with only minor changes to support systems required, such as, but not limited to HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but are not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.2 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to the Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Knology cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.3 In Georgia, Kentucky Mississippi, North Carolina, and Tennessee, BellSouth will complete construction for caged collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include but are not limited to major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.4 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of ninety (90) calendar days for caged and sixty (60) calendar days for cageless from receipt of a BFFO for an initial request, and within sixty (60) calendar days for an Augmentation, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). BellSouth will complete construction of all other Collocation Space ("extraordinary conditions") within one hundred twenty (120) calendar days for caged and ninety (90) calendar days for cageless from the receipt of a BFFO. Examples of extraordinary conditions include but are not limited to, extended license or permitting intervals; major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.5 In South Carolina, BellSouth will complete construction for caged collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of the BFFO and within a maximum of ninety (90) calendar days from receipt of the BFFO under extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but not limited to, a major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Public Service Commission of South Carolina.
- Joint Planning. Joint planning between BellSouth and Knology will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Collocation Space completion time period will be provided to Knology during joint planning.
- 7.3 <u>Permits.</u> Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk-through. Knology will schedule and complete an acceptance walk-through of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Knology that the Collocation Space is ready for occupancy (Space Ready Date). In the event that Knology fails to complete an acceptance walk-through within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by Knology. BellSouth will correct any deviations to Knology's original or jointly amended requirements within seven (7) calendar days after the walk-through, unless the Parties jointly agree upon a different time frame.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to Knology prior to the applicable provisioning interval set forth herein ("Provisioning Interval") for those Premises in which Knology has a physical collocation arrangement with no POT bay or with a POT bay provided by BellSouth prior to 6/1/99. BellSouth cannot provide CFAs to Knology prior to the Provisioning Interval for those Premises in which Knology has a physical collocation arrangement with a POT bay provided by Knology prior to 6/1/99 or a virtual collocation arrangement until Knology provides BellSouth with the following information:

For Knology-provided POT bay - a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.

For virtual - a complete layout of Knology's equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by Knology's BellSouth Certified Supplier

BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from Knology. If this EIU is provided ten (10) calendar days prior to the Provisioning Interval, then CFAs will be made available by the Provisioning Interval. If this EIU is not received ten (10) calendar days prior to the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU.

- 7.5.1 BellSouth will bill Knology a nonrecurring charge, as set forth in Exhibit B, each time Knology requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs.
- Use of BellSouth Certified Supplier. Knology shall select a supplier which has been 7.6 approved as a BellSouth Certified Supplier to perform all engineering and installation work. Knology and Knology's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Knology must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Knology with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Knology's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and Knology upon successful completion of installation, etc. The BellSouth Certified Supplier shall bill Knology directly for all work performed for Knology pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Knology or any supplier proposed by Knology and will not unreasonably withhold certification. All work performed by or for Knology shall conform to generally accepted industry guidelines and standards.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. Knology shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Knology's Collocation Space. Upon request, BellSouth will provide Knology with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Knology. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.

- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a location due to technical reasons or space limitations, and physical Collocation Space has subsequently become available, Knology may relocate its virtual collocation arrangements to physical collocation arrangements and pay the appropriate fees for physical collocation and for the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical collocation may become available at the location requested by Knology, such information will be provided to Knology in BellSouth's written denial of physical collocation. To the extent that (i) physical Collocation Space becomes available to Knology within one hundred eighty (180) calendar days of BellSouth's written denial of Knology's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Knology was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then Knology may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. Knology must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to cageless physical collocation within thirty (30) calendar days and from virtual collocation to caged physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Knology an Administrative Only Application Fee as set forth in Exhibit B for these changes on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Knology cancels its order for the Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if

Knology cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill Knology for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.

- 7.11 <u>Licenses.</u> Knology, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Collocation Space.
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

# 8. Rates and Charges

- 8.1 Recurring Charges. If Knology has met the applicable fifteen (15) calendar day walk-through interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Knology fails to complete an acceptance walk-through within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date or on the Space Acceptance Date, whichever is sooner.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an application fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6 (Application Response). Payment of said application fee will be due as dictated by Knology's current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by Knology. This fee will be billed by Bellsouth on the date that BellSouth provides an Application Response.
- 8.3 Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications, assessed per arrangement, per square foot, and common systems modifications, assessed per arrangement, per square foot, for cageless collocation and per cage for caged collocation. Knology shall remit payment of the nonrecurring firm order-processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event Knology opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to Knology as prescribed in this Section.
- 8.4 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This non-recurring fee will be billed by BellSouth upon receipt of the Knology's BFFO.

- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, Knology shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, Knology shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x)maintenance aisle depth) + (0.5 x wiring aisle depth)] X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event Knology's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, Knology shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for Knology's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Knology's option within the Premises.
- 8.6.1 When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by Knology's BellSouth Certified Supplier. When obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized), and installed by Knology's BellSouth Certified Supplier. Knology is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB or power board to Knology's equipment. The determination of the BellSouth BDFB or BellSouth power board as the power source will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by Knology must provide BellSouth a copy of the engineering power specification prior to the day on which Knology's equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or power board and Knology's arrangement area. Knology shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within Knology's arrangement, power cable feeds, and terminations of cable. Any terminations at a BellSouth power board must be performed by a BellSouth Certified Supplier. Knology shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling.
- 8.6.2 If Knology elects to install its own DC Power Plant, BellSouth shall provide AC power to feed Knology's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Knology's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Knology's BellSouth Certified Supplier

must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Knology's option, Knology may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 8.6.3 In Tennessee, recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to Knology's equipment or space enclosure. Knology shall contract with a Certified Supplier who will be responsible for the following: dedicated power cable support structure within Knology's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, non-recurring charges for –48V DC power distribution will be based on the common power feeder cable support structure between the BellSouth BDFB and Knology's arrangement area.
- In Alabama and Louisiana, Knology has the option to purchase power directly from an electric utility company. Under such an option, Knology is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Knology. Knology's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in installing this power arrangement. If Knology previously had power supplied by BellSouth, Knology may request to change its arrangement to obtain power from an electric utility company by submitting a subsequent application. BellSouth will waive any application fee for this subsequent application if no other change was requested therein. Any floor space, cable racking, etc utilized by Knology in provisioning said power will be billed on an ICB basis.
- 8.6.5 In South Carolina, Knology has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such an option, Knology is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by Knology. Knology's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. Knology must submit an application to BellSouth for the appropriate amount of collocation space that Knology requires to install this type of power

arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of Knology's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other non-recurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. Knology shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Public Service Commission of South Carolina for the central office requested. Knology would still have the option to order its power needs directly from BellSouth.

- 8.6.6 If Knology requests a reduction in the amount of power that BellSouth is currently providing Knology must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Subsequent Application Fee for Power Reduction as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power the Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.6.7 In Alabama and Louisiana, if Knology is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, Knology must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply.
- 8.7 <u>Security Escort</u>. A security escort will be required whenever Knology or its approved agent desires access to the entrance manhole or must have access to the Premises after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Knology shall pay for such half-hour charges in the event Knology fails to show up.
- 8.8 <u>Cable Record charges.</u> These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. These non-recurring fees will be billed upon receipt of Knology's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

# 9. Insurance

- 9.1 Knology shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 Knology shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Knology's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 Knology may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to Knology to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- All policies purchased by Knology shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all Knology's property has been removed from BellSouth's Premises, whichever period is longer. If Knology fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Knology.
- 9.5 Knology shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Knology shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from Knology's insurance company. Knology shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Knology must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If Knology's net worth exceeds five hundred million dollars (\$500,000,000), Knology may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Knology shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Knology in the event that self-insurance status is not granted to Knology. If BellSouth approves Knology for self-insurance, Knology shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Knology's corporate officers. The ability to self-insure shall continue so long as the Knology meets all of the requirements of this Section. If Knology subsequently no longer satisfies this Section, Knology is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Knology to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

# 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Knology), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11. <u>Inspections</u>

BellSouth may conduct an inspection of Knology's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between Knology's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Knology adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Knology with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. Security and Safety Requirements

- Unless otherwise specified, Knology will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Knology employee hired in the past five years being considered for work on the BellSouth Premises, for the states/counties where the Knology employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Knology shall not be required to perform this investigation if an affiliated company of Knology has performed an investigation of the Knology employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Knology has performed a pre-employment statewide investigation of criminal history records of the Knology employee for the states/counties where the Knology employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Knology will be required to administer to its personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- Knology shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and Knology's name. BellSouth reserves the right to remove from its Premises any employee of Knology not possessing identification issued by Knology or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Knology shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises. Knology shall be solely responsible for ensuring that any Guest of Knology is in compliance with all subsections of this Section.
- 12.4 Knology shall not assign to the BellSouth Premises any personnel with records of felony criminal convictions. Knology shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s).

BellSouth reserves the right to refuse building access to any Knology personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Knology chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Knology may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 Knology shall not knowingly assign to the BellSouth Premises any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Knology shall not knowingly assign to the BellSouth Premises any individual who was a former supplier of BellSouth and whose access to a BellSouth Premises was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Knology employee or agent hired by Knology within five years of being considered for work on the BellSouth Premises, who requires access to a BellSouth Premises pursuant to this Attachment, Knology shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Knology will disclose the nature of the convictions to BellSouth at that time. In the alternative, Knology may certify to BellSouth that it shall not assign to the BellSouth Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Knology employees requiring access to a BellSouth Premises pursuant to this Attachment, Knology shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, Knology shall promptly remove from BellSouth's Premises any employee of Knology BellSouth does not wish to grant access to its Premises 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Knology is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 <u>Security Violations</u>. BellSouth reserves the right to interview Knology's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Knology's Security contact of such interview. Knology and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct

committed by, witnessed by, or involving Knology's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Knology for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Knology's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Knology for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Knology's employees, agents, or suppliers and where Knology agrees, in good faith, with the results of such investigation. Knology shall notify BellSouth in writing immediately in the event that Knology discovers one of its employees already working on the BellSouth Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth Premises, any employee found to have violated the security and safety requirements of this Section. Knology shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- Accountability. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

# 13. <u>Destruction of Collocation Space</u>

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Knology's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Knology's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Knology, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which

causes shall not be construed as limiting factors, but as exemplary only. Knology may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If Knology's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Knology. Where allowed and where practical, Knology may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, Knology shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for Knology's permitted use, until such Collocation Space is fully repaired and restored and Knology's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where Knology has placed an Adjacent Arrangement pursuant to Section 3, Knology shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

# 14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and Knology shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. Nonexclusivity

15.1 Knology understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Knology agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Knology shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Knology should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Knology to follow when working at a BellSouth Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Knology will require its suppliers, agents and others accessing the BellSouth Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Knology when operating in the BellSouth Premises.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Knology space with proper notification. BellSouth reserves the right to stop any Knology work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Premises by Knology are owned by Knology. Knology will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Knology or different hazardous materials used by Knology at BellSouth Premises. Knology must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Premises, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Knology to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Knology will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Knology will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Knology must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Knology shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, Knology agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Knology further agrees to cooperate with BellSouth to ensure that Knology's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Knology, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from Knology's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous	Compliance with all applicable	Std T&C 450
material or other regulated material	local, state, & federal laws and regulations	Fact Sheet Series 17000
(e.g., batteries, fluorescent tubes, solvents & cleaning	Pollution liability insurance	Std T&C 660-3
materials)	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC

		Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	Std T&C 450  Std T&C 450-B (Contact ATCC Representative for copy of appropriate E/S M&Ps.)  Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000  Std T&C 660-3  Approved Environmental Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations  Protection of BST employees	Std T&C 450  29CFR 1910.147 (OSHA
other mannenance work	and equipment	Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)

	equipment	
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact ATCC Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

### 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

# **Attachment 4**

**Remote Site Physical Collocation** 

#### BELLSOUTH

### REMOTE SITE PHYSICAL COLLOCATION

# 1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when Knology is occupying the Remote Collocation Space as a sole occupant or as a Host within a Remote Site Location pursuant to this Attachment.
- Right to occupy. BellSouth shall offer to Knology Remote Site Collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment where space is available and collocation is technically feasible, BellSouth will allow Knology to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by Knology and agreed to by BellSouth (hereinafter "Remote Collocation Space"). BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth remote locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth remote locations other than those specified above.

# 1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by Knology may contemplate a request for space sufficient to accommodate Knology's growth within a two year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by Knology may contemplate a request for space sufficient to accommodate Knology's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this

Attachment. Additionally, where BellSouth notifies Knology that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon Knology's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for Knology. Knology agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for Knology. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for Knology as above, Knology shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with Knology in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. Knology will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> Knology shall use the Remote Collocation Space for the purposes of installing, maintaining and operating Knology's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Attachment. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. Knology agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

# 2. Space Availability Report

2.1 Space Availability Report. Upon request from Knology, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to

make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.

- 2.1.1 The request from Knology for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carriers Association (NECA) Tariff FCC No. 4. If Knology is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, Knology may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, Knology should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. Knology should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify Knology and inform Knology of the time frame under which it can respond.
- 2.2 <u>Remote Terminal information.</u> Upon request, BellSouth will provide Knology with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a Knology request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by Knology, up to a maximum of thirty (30) wire centers per Knology request per month per state, and up to for a maximum of 120 wire centers total per month per state for all CLECs; and (iii) Knology agrees to pay the costs incurred by BellSouth in providing the information.

# 3. Collocation Options

3.1 <u>Cageless</u>. BellSouth shall allow Knology to collocate Knology's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth

shall allow Knology to have direct access to Knology's equipment and facilities. BellSouth shall make cageless collocation available in single rack/bay increments. Except where Knology's equipment requires special technical considerations (e.g., special cable racking, isolated ground plane, etc.), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, Knology must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant.

- 3.2 <u>Caged</u>. At Knology's expense, Knology may arrange with a Supplier certified by BellSouth ("Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's guidelines and specifications prior to starting equipment installation. BellSouth will provide guidelines and specifications upon request. Knology's Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with Knology and provide, at Knology's expense, the documentation, including existing building architectural drawings, enclosure drawings, and specifications required and necessary for Knology to obtain the zoning, permits and/or other licenses. Knology's Certified Supplier shall bill Knology directly for all work performed for Knology pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Knology's Certified Supplier. Knology must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access Knology's locked enclosure prior to notifying Knology. Upon request, BellSouth shall construct the enclosure for Knology.
- 3.2.1 BellSouth may elect to review Knology's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's guidelines and specifications. Notification to Knology indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Initial Application, if Knology has indicated their desire to construct their own enclosure. If Knology's Initial Application does not indicate their desire to construct their own enclosure, but their subsequent firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review Knology's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's guidelines and specifications, as applicable. BellSouth shall require Knology to remove or correct within seven (7) calendar days at Knology's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth guidelines and specifications.

- Shared Collocation. Knology may allow other telecommunications carriers to share Knology's Remote Collocation Space pursuant to terms and conditions agreed to by Knology ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. Knology shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by Knology that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and Knology.
- 3.3.1 Knology, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide Knology with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, Knology shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement of Guest. In Florida the Guest may directly submit initial and additional equipment placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Initial or Subsequent Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this non-recurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 Knology shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of Knology's Guests in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.

- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located, where the Remote Site Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by Knology and in conformance with BellSouth's design and construction specifications. Further, Knology shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.4.1 Should Knology elect Adjacent Collocation, Knology must arrange with a Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's guidelines and specifications. Where local building codes require enclosure specifications more stringent than BellSouth's standard specification, Knology and Knology's Certified Supplier must comply with local building code requirements. Knology's Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. Knology's Certified Supplier shall bill Knology directly for all work performed for Knology pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by Knology's Certified Supplier. Knology must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access Knology's locked enclosure prior to notifying Knology.
- 3.4.2 Knology must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review Knology's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's guidelines and specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require Knology to remove or correct within seven (7) calendar days at Knology's expense any structure that does not meet these plans and specifications.
- 3.4.3 Knology shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At Knology's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. Knology's

Certified Supplier shall be responsible, at Knology's expense, for filing and receiving any and all necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit Knology to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same remote site premises. Both Knology's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall Knology use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 Knology must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by Knology. Such connections to other carriers may be made using either optical or electrical facilities. In cases where Knology's equipment and the equipment of the other interconnector are located in contiguous caged Collocation Spaces, Knology will have the option of using Knology's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. Knology may deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. Knology may not self-provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). Knology is responsible for ensuring the integrity of the signal.
- 3.5.2 Knology shall be responsible for providing written authorization to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. Knology-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, Knology will have the option of using Knology's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs Knology must submit an Initial Application or Subsequent Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXC, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Initial Application or Subsequent Application Fee will apply. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

# 4. Occupancy

- 4.1 Occupancy. BellSouth will notify Knology in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). Knology will schedule and complete an acceptance walk-through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Knology that Remote Collocation Space is ready for occupancy ("Space Ready Date"). . BellSouth will correct any deviations to Knology's original or jointly amended requirements within seven (7) calendar days after the walk-through, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walk-through will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walk-through. If Knology has met the fifteen (15) calendar day interval(s), billing will begin upon the date of Knology's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that Knology fails to complete an acceptance walk-through within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Knology. Billing will commence on the Space Ready Date or on the Space Acceptance Date, whichever is sooner. Knology must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, Knology's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Attachment, Knology may terminate occupancy in a particular Remote Collocation Space by submitting a Subsequent Application requesting termination of occupancy. A Subsequent Application Fee will not apply for termination of occupancy. BellSouth may terminate Knology's right to occupy the Remote Collocation Space in the event Knology fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, Knology at its expense shall remove its equipment and other property from the Remote Collocation Space. Knology shall have thirty (30) calendar days from the termination date to complete such removal, including the removal of all equipment and facilities of Knology's Guests, unless Knology's Guest has assumed responsibility for the Remote Collocation Space housing the Guest's equipment and executed the documentation required by BellSouth prior to such removal date. Knology shall continue payment of monthly fees to BellSouth until such date as Knology, and if applicable Knology's Guest, has fully vacated the Remote Collocation Space and the Space Relinquish Form has been accepted by BellSouth. Should Knology or Knology's Guest fail to vacate the Remote Collocation Space within thirty (30) calendar days from the termination date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of

Knology or Knology's Guest, in any manner that BellSouth deems fit, at Knology's expense and with no liability whatsoever for Knology or Knology's Guest's property. Upon termination of Knology's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and Knology shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the Knology except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts Knology's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's guidelines and specifications including but not limited to Record Drawings and ERMA Records. Knology shall be responsible for the cost of removing any Knology constructed enclosure, together with all support structures (e.g., racking, conduits, power cables, etc.), at the termination of occupancy and restoring the grounds to their original condition.

# 5. Use of Remote Collocation Space

- 5.1 <u>Equipment Type</u>. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocated Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: Traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1; equipment design spatial requirements per GR-63-CORE, Section 2; thermal heat dissipation per GR-063-CORE, Section 4, Criteria 77-79; acoustic noise per GR-063-CORE, Section 4, Criterion 128, and National Electric Code standards. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on Knology's failure to comply with this Section.

- 5.1.2.1 All Knology equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only) which has been listed by a nationally recognized testing laboratory.
- Knology shall identify to BellSouth whenever Knology submits a Method of Procedure ("MOP") adding equipment to Knology's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in Knology's Remote Collocation Space.
- 5.2 Knology shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 Knology shall place a plaque or other identification affixed to Knology's equipment to identify Knology's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. Knology may elect to place Knology-owned or Knology-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. Knology will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. Knology must contact BellSouth for instructions prior to placing the entrance facility cable. Knology is responsible for maintenance of the entrance facilities.
- 5.4.1 <u>Shared Use</u>. Knology may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to Knology's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. The rates set forth in Exhibit B will apply. If Knology desires to allow another telecommunications carrier to use its entrance facilities, additional rates, terms and conditions will apply and shall be negotiated between the Parties.
- 5.5 <u>Demarcation Point</u>. BellSouth will designate the point(s) of demarcation between Knology's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. Knology or its agent must perform all required maintenance to Knology equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.

- Knology's Equipment and Facilities. Knology, or if required by this Attachment, Knology's Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by Knology which must be performed in compliance with all applicable BellSouth policies and guidelines. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. Knology and its selected Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications.
- Access. Pursuant to Section 12, Knology shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. Knology agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of Knology or Knology's Guests provided with access keys or devices ("Access Keys") prior to the issuance of said Access Keys. Key acknowledgement forms must be signed by Knology and returned to BellSouth Access Management within fifteen (15) calendar days of Knology's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. Knology agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of Knology's employees, suppliers, Guests, or agents after termination of the employment relationship, contractual obligation with Knology or upon the termination of this Attachment or the termination of occupancy of an individual Remote Site collocation arrangement.
- BellSouth will permit one accompanied site visit to Knology's designated collocation arrangement location after receipt of the Bona Fide Firm Order (BFFO) without charge to Knology. Knology must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date Knology desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, Knology may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event Knology desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit Knology to access the Remote Collocation Space accompanied by a security escort at Knology's expense. Knology must request escorted access at least three (3) business days prior to the date such access is desired.

- Lost or Stolen Access Keys. Knology shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to re-key Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), Knology shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, Knology shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of Knology violates the provisions of this paragraph, BellSouth shall give written notice to Knology, which notice shall direct Knology to cure the violation within forty-eight (48) hours of Knology's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if Knology fails to take curative action within 48 hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to Knology's equipment. BellSouth will endeavor, but is not required, to provide notice to Knology prior to taking such action and shall have no liability to Knology for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.
- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and Knology fails to take curative action within 48 hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to Knology or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other

advanced services or traditional voice band services, Knology shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly deployed technology.

- Personalty and its Removal. Facilities and equipment placed by Knology in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by Knology at any time. Any damage caused to the Remote Collocation Space by Knology's employees, agents or representatives shall be promptly repaired by Knology at its expense.
- 5.11.1 <u>If Knology</u> decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill Knology an Administrative Only Application Fee as set forth in Exhibit B for these changes. This non-recurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall Knology or any person acting on behalf of Knology make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by Knology. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 5.13 <u>Upkeep of Remote Collocation Space</u>. Knology shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. Knology shall be responsible for removing any Knology debris from the Remote Collocation Space and from in and around the Remote Collocation Site on each visit.

# 6. Ordering and Preparation of Remote Collocation Space

- Should any state or federal regulatory agency impose procedures or intervals applicable to Knology and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- 6.2 <u>Initial Application</u>. For Knology or Knology's Guest(s) initial equipment placement, Knology shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Initial Application"). The application is Bona Fide when it is complete

and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response.

- 6.3 <u>Subsequent Application</u> In the event Knology or Knology's Guest(s) desires to modify the use of the Remote Collocation Space after a BFFO, Knology shall complete an application detailing all information regarding the modification to the Remote Collocation Space ("Subsequent Application"). BellSouth shall determine what modifications, if any, to the Remote Site Location are required to accommodate the change requested by Knology in the application. Such necessary modifications to the Remote Site Location may include, but are not limited to floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- Application Fee for Subsequent Application. The application fee paid by Knology for its request to modify the use of the Collocation Space shall be a full Application Fee as set forth in Exhibit B. The Subsequent Application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- Availability of Space. Upon submission of an application, BellSouth will permit Knology to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that Remote Site Collocation is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify Knology of the amount that is available.
- 6.5 Space Availability Notification.
- 6.5.1 Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify Knology of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by Knology or differently configured, Knology must resubmit its application to reflect the actual space available.
- 6.5.2 BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location.

BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by Knology or differently configured, Knology must amend its application to reflect the actual space available prior to submitting a BFFO.

- BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify Knology of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by Knology or differently configured, Knology must resubmit its application to reflect the actual space available. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- 6.6 <u>Denial of Application</u>. If BellSouth notifies Knology that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying Knology that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow Knology, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.7 <u>Filing of Petition for Waiver</u>. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit Knology to inspect any plans or diagrams that BellSouth provides to the Commission.
- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list

that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.

- 6.8.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.8.2 When space becomes available, Knology must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If Knology has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, Knology may refuse such space and notify BellSouth in writing within that time that Knology wants to maintain its place on the waiting list without accepting such space. Knology may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If Knology does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove Knology from the waiting list. Upon request, BellSouth will advise Knology as to its position on the list.
- 6.9 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate Remote Site Collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.10 Application Response.
- 6.10.1 In Alabama, when space has been determined to be available, BellSouth will provide an Application Response within fifteen (15) calendar days of the receipt of a Bona Fide Application, which will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, described in Section 8.

- 6.10.2 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable Knology to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When Knology submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10.3 In Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10.4 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.11 <u>Application Modifications</u>.
- 6.11.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of Knology or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge Knology a full application fee as set forth in Exhibit B. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 6.12 Bona Fide Firm Order.
- Knology shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to Knology's Bona Fide application or the application will expire.

6.12.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of Knology's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Alabama, BellSouth will complete construction for Remote Site collocation arrangements when preconditioned space is available within thirty (30) calendar days from receipt of a BFFO (ordinary conditions) or as agreed to by the Parties. Under extraordinary conditions, BellSouth will complete construction for Remote Site collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. Preconditioned space is defined as when all infrastructure is in place and only a record change is required to show that the space has been assigned to Knology. Ordinary conditions are defined as space available with only minor changes to support systems required, such as, but not limited to HVAC, cabling and the power plant(s). Extraordinary conditions are defined to include, but are not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.2 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and Knology cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.3 In Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.4 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide Knology with the estimated completion date in its Response.
- Joint Planning. Joint planning between BellSouth and Knology will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to Knology during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- Acceptance Walk-through. Knology will schedule and complete an acceptance walk-through of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying Knology that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). In the event that Knology fails to complete an acceptance walk-through within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by Knology. BellSouth will correct any deviations to Knology's original or jointly amended requirements within seven (7) calendar days after the walk-through, unless the Parties jointly agree upon a different time frame.
- Output Certified Supplier. Knology shall select a supplier which has been approved by BellSouth to perform all engineering and installation work Knology and Knology's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, Knology must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide Knology with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing Knology's equipment and components, extending power cabling to the BellSouth power distribution frame,

performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and Knology upon successful completion of installation. The BellSouth Certified Supplier shall bill Knology directly for all work performed for Knology pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to Knology or any supplier proposed by Knology and will not unreasonably withhold certification. All work performed by or for Knology shall conform to generally accepted industry guidelines and standards.

- Alarm and Monitoring. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. Knology shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service Knology's Remote Collocation Space. Upon request, BellSouth will provide Knology with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by Knology. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.
- 7.8 Virtual Remote Site Collocation Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, Knology may relocate its virtual Remote Site collocation arrangements to physical Remote Site collocation arrangements and pay the appropriate fees for physical Remote Site collocation and for the rearrangement or reconfiguration of services terminated in the virtual Remote Site collocation arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Site collocation may become available at the location requested by Knology, such information will be provided to Knology in BellSouth's written denial of physical Remote Site collocation. To the extent that (i) physical Remote Collocation Space becomes available to Knology within one hundred eighty 180 calendar days of BellSouth's written denial of Knology's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) Knology was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty 180 calendar days, then Knology may relocate its virtual Remote Site collocation arrangement to a physical Remote Site collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Site collocation. Knology must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.

- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill Knology an Administrative Only Application Fee as set forth in Exhibit B for these changes on the date that BellSouth provides an Application Response.
- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, Knology cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable non-recurring rate for any and all work processes for which work has begun. In Georgia, if Knology cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill Knology for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. Knology, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

## 8. Rates and Charges

- 8.1 Recurring Charges. If Knology has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that Knology fails to complete an acceptance walk-through within the applicable fifteen (15) calendar day interval, billing for recurring charges will commence on the Space Ready Date or on the Space Acceptance Date, whichever is sooner.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to

- Section 2. Payment of said Application Fee will be due as dictated by Knology's current billing cycle and is non-refundable.
- 8.2.1 In Tennessee the applicable Application Fee is the Planning Fee for both Initial Applications and Subsequent Applications placed by Knology. BellSouth will bill the non-recurring fee on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power Knology's equipment. Knology shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.
- 8.4 <u>Power</u>. BellSouth shall make available –48 Volt (-48V) DC power for Knology's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at Knology's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for Knology's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by Knology's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. Knology's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At Knology's option, Knology may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever Knology or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and Knology shall pay for such half-hour charges in the event Knology fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

# 9. Insurance

- 9.1 Knology shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Attachment and having a Best's Insurance Rating of A-.
- 9.2 Knology shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of Knology's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 Knology may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days notice to Knology to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by Knology shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of Knology's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If Knology fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from Knology.
- 9.5 Knology shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. Knology shall arrange for BellSouth to receive thirty (30) business days' advance notice of

cancellation from Knology's insurance company. Knology shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 Knology must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If Knology's net worth exceeds five hundred million dollars (\$500,000,000), Knology may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. Knology shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to Knology in the event that self-insurance status is not granted to Knology. If BellSouth approves Knology for self-insurance, Knology shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of Knology's corporate officers. The ability to self-insure shall continue so long as Knology meets all of the requirements of this Section. If Knology subsequently no longer satisfies this Section, Knology is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to Knology to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

## 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or Knology), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided

by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

# 11. <u>Inspections</u>

11.1 BellSouth may conduct an inspection of Knology's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between Knology's equipment and equipment of BellSouth. BellSouth may conduct an inspection if Knology adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide Knology with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

## 12. Security and Safety Requirements

- Unless otherwise specified, Knology will be required, at its own expense, to conduct a statewide investigation of criminal history records for each Knology employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the Knology employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. Knology shall not be required to perform this investigation if an affiliated company of Knology has performed an investigation of the Knology employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if Knology has performed a pre-employment statewide investigation of criminal history records of the Knology employee for the states/counties where the Knology employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 Knology will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- 12.3 Knology shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and Knology's name. BellSouth reserves the right to remove from its Remote Site Location any employee of Knology not possessing identification issued by Knology or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. Knology shall hold BellSouth harmless for any damages resulting from such removal of its personnel from

BellSouth Remote Site Location. Knology shall be solely responsible for ensuring that any Guest of Knology is in compliance with all subsections of this Section 12.

- Knology shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. Knology shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any Knology personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that Knology chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, Knology may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 Knology shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 Knology shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.5 For each Knology employee or agent hired by Knology within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, Knology shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, Knology will disclose the nature of the convictions to BellSouth at that time. In the alternative, Knology may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other Knology employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, Knology shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- 12.6 At BellSouth's request, Knology shall promptly remove from BellSouth's Remote Site Location any employee of Knology BellSouth does not wish to grant access to its

Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of Knology is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.

- 12.7 Security Violations. BellSouth reserves the right to interview Knology's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to Knology's Security contact of such interview. Knology and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving Knology's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill Knology for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that Knology's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill Knology for BellSouth property, which is stolen or damaged where an investigation determines the culpability of Knology's employees, agents, or suppliers and where Knology agrees, in good faith, with the results of such investigation. Knology shall notify BellSouth in writing immediately in the event that the Knology discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. Knology shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.
- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

## 13. Destruction of Remote Collocation Space

13.1 In the event a Remote Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for Knology's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for Knology's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to Knology, except for improvements not the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. Knology may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If Knology's acceleration of the project increases the cost of the project, then those additional charges will be incurred by Knology. Where allowed and where practical, Knology may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, Knology shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for Knology's permitted use, until such Remote Collocation Space is fully repaired and restored and Knology's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where Knology has placed a Remote Site Adjacent Arrangement pursuant to Section 3, Knology shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

## 14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or

Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and Knology shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. <u>Nonexclusivity</u>

Knology understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- 1.1 Compliance with Applicable Law. BellSouth and Knology agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and Knology shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. Knology should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for Knology to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. Knology will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by Knology when operating in the BellSouth Remote Site Location.
- 1.4 <u>Environmental and Safety Inspections</u>. BellSouth reserves the right to inspect the Knology space with proper notification. BellSouth reserves the right to stop any Knology work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by Knology are owned by Knology. Knology will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by Knology or different hazardous materials used by Knology at the BellSouth Remote Site Location. Knology must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, the Party discovering the condition must notify BellSouth. All Spills or Releases of regulated materials will immediately be reported by Knology to BellSouth.
- 1.7 <u>Coordinated Environmental Plans and Permits</u>. BellSouth and Knology will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and Knology will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, Knology must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and Knology shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

## 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, Knology agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. Knology further agrees to cooperate with BellSouth to ensure that Knology's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by Knology, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from Knology's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and regulations	<ul><li>Std T&amp;C 450</li><li>Fact Sheet Series 17000</li></ul>
(e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC)

		Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency         Operations Plan (EOP)         (specific to and located on Remote Site Location)</li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	<ul> <li>Std T&amp;C 450</li> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> <li>Std T&amp;C 660</li> </ul>
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet Series 17000</li> <li>Std T&amp;C 660-3</li> <li>Approved Environmental</li> </ul>
	EVET approval of supplier	Vendor List (Contact ATCC Representative)
Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	<ul> <li>29CFR 1910.147 (OSHA Standard)</li> <li>29CFR 1910 Subpart O (OSHA Standard)</li> </ul>
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	-Procurement Manager     (CRES Related Matters)-BST     Supply Chain Services
	All Hazardous Material and Waste  Asbestos notification and protection of employees and equipment	<ul> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS (Hazcom)</li> </ul>

Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR         Issue A, August 1996 </li> </ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3     For questions regarding     removing or disturbing     materials that contain     asbestos, call the BellSouth     Building Service Center:     AL, MS, TN, KY & LA     (local area code) 557-6194     FL, GA, NC & SC     (local area code) 780-2740

## 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste</u>. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a facility which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

## 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLOCAT	ION - Alabama												Attachi	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,879.48	1,879.48	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,566.60	1,566.60	0.51	0.51						
	Physical Collocation - Cageless - Application Fee			CLO	PE1CH		1,205.26	1,205.26	0.51	0.51						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15									
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		600.71	600.71								
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	1.96										
	Physical Collocation - Space Preparation - Common Systems				l									l	I	Ì
	Modification per square ft Cageless		<u> </u>	CLO	PE1SL	2.62								ļ		ļ
	Physical Collocation - Space Preparation - Common Systems			Ī										<u> </u>	_	<u> </u>
	Modification per Cage			CLO	PE1SM	88.86										
	Physical Collocation - Cable Installation			CLO	PE1BD		859.71	859.71	22.49	22.49						
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.22										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	17.11										
	Physical Collocation - Cageless - Cable Support Structure			CLO	PE1CJ	14.97										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	7.83										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		399.51									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	4.91										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	9.84										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	14.74										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	34.06										
	District Collegation College Course Course to			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX	PE1P2	0.00	40.20	44.00	0.00	5.44						
<del> </del>	Physical Collocation - 2-Wire Cross-Connects				PE IP2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation - 4-Wire Cross-Connects			CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.05	12.39	11.87	6.39	5.73						
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.11	22.03	15.93	6.40	5.79						
	i hysical Collocation - DOT Ordss-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,		1.11	22.00		0.40							
	Physical Collocation - DS3 Cross-Connects			UNLD3, UDL	PE1P3	14.16	20.89	15.20	7.38	5.92					1	
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	DE 450	0.04	00.00	45.00	7.00	5.00						
	Physical Collocation - 2-Fiber Cross-Connect		<u> </u>	UDL12, UDF	PE1F2	2.81	20.89	15.20	7.38	5.92					-	
				CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	DE40'											
	Physical Collocation - Cageless - 2 Fiber Cross Connect			UDL12, UDF	PE1CK	2.84	20.89	15.20	7.38	5.92						L

COLLOC	ATION - Alabama												Δttach	ment: 4	Exhil	nit: B
OOLLOG	Alabama				1						Svc Order	Svc Order	Incremental			Incremental
											Submitted	Submitted				
														Charge -	Charge -	Charge -
CATEGOR	RATE ELEMENTS	Interi	7	BCS	USOC			RATES(\$)			Elec	Manually		Manual Svc	Manual Svc	Manual Svc
CATEGOR	RAIE ELEMENIS	m	Zone	всэ	USUC			KAIES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
										. B'				D - ( (A)		
						Rec	Nonrec			Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect			UDL12, UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
				CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
			l	U1T48, UDLO3,												
	Physical Collocation - Cageless - 4-Fiber Cross-Connect		l	UDL12, UDF	PE1CL	5.69	25.55	19.86	9.71	8.25						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	156.33										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	15.34										
	Physical Collocation - Security Access System - Security System	1														
1 1	per Central Office			CLO	PE1AX	45.70			1			1				
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.05	27.79	27.79								
	Physical Collocation-Security Access System-Administrative															
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.79	7.79								
<b>-</b>	Physical Collocation - Security Access System - Replace Lost or			020			0	0			1					
	Stolen Card, per Card			CLO	PE1AR		22.78	22.78								
<b></b>	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.10	13.10								
	Physical Collocation - Security Access - Key, Replace Lost or			OLO	ILIAN		13.10	13.10								
	Stolen Key, per Key			CLO	PE1AL		13.10	13.10								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,075.17	1,075.17								
<b></b>	Physical Collocation - Space Availability Report per premises			UEANL,UEA,UDN,U	PEISK		1,075.17	1,075.17	-		-					
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect,			UNCVX, UNCDX,												
					DE4DE	0.00										
	per cross-connect	ļ		UNCNX	PE1PE	0.08										
				UEANL,UEA,UDN,U												
	DOT D			DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.17										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1,												
				UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	1.20										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,					1							
				U1TS1, ULDS1,					I				Ì	Ì		
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			UNLD3, UDL,					I			l	Ì	l		
	per cross-connect			UDLSX	PE1PH	10.67										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U					I				Ì	Ì		
				EQ,CLO, ULDO3,					I				Ì	Ì		
			l	ULD12, ULD48,					1			l	Ì	l		
			ι	U1TO3, U1T12,					1			1				
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,					I				Ì	Ì		
	per cross-connect			UDL12, UDF	PE1B2	36.40			1		1	l	Ì	l		
	μ ······			,										1		

COLLOCATI	ION - Alabama													ment: 4		oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1B4	49.09										
	Physical Collocation - Request Resend of CFA Information, per CLLI			CLO	PE1C9		77.50									
-	Nonrecurring Collocation Cable Records - per request				PE1C9 PE1CR		77.56 759.29	488.11	133.00	133.00						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			OLO	LIOK		133.23	400.11	155.00	133.00						
	cable record			CLO	PE1CD		326.92	326.92	189.12	189.12						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per															
	each 100 pair			CLO	PE1CO		4.81	4.81	5.90	5.90	ļ					
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.25	2.25	2.76	2.76						
<b></b>	Nonrecurring Collocation Cable Records - DS3, per T3TIE  Nonrecurring Collocation Cable Records - Fiber Cable, per 99		<u> </u>	CLO	PE1C3		7.88	7.88	9.66	9.66	<b> </b>	<del>                                     </del>			<del>                                     </del>	
	fiber records			CLO	PE1CB		84.49	84.49	77.13	77.13						
	Physical Collocation - Security Escort - Basic, per Half Hour				PE1BT		16.93	10.73	77110	771.10						
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.17	16.98								
	V to P Conversion, Per Customer Request-Voice Grade				PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0				PE1BO	33.00										
-	V to P Conversion, Per Customer Request-DS1 V to P Conversion, Per Customer request-DS3			CLO CLO	PE1B1 PE1B3	52.00 52.00										
	V to P Conversion, Per Customer Request per VG Circuit			CLO	FLIBS	32.00									1	
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit															
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	PE1B7	592.00										
-	prs or fraction thereof Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			CLO	PE1B/	592.00										
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.				PE1DS	0.0016										
	Physical Collocation - Co-Carrier Cross Connects - Application															
DI DI DI COLLO	Fee, per application			CLO	PE1DT		584.22				ļ					
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
<del>                                     </del>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		l	OLI OIX	1 11114	0.03	12.30	11.00	0.03	5.44	1	13.00			<b>†</b>	<b> </b>
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.03	12.30	11.80		5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Wire ISDN			UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44		15.66				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1	l		HEDEV	DEADA	0.05	40.00	44.07	0.00	F 70		45.00			1	
	WITE ISDN DS1 DLLOCATION	<b> </b>	<u> </u>	UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73	ļ	15.66	-		1	

COLLOCAT	ION - Alabama				-					-	·		Attach	ment: 4	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	,	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				Electronic-
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.02	12.30	11.80	6.03	5.44						
	·			UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.04	12.39	11.87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects			USL.CLOAC	PE1P1	1.03	22.03	15.93	6.40	5.79						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1.576.69		0.51							
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLONO	1 2 102		1,070.00		0.01							<b>†</b>
	per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	34.06										
	Adjacent Collocation - DC power provisioning			CLOAC			ICB									
	Note: ICB means Individual Case Basis															
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		307.70	307.70	168.22	168.22						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.10	13.10								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		115.87	115.87								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56	37.56								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT			020110			200.00									
1					İ		İ								i e	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
							1									
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134									ļ	ļ
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								<u> </u>
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	opropriate rates	S			<u> </u>		<u> </u>	<u> </u>	<u> </u>	

COLLOCAT	ION - Florida												Attachi	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DI IVOIO AL OC	NI COATION															
PHYSICAL CO				OLO.	DE4DA		2,597.00		4.04							
	Physical Collocation - Application Fee - Initial Physical Collocation - Application Fee - Subsequent			CLO CLO	PE1BA PE1CA		2,597.00		1.01							
	Physical Collocation - Application Fee - Subsequent  Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.00		1.01							
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		288.93									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.38										
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	92.55										
	Physical Collocation - Cable Installation per Cable			CLO	PE1BD	02.00	1,750.00		45.16					1		
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.86	, 22.20		1					1		
	Physical Collocation - Cable Support Structure			CLO	PE1PM	18.96										
	Physical Collocation - Power, per Fused Amp			CLO	PE1PL	7.80										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		399.43									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.38										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.77										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.15										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.30										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, UDN, UEA, UHL, UNCVX, UNCDX,	PE1P2	0.0276	8.22	7.22	5.74	4.58						
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.0552	8.42	7.36	5.90	4.66						
	Trysical Collocation - 4-ville Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1,	12114	0.0332	0.42	7.50	3.90	4.00						
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.32	27.77	15.52	5.93	4.77						
				CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,	DE40°	40.0										
$\vdash$	Physical Collocation - DS3 Cross-Connects	<u> </u>	<u> </u>	UNLD3, UDL	PE1P3	16.81	25.48	14.05	7.77	5.01				-		<del></del>
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	189.45			1				1			1
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	18.58										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0105										

COLLOCAT	ΓΙΟΝ - Florida													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - New Access															
	Card Activation, per Card			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative			CLO	PE1AA		15.65									
	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PETAA		15.05									
	Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.30									
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,159.00									
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
	DOT De la companya de			EQ,CLO,UDL,												
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UNCVX, UNCDX, UNCNX	PE1PE	0.00										
	per cross-connect			UEANL,UEA,UDN,U	FLIFE	0.00										
				DC,UAL,UHL,UCL,U												
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect,			EQ,CLO, USL,												
	per cross-connect			UNCVX, UNCDX	PE1PF	0.00										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ,CLO,WDS1L,W												
				DS1S, USL, U1TD1, UXTD1, UNC1X,												
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect,			ULDD1, USLEL,												
	per cross-connect			UNLD1	PE1PG	0.00										
	por droce comment			UEANL,UEA,UDN,U		0.00										
				DC,UAL,UHL,UCL,U												
				EQ,CLO,UE3,												
				U1TD3, UXTD3,												
				UXTS1, UNC3X,												
				UNCSX, ULDD3,												
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect,			U1TS1, ULDS1, UNLD3, UDL,												
	per cross-connect			UDLSX	PE1PH	0.00										
	per orese sermest			UEANL,UEA,UDN,U		0.00										
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												
				ULD12, ULD48,												
				U1TO3, U1T12,												
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect,			U1T48, UDLO3,	55450											
	per cross-connect			UDL12, UDF UEANL,UEA,UDN,U	PE1B2	0.00										
				DC,UAL,UHL,UCL,U												
				EQ,CLO, ULDO3,												I
				ULD12, ULD48,												I
				U1TO3, U1T12,												I
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect,			U1T48, UDLO3,											1	1
	per cross-connect			UDL12, UDF	PE1B4	0.00										
	Physical Collocation - Request Resend of CFA Information, per			0.0	DE 46-										1	1
	CLLI			CLO	PE1C9		77.54	000.00	007.00						1	1
$\vdash$	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			CLO	PE1CR	<del> </del>	1,525.00	980.22	267.08		1				<del>                                     </del>	<del>                                     </del>
	cable record			CLO	PE1CD		656.50		379.78							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			OLO .	100	<del> </del>	000.00		513.16						<b>—</b>	<b>—</b>
1 1	each 100 pair			CLO	PE1CO		9.66	9.66	11.84	11.84						I
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1	i i	4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.82	15.82	19.40	19.40						

COLLOCAT	ION - Florida												Attach	ment: 4	Fyhil	bit: B
GOLLOGAI	Tionda Tionda										Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		169.67	169.67	154.89	154.89				'	'	
	Physical Collocation - Security Escort - Basic, Per Quarter Hour			CLO	PE1BQ		10.89							·		
	Physical Collocation - Security Escort - Overtime, Per Quarter													1		
	Hour			CLO	PE10Q		13.64									
	Physical Collocation - Security Escort - Premium, Per Quarter													·		
	Hour			CLO	PE1PQ		16.40									
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.99	21.54								
														·		
$\vdash$	Physical Collocation - Security Escort - Overtime, per Half Hour		ļ	CLO,CLORS	PE1OT		44.27	27.82	ļ	ļ			ļ	<b></b> '	<b></b> '	ļ
1				0.00.0	DE 4 D-				I				1	1 '	1 '	1
$\vdash$	Physical Collocation - Security Escort - Premium, per Half Hour		1	CLO,CLORS	PE1PT		54.55	34.10	<b>.</b>				ļ	<b></b> '	<b></b> '	
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0	ļ	ļ	CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit			CLO	DEADD	22.00								·		
<del></del>	Reconfigured			CLO	PE1BR	23.00								<b></b>		
	V to P Conversion, Per Customer Request per DS0 Circuit			CLO	PE1BP	23.00								·		
$\vdash$	Reconfigured  V to P Conversion, Per Customer Request per DS1 Circuit		-	CLO	PEIBP	23.00									$\vdash$	
	Reconfigured			CLO	PE1BS	33.00								·		
<del></del>	V to P Conversion, Per Customer Request per DS3 Circuit	-	-	CLO	PEIDS	33.00										
	Reconfigured			CLO	PE1BE	37.00								·		
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			CLO	FLIBL	37.00										
	prs or fraction thereof			CLO	PE1B7	592.00								·		
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			020	I LIDI	002.00										
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001								·		
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			020,02.		0.001										
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0014								·		
	Physical Collocation - Co-Carrier Cross Connects - Application			020, 020, 002	. 2.20	0.0011										
	Fee, per application			CLO	PE1DT		584.11							·		
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res		<u> </u>	UEPSR	PE1R2	0.074	34.53	32.51	<u> </u>	<u> </u>		11.90		<u> </u>	'	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.074	34.53	32.51				11.90				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-													1	1	
	Wire Voice Grade PBX Trunk - Res		1	UEPSE	PE1R2	0.074	34.53	32.51				11.90		L	<u> </u>	
1 l <sup>-</sup>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			I					_	]			1	1	1 7	<u> </u>
igsquare	Wire Analog - Bus		1	UEPSB	PE1R2	0.074	34.53	32.51	1			11.90		<b></b> '	<b></b> '	
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				DE 40-				I				1	1 '	1 '	1
$\vdash$	Wire ISDN	1	1	UEPSX	PE1R2	0.074	34.53	32.51				11.90		<b></b> '	<b></b> '	
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDTY	DE4D0				I				1	1 '	1 '	1
$\vdash \vdash \vdash$	Wire ISDN	1	1	UEPTX	PE1R2	0.074	34.53	32.51	<b>!</b>	<b> </b>		11.90	<b> </b>	<b></b> '	<b>├</b> ───	<b> </b>
1	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			LIEDEY	DE4D4	0.440	04.54	20.50	I			44.00	1	1 '	1 '	1
AD IACENT C	Wire ISDN DS1 OLLOCATION	1	1	UEPEX	PE1R4	0.148	34.54	32.53	<del>                                     </del>	ļ	-	11.90	<del>                                     </del>	<b></b> '	$\vdash$	<del>                                     </del>
ADJACENT C	Adjacent Collocation - Space Charge per Sq. Ft.	1	+	CLOAC	PE1JA	0.1635			<del>                                     </del>				-	<del>                                     </del>	$\vdash$	-
$\vdash$	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.	1	1	CLOAC	PE1JA PE1JC	5.11			t	1			1	<del>                                     </del>	$\vdash$	1
<del></del>	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects	1	<del>                                     </del>	CLOAC	PE1DC PE1P2	0.0213	24.69	23.69	11.77	10.62			<del> </del>	<del>                                     </del>	$\vdash \vdash \vdash$	<del>                                     </del>
	/ MJGCOTT CONCOUNTY - 2-VVIIIG C1033-COTHIECUS	1	<del>                                     </del>	UEA.UHL.UDL.UCL.	1 - 11 -	0.0213	24.09	25.05	11.77	10.02			<del> </del>	<del></del>	$\vdash \vdash \vdash$	<del> </del>
1	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0426	24.88	23.83	12.04	10.80			1	1 '	1 '	1
	Adjacent Collocation - Wile cross-Connects	1	1	USL,CLOAC	PE1P1	1.22	44.24	31.98	12.07	10.91			1		$\vdash$	<del> </del>
	Adjacent Collocation - DS1 Cross-Connects	1		CLOAC	PE1P3	16.56	41.94	30.52	13.91	11.15			1			1
											<del></del>			<del></del>		1
$\vdash$	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.81	41.94	30.52	13.91	11.16						
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC CLOAC	PE1F2 PE1F4	2.81 5.36	41.94 51.30	30.52 39.87	13.91 18.29	11.16 15.54				<del>                                     </del>		

COLLOCAT	ION - Florida													ment: 4		bit: B
		Interi										Submitted	Charge -	Charge -	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance Cable			CLOAC	PE1PM	18.96										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.91		328.81							ĺ
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.69									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.41									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.51									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee	1		CLORS	PE1RU		755.62	755.62								

COLLOCAT	ION - Georgia												Attachi	ment: 4	Exhil	oit: B
											Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Add I
						Rec	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,850.00									
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,130.00	3,130.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83									
	Physical Collocation - Space Preparation Fee Per Square Ft.			CLO	PE1SS		100.00	100.00								
	Physical Collocation - Space Preparation - Firm Order															
	Processing	- 1		CLO	PE1SJ		1,187.00									
	Physical Collocation - Space Preparation - C.O. Modification per			<u> </u>						<u> </u>						
	square ft.	- 1	1	CLO	PE1SK	2.02							ļ		]	
1 1 -	Physical Collocation - Space Preparation - Common Systems											<u> </u>	]	_	]	
	Modification per square ft Cageless	I		CLO	PE1SL	2.80										
	Physical Collocation - Space Preparation - Common Systems			<u> </u>						<u> </u>						
	Modification per Cage	1		CLO	PE1SM	95.23										
	Physical Collocation - Cable Installation			CLO	PE1BD		2,750.00	2,750.00								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.50										
	Physical Collocation - Floor Space - Zone B per Sq. Ft.			CLO	PE1PK	6.75										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	13.35										
	Physical Collocation - Power -48V DC Power, per Fused Amp	- 1		CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	- 1		CLO	PE1PR		398.80									
	Physical Collocation - 120V, Single Phase Standby Power Rate	- 1		CLO	PE1FB	5.52										
	Physical Collocation - 240V, Single Phase Standby Power Rate	- 1		CLO	PE1FD	11.05										
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.58										
	Physical Collocation - 277V, Three Phase Standby Power Rate	I		CLO	PE1FG	38.27										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,	DE 100											
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.30	12.60	12.60								
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.50	12.60	12.60								
				CLO,UEANL,UEQ,W												
				DS1L,WDS1S, USL,												
				U1TD1, UXTD1,												
				UNC1X, ULDD1,												
	D			USLEL, UNLD1,	55.51											
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	8.00	155.00	27.00								
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
	Physical Collocation - DS3 Cross-Connects			U1TS1,ULDS1, UNLD3, UDL	PE1P3	72.00	155.00	27.00					Ì	I	Ì	
<del></del>	Physical Collocation - D53 Cross-Connects	1	1		FE IP3	12.00	100.00	21.00	<b> </b>					<del>                                     </del>		
1 1				CLO, ULDO3,									Ì	I	Ì	
1 1				ULD12, ULD48, U1TO3, U1T12,									Ì	I	Ì	
1 1				U1T48, UDLO3,								1				
1 1	Physical Collegation 2 Fiber Cross Connect				PE1F2	2.86	52.14	20.70					Ì	I	Ì	
<del></del>	Physical Collocation - 2-Fiber Cross-Connect	1	1	UDL12, UDF	FE IFZ	∠.86	5∠.14	38.72	<b> </b>					<del>                                     </del>		
			1	CLO, ULDO3,									1	I	1	
1 1				ULD12, ULD48,									Ì	I	Ì	
1 1				U1TO3, U1T12,									Ì	I	Ì	
	Physical Collocation - 4-Fiber Cross-Connect			U1T48, UDLO3, UDL12, UDF	PE1F4	5.08	64.74	51.31				1				
	r nysicai collocation - 4-ribei cross-connect		1	UDL12, UDF	F E   F 4	5.08	04.74	51.37	L	l	1	<u> </u>	<u> </u>	l	<u> </u>	

COLLOCA	TION - Georgia													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.	- 1		CLO	PE1BW	161.27										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	- 1		CLO	PE1CW	15.82										
	Physical Collocation - Security System Per Central Office Per Assignable Sq. Ft.			CLO	PE1AY	0.0172										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0607	46.20	46.20								
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System- Replace Lost or			CLO	PE1AA		15.40	15.40								
	Stolen Card, per Card			CLO	PE1AR		45.02	45.02								
i i	Physical Collocation - Security Access - Initial Key, per Key		1	CLO	PE1AK		26.16	26.16								1
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.16	26.16								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,148.00	2,148.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UDL, UNCVX, UNCDX, UNCNX	PE1PE	0.40										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, USL, UNCVX, UNCDX UEANL, UEA, UDN, U	PE1PF	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX		8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	i i	52.31										
	Physical Collocation - Request Resend of CFA Information, per CLLI					02.01			1							1
				CLO	PE1C9		77.42			•	•		ī			1

COLLOCAT	ION - Georgia													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
ı					+		Nonrec	curring	Nonrecurring	Disconnect			088	Rates(\$)		
					_	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per				+		FIISL	Auu i	FIISt	Addi	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	SOMAN
	cable record			CLO	PE1CD		922.38									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per			020	1 2105		322.00									
	each 100 pair			CLO	PE1CO		18.00	18.00								
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.43	8.43								
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.49	29.49								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		278.61	278.61								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		41.00	25.00								
$\longmapsto$	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		48.00	30.00						1		
				0.00.00	 									1		
$\vdash$	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		55.00	35.00	ļ					ļ		
	V to P Conversion, Per Customer Request-Voice Grade			CLO	PE1BV	33.00										
	V to P Conversion, Per Customer Request-DS0		<u> </u>	CLO	PE1BO	33.00										
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										
	V to P Conversion, Per Customer Request per VG Circuit Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit		<u> </u>	CLO	PEIBR	23.00										
	Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit			CLO	PEIDP	23.00										
	Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit			010	I LIBO	00.00										
	Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			020	. 2.52	07.00										
	prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects - Application															
	Fee, per application			CLO	PE1DT		583.18									
PHYSICAL CO																
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res		<u> </u>	UEPSE	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	DE 4 DO	0.00	40.00	40.00					40.04	0.40		
	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Wire ISDN			UEPSX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSA	PEIRZ	0.30	12.00	12.00					10.94	0.42		
	Wire ISDN			UEPTX	PE1R2	0.30	12.60	12.60					18.94	8.42		
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			OLI IX	I LIIVE	0.30	12.00	12.00					10.54	0.42		
	Wire ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60					18.94	8.42		
ADJACENT C	OLLOCATION			02. 2.4		0.00	12.00	12.00						0.12		
T	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.2542			1					1		
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.44										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.598	24.95	23.97	11.80	10.67						
				UEA,UHL,UDL,UCL	,											
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.1196	25.14	24.11	12.15	10.93	<u> </u>			<u> </u>		
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1	1.04	44.19	32.13	11.93	10.81						
	Adjacent Collocation - DS3 Cross-Connects			CLOAC	PE1P3	14.12	41.93	30.69	13.71	11.04						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.39	41.93	30.69	13.71	11.05						
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.57	51.14	39.90	17.96	15.29						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,555.00									

Version 3Q02: 09/06/02 Page 11 of 25

COLLOCAT	ION - Georgia													ment: 4		bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									T. M	<b>D</b> '				D-1(A)		
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			0.0.0	DE 150											
	per AC Breaker Amp			CLOAC	PE1FB	5.39										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	10.79										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.18										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38.27										
	Adjacent Collocation - 240V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PEIJD	37.37										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		608.18	608.17	323.63	323.63						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	224.82										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		25.88	25.88								
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		229.02	229.02								
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		74.22	74.22								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.88									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								

COLLOCAT	ION - Kentucky												Attachi	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
						_ [	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO																
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,773.54	3,773.54	1.01	1.01						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,145.35	3,145.35	1.01	1.01						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.12									
	Physical Collocation - Space Preparation - Firm Order			CLO	DE4C1		4 200 07	4 200 07								
	Processing  Physical Collocation - Space Preparation - C.O. Modification per			CLO	PE1SJ		1,206.07	1,206.07	1							<u> </u>
	square ft.			CLO	PE1SK	2.32										
	Physical Collocation - Space Preparation - Common Systems			CLO	FLISK	2.32										1
	Modification per square ft Cageless		1	CLO	PE1SL	3.26			I			1		1		
	Physical Collocation - Space Preparation - Common Systems			1		5.20			1							
	Modification per Cage			CLO	PE1SM	110.57			1			1		1		
	Physical Collocation - Cable Installation			CLO	PE1BD		1,729.11		45.16				<u> </u>	İ		
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	7.99										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	19.86										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.06										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		399.50									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.44										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	10.88										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	16.32										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	37.68										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL, UDN, UEA, UHL,	PE1P2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation - 4-Wire Cross-Connects			UNCVX, UNCDX,	PE1P4	0.0665	24.88	23.82	12.77	11.46						
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.48	44.23	31.98	12.81	11.57						
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	18.89	41.93	30.51	14.75	11.83						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	6.65	51.29	39.87	19.41	16.49						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	184.97										1
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.		1	CLO	PE1CW	18.14										

COLLOCAT	ION - Kentucky													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring	g Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	76.10										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.058	55.79	55.79								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.64	15.64								
	Stolen Card, per Card			CLO	PE1AR		45.74	45.74								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29	26.29								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		26.29	26.29								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		2,158.67	2,158.67								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.113										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.23										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1		1.60										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSY,		14.23										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		48.57										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		65.50										
	Physical Collocation - Request Resend of CFA Information, per			010	DE400											
	CLLI			CLO CLO	PE1C9 PE1CR		77.55 1,524.45	980.01	267.02							
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		1,524.45	980.01	379.70							
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		9.65	9.65	11.84	11.84						

COLLOCAT	ION - Kentucky													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'I	Disc 1st	Disc Add'l
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		4.52	4.52	5.54	5.54						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		15.81	15.81	19.39	19.39						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		169.63	169.63	154.85	154.85						
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.98	21.53								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.26	27.81								
				0.00.000	DE 4 DE											
ļ	Physical Collocation - Security Escort - Premium, per Half Hour		<u> </u>	CLO,CLORS	PE1PT	20.00	54.54	34.09							1	<del>                                     </del>
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO CLO	PE1BV PE1BO	33.00 33.00			<del> </del>		-				<del>                                     </del>	<del>                                     </del>
	V to P Conversion, Per Customer Request-DS0  V to P Conversion, Per Customer Request-DS1	1	-	CLO	PE1BO PE1B1	52.00			+					1	<del> </del>	<del>                                     </del>
<del>                                     </del>	V to P Conversion, Per Customer request-DS3		<b>-</b>	CLO	PE1B1	52.00			1		1			1	<del> </del>	<del>                                     </del>
<del>                                     </del>	V to P Conversion, Per Customer Request per VG Circuit	1		0_0	. 2100	02.00			<del>                                     </del>						<b>-</b>	<b>†</b>
	Reconfigured			CLO	PE1BR	23.00									1	
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0018										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		584.20									
PHYSICAL CO															İ	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95		7.86				
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57		7.86				
ADJACENT C	OLLOCATION			<u> </u>		<u>                                       </u>			<u>                                     </u>					<u> </u>		
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0258	24.68	23.68	12.14	10.95						
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.0515	24.88	23.82	12.77	11.46				ļ	1	<b></b>
	Adjacent Collocation - DS1 Cross-Connects		<u> </u>	USL,CLOAC	PE1P1	1.37	44.23	31.98		11.57				1	1	<del>                                     </del>
	Adjacent Collocation - DS3 Cross-Connects		<u> </u>	CLOAC	PE1P3	18.61	41.93	30.51	14.75	11.83					1	<b></b>
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect	l	-	CLOAC CLOAC	PE1F2 PE1F4	3.15 6.02	41.93 51.29	30.51 39.87	14.76 19.41	11.84 16.49				<b> </b>	<del>                                     </del>	<del>                                     </del>
-	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee		-	CLOAC	PE1F4 PE1JB	0.02	3,165.50	38.87	19.41	10.49					+	<del>                                     </del>
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1JB PE1FB	5.44	3, 165.50		1.01							
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88										

COLLOCATI	ON - Kentucky												Attachi	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617.78		338.89							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.29									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.42									ı
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rate	s.								

COLLOCAT	TION - South Carolina												Attachi	ment: 4	Exhi	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge -			
							Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates(\$)	ı	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
									1							
PHYSICAL CO	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		1,883.67	1,883.67	0.51	0.51						
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		1,570.10	1,570.10	0.51	0.51						
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
	Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		602.05	602.05								
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.75										
	Physical Collocation - Space Preparation - Common Systems															
$\vdash$	Modification per square ft Cageless			CLO	PE1SL	3.24			ļ					1	1	
	Physical Collocation - Space Preparation - Common Systems Modification per Cage			CLO	PE1SM	110.16										
	Physical Collocation - Cable Installation			CLO	PE1BD	110.10	794.22	794.22	22.54	22.54	1	1	1	<b>†</b>	<b>†</b>	
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	3.95			1				1	1	1	
	Physical Collocation - Cable Support Structure			CLO	PE1PM	21.33										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	9.19										
	Physical Collocation - Power Reduction, Application Fee	ı		CLO	PE1PR		400.33									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.67										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.36										
	Physical Collocation - 120V, Three Phase Standby Power Rate			CLO	PE1FE	17.03										
	Physical Collocation - 277V, Three Phase Standby Power Rate			CLO	PE1FG	39.33										
	Physical Collocation - 2-Wire Cross-Connects			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UDL, UNCVX, UNLDX, UNCNX CLO, UAL, UDL,	PE1P2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation - 4-Wire Cross-Connects			UDN, UEA, UHL, UNCVX, UNCDX, UCL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
	Physical Collocation - DS1 Cross-Connects			CLO,UEANL,UEQ,W DS1L,WDS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1, UDL	PE1P1	1.12	22.08	15.96	6.42	5.80						
	Physical Collocation - DS3 Cross-Connects			CLO, UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3, UDL	PE1P3	14.21	20.94	15.23	7.39	5.93						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93						
	Physical Collocation - 4-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	5.01	25.61	19.90	9.73	8.26						
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	219.19			<u> </u>							
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.			CLO	PE1CW	21.50										

COLLOCAT	ION - South Carolina													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring	Disconnect				Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	74.72										
	Physical Collocation - Security Access System - New Access Card Activation, per Card			CLO	PE1A1	0.0601	27.85	27.85								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.81	7.81								
	Stolen Card, per Card			CLO	PE1AR		22.83	22.83								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13	13.13								
	Physical Collocation - Security Access - Key, Replace Lost or															
	Stolen Key, per Key			CLO	PE1AL		13.13	13.13								
	Physical Collocation - Space Availability Report per premises			CLO	PE1SR		1,077.57	1,077.57					_			
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX UEANL,UEA,UDN,U	PE1PE	0.085										
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U	PE1PF	0.1701										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1		1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX		10.71										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		36.55										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		49.29										
	Physical Collocation - Request Resend of CFA Information, per CLLI		1	CLO	DE100	1	77 74									
<u> </u>	Nonrecurring Collocation Cable Records - per request			CLO CLO	PE1C9 PE1CR	<del>                                     </del>	77.71 760.98	489.20	133.29	133.29					-	
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CD		327.65	327.65	189.54	189.54						
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4.82	4.82	5.91	5.91						

COLLOCAT	TION - South Carolina												Attach	ment: 4	Exhil	bit: B
											Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
											Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (.,			per LSK	per LOK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
I						_	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		2.26	2.26	2.77	2.77						
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		7.90	7.90	9.68	9.68						
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		84.68	84.68	77.30	77.30						i
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO.CLORS	PE1BT		16.96	10.75								
	,															
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		22.10	13.89								i
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			/												
	Physical Collocation - Security Escort - Premium, per Half Hour			CLO,CLORS	PE1PT		27.23	17.02								i
	V to P Conversion, Per Customer Request-Voice Grade	1		CLO	PE1BV	33.00				İ		İ	İ		İ	
	V to P Conversion, Per Customer Request-DS0	1		CLO	PE1BO	33.00				İ			İ	İ	İ	ſ
	V to P Conversion, Per Customer Request-DS1	1		CLO	PE1B1	52.00				İ			İ	İ	İ	
	V to P Conversion, Per Customer request-DS3	<b>†</b>		CLO	PE1B3	52.00				1			1	t	1	
	V to P Conversion, Per Customer Request per VG Circuit	1				32.30				1			1	<b>†</b>	1	
	Reconfigured	1		CLO	PE1BR	23.00					1		Ì	I	Ì	1
	V to P Conversion, Per Customer Request per DS0 Circuit	1				20.00				1			1	<b>†</b>	1	
	Reconfigured			CLO	PE1BP	23.00										i
<del></del>	V to P Conversion, Per Customer Request per DS1 Circuit			020		20.00										<b> </b>
	Reconfigured			CLO	PE1BS	33.00										i
<del></del>	V to P Conversion, Per Customer Request per DS3 Circuit			020	. 2.50	00.00										<b> </b>
	Reconfigured			CLO	PE1BE	37.00										i
<del></del>	V to P Conversion, Cable Pairs Assigned to Collo Space per 700			020	I LIDL	07.00										<b> </b>
	prs or fraction thereof			CLO	PE1B7	592.00										ĺ
-	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable			OLO	I LIDI	002.00										<del>                                     </del>
	Support Structure, per cable, per linear ft.			CLO.UDF	PE1ES	0.001										i
-	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax			OLO,ODI	I L ILO	0.001										<del>                                     </del>
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0015										i
	Physical Collocation - Co-Carrier Cross Connects - Application			OLO, OLO, OOL	I LIDO	0.0013										<b>-</b>
	Fee, per application			CLO	PE1DT		584.42									i
PHYSICAL CO				OLO	ILIDI		304.42									<b>-</b>
FITTSICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															<b>-</b>
	Wire Analog - Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				i
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			ULFOR	FLINZ	0.0341	12.32	11.03	0.04	3.43		13.09		-		<del> </del>
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69				i
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			ULFOF	FLINZ	0.0341	12.32	11.03	0.04	3.43		13.09		-		<del> </del>
	Wire Voice Grade PBX Trunk - Res	1		UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45	1	15.69	Ì	I	Ì	1
<del></del>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	ł	1	ULFOE	FEIRZ	0.0341	12.32	11.83	6.04	5.45		15.69	-	-	-	<del></del>
	Wire Analog - Bus	1		UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45	1	15.69	Ì	I	Ì	1
+-	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1	<del>                                     </del>	ULFOD	FEIRZ	0.0341	12.32	11.83	6.04	5.45		15.69		-		<del>                                     </del>
	Wire ISDN	1		UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45	1	15.69	Ì	I	Ì	1
$\vdash$	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<del> </del>		UEFOX	FE IKZ	0.0341	12.32	11.83	0.04	5.45		15.69	-	-	-	<del> </del>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN	1		LIEDTY	DE4D2	0.0344	10.00	11.00	6.04	E 45	1	15.00	Ì	I	Ì	1
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	<del>                                     </del>		UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45		15.69		<del>                                     </del>		<del></del>
	Wire ISDN DS1	1		UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80	1	15.69	Ì	I	Ì	1
AD IACENT O		<del>                                     </del>		UEFEX	FEIK4	1.12	22.08	15.96	0.42	5.80		15.69		<del>                                     </del>		<del></del>
ADJACENT C	OLLOCATION  Adjacent Collegation Space Charge per Sq. Et	<del>                                     </del>		CLOAC	PE1JA	0.0939								<del>                                     </del>		<del></del>
$\vdash$	Adjacent Collocation - Space Charge per Sq. Ft.	<del>                                     </del>			PE1JA PE1JC									<del>                                     </del>		<del></del>
<del>                                     </del>	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	1		CLOAC		6.40	40.00	44.00	0.01	F 45	ļ		1	<del>                                     </del>	1	<del>                                     </del>
<del>                                     </del>	Adjacent Collocation - 2-Wire Cross-Connects	l	-	CLOAC UEA,UHL,UDL,UCL,	PE1P2	0.0264	12.32	11.83	6.04	5.45		<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del></del>
	Adjacent Collegation 4 Wire Communication	1		CLOAC	PE1P4	0.0527	40.40	11.90	0.40	F 74	1		Ì	I	Ì	1
	Adjacent Collocation - 4-Wire Cross-Connects	l	-				12.42		6.40	5.74		<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>	<del></del>
<del>                                     </del>	Adjacent Collocation - DS1 Cross-Connects	1		USL,CLOAC	PE1P1	1.03	22.08	15.96	6.42	5.80	ļ		1	<del>                                     </del>	1	<del>                                     </del>
$\vdash \vdash \vdash$	Adjacent Collocation - DS3 Cross-Connects	<b>!</b>		CLOAC	PE1P3	14.00	20.94	15.23	7.39	5.93				-		<del></del>
$\vdash$	Adjacent Collocation - 2-Fiber Cross-Connect	<u> </u>		CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93						<del>                                     </del>
$\vdash$	Adjacent Collocation - 4-Fiber Cross-Connect	<b>!</b>		CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26				-		<b></b>
$\vdash$	Adjacent Collocation - Application Fee	<u> </u>		CLOAC	PE1JB		1,580.20		0.51	0.51						<del>                                     </del>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate	1		01.040	DE4E5						1		Ì	I	Ì	1
	per AC Breaker Amp	<b>!</b>		CLOAC	PE1FB	5.67			ļ							⊢——
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	1	1	01.040	DE4E5					Ì		l	Ì		Ì	1
	per AC Breaker Amp			CLOAC	PE1FD	11.36					l	<u> </u>	l	1	l	

COLLOCAT	ION - South Carolina												Attachr	nent: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	···	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39.33										
PHYSICAL CO	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38	308.38	168.60	168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13	13.13								
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.13	116.13								
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64	37.64								
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation	, the Parties v	vill negotiate ap	propriate rates	S.								

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhil	oit: B
OOLLOOM.	Tomicocco										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		l									Elec	Manually			Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								
OATEOORT	NATE ELEMENTO	m	20110	500	0000			ππι Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Managarania a		Managarini.	Dianamant			000	D-4(#\		
						Rec	Nonrecurring			g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	DLLOCATION															
	Physical Collocation - Application Fee - Initial			CLO	PE1BA		3,767.00	3,767.00								
	Physical Collocation - Application Fee - Subsequent			CLO	PE1CA		3,140.00	3,140.00								
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.25									
	Physical Collocation - Space Preparation - Firm Order															
	Processing	1		CLO	PE1SJ		1,204.00	1,204.00								
<del></del>	Physical Collocation - Space Preparation - C.O. Modification per	<del>l '</del>	<del>                                     </del>	OLO	1 1 100		1,204.00	1,204.00								
	square ft.			CLO	PE1SK	2.74										
$\vdash$		<del>- '-</del>	1	OLO	ILION	2.74			-	-	-	-	-	1	-	
	Physical Collocation - Space Preparation - Common Systems	١	1	01.0	DE40	0.0-			Ì	Ì	l	l	1			
$\vdash$	Modification per square ft Cageless		<u> </u>	CLO	PE1SL	2.95										
	Physical Collocation - Space Preparation - Common Systems		1						Ì	Ì	l	l	1			
	Modification per Cage			CLO	PE1SM	100.14					ļ	ļ				
	Physical Collocation - Cable Installation			CLO	PE1BD		1,757.00	1,757.00								
	Physical Collocation - Floor Space per Sq. Ft.			CLO	PE1PJ	6.75										
	Physical Collocation - Cable Support Structure			CLO	PE1PM	19.80										
	Physical Collocation - Power -48V DC Power, per Fused Amp			CLO	PE1PL	8.87										
	Physical Collocation - Power Reduction, Application Fee			CLO	PE1PR		400.10									
	Triyotodi Concodilori Tewor Hoddellori, Apprication Fee	· ·		020			100.10									
	Physical Collocation - 120V, Single Phase Standby Power Rate			CLO	PE1FB	5.60										
	Friysical Collocation - 120V, Single Friase Standby Fower Rate	- '		CLO	FLIID	3.00	-									
	District Online of the Oddy Other District One ille District One	١.		01.0	DE4ED	44.00										
	Physical Collocation - 240V, Single Phase Standby Power Rate			CLO	PE1FD	11.22										
	Physical Collocation - 120V, Three Phase Standby Power Rate	I		CLO	PE1FE	16.82										
	Physical Collocation - 277V, Three Phase Standby Power Rate	- 1		CLO	PE1FG	38.84										
				UEANL,UEA,UDN,U												
				DC,UAL,UHL,UCL,U												
				EQ, UDL, UNCVX,												
	Physical Collocation - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1P2	0.033	33.82	31.92								
<b></b>	Friysical Collocation - 2-Wile Cross-Connects	1			FLIFZ	0.033	33.02	31.32								
				CLO, UAL, UDL,												
				UDN, UEA, UHL,												
				UNCVX, UNCDX,												
	Physical Collocation - 4-Wire Cross-Connects			UCL	PE1P4	0.066	33.94	31.95								
			1	CLO,UEANL,UEQ,W							l	l			l	1
		1	1	DS1L,WDS1S, USL,					Ì	Ì	l	l	I			
		1		U1TD1, UXTD1,							I	I			1	1
		1	1	UNC1X, ULDD1,							I	I			1	1
				USLEL, UNLD1,												
	Physical Collocation - DS1 Cross-Connects			UDL	PE1P1	1.51	53.27	40.16								
	Physical Collocation - DST Cross-Connects				PEIPI	1.51	53.27	40.16								
				CLO, UE3,U1TD3,												
				UXTD3, UXTS1,												
				UNC3X, UNCSX,												
				ULDD3,												
		1	1	U1TS1,ULDS1,							I	I			1	1
	Physical Collocation - DS3 Cross-Connects	1	1	UNLD3, UDL	PE1P3	19.26	52.37	38.89	Ì	Ì	l	l	I			
			1	CLO, ULDO3,					İ	İ	İ	İ	1	İ	İ	İ
		1	1	ULD12, ULD48,					Ì	Ì	l	İ	I			
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Callegation 2 Fiber Cross Connect	1	1	UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34	I	I	2.69	2.69	1.56	1.56
<b></b>	Physical Collocation - 2-Fiber Cross-Connect	1	1		FE1FZ	15.64	41.56	29.82	12.96	10.34	1	1	∠.69	2.69	1.56	1.56
		1	1	CLO, ULDO3,					Ì	Ì	İ	İ	I			
		1	1	ULD12, ULD48,					Ì	Ì	İ	İ	I			
				U1TO3, U1T12,												
				U1T48, UDLO3,												
	Physical Collocation - 4-Fiber Cross-Connect	1	1	UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35	I	I	2.69	2.69	1.56	1.56
	Physical Collocation - Welded Wire Cage - First 100 Sq. Ft.			CLO	PE1BW	218.53										
	Physical Collocation - Welded Wire Cage - Add'l 50 Sq. Ft.	1		CLO	PE1CW	21.44										

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi		BCS	USOC			D.4.T.F.O.(A)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЗ	USUC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'I	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Security Access System - Security System per Central Office  Physical Collocation - Security Access System - New Access	1		CLO	PE1AX	55.99										
	Card Activation, per Card			CLO	PE1A1	0.059	55.67	55.67								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.61	15.61								
	Stolen Card, per Card			CLO	PE1AR		45.64	45.64								
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24	26.24								
	Physical Collocation - Security Access - Key, Replace Lost or			0.0	DEAN		00.04	00.04								
-	Stolen Key, per Key Physical Collocation - Space Availability Report per premises			CLO CLO	PE1AL PE1SR		26.24 2,027.00	26.24 2,154.00								
	POT Bay Arrangements prior to 6/1/99 - 2-Wire Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO,UDL, UNCVX, UNCDX, UNCNX		0.40	2,027.00	2,104.00								
	per cross-connect			UEANL,UEA,UDN,U		0.40								1		
	POT Bay Arrangements prior to 6/1/99 - 4-Wire Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO, USL, UNCVX, UNCDX UEANL,UEA,UDN,U		1.20										
	POT Bay Arrangements prior to 6/1/99 - DS1 Cross-Connect, per cross-connect			DC,UAL,UHL,UCL,U EQ,CLO,WDS1L,W DS1S, USL, U1TD1, UXTD1, UNC1X, ULDD1, USLEL, UNLD1	PE1PG	1.20										
	POT Bay Arrangements prior to 6/1/99 - DS3 Cross-Connect, per cross-connect			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, CLO, UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UDL, UDLSX	PE1PH	8.00										
	POT Bay Arrangements prior to 6/1/99 - 2-Fiber Cross-Connect, Per Cross-Connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		38.79										
	POT Bay Arrangements prior to 6/1/99 - 4-Fiber Cross-Connect, per cross-connect			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ,CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF		52.31										
	Physical Collocation - Request Resend of CFA Information, per					32.31										
	CLLI Nonrecurring Collocation Cable Records - per request	1	<b> </b>	CLO CLO	PE1C9 PE1CR	ļ	77.67 1,711.00		ļ		-					
	Nonrecurring Collocation Cable Records - per request  Nonrecurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CR PE1CD		925.06									
	Nonrecurring Collocation Cable Records - VG/DS0 Cable, per each 100 pair			CLO	PE1CO		18.05	18.05								

COLLOCAT	ION - Tennessee													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonrecurring		Nonrecurring	g Disconnect			oss	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C1		8.45	8.45		7.44.	0020					
	Nonrecurring Collocation Cable Records - DS3, per T3TIE			CLO	PE1C3		29.57	29.57								
	Nonrecurring Collocation Cable Records - Fiber Cable, per 99															
	fiber records			CLO	PE1CB		279.42	279.42								
	Physical Collocation - Security Escort - Basic, per Half Hour			CLO,CLORS	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort - Overtime, per Half Hour			CLO,CLORS	PE1OT		44.17	27.76								
	Physical Collegation Congrity Facest Brownium per Half Hour			CLO,CLORS	PE1PT		54.42	34.02								
	Physical Collocation - Security Escort - Premium, per Half Hour  V to P Conversion, Per Customer Request-Voice Grade			CLO,CLORS CLO	PE1BV	33.00	54.42	34.02								
	V to P Conversion, Per Customer Request-Voice Grade  V to P Conversion, Per Customer Request-DS0			CLO	PE1BO	33.00	1				1				1	
	V to P Conversion, Per Customer Request-DS1			CLO	PE1B1	52.00										<del> </del>
	V to P Conversion, Per Customer request-DS3			CLO	PE1B3	52.00										<u> </u>
	V to P Conversion, Per Customer Request per VG Circuit															
	Reconfigured			CLO	PE1BR	23.00										
	V to P Conversion, Per Customer Request per DS0 Circuit Reconfigured			CLO	PE1BP	23.00										
	V to P Conversion, Per Customer Request per DS1 Circuit Reconfigured			CLO	PE1BS	33.00										
	V to P Conversion, Per Customer Request per DS3 Circuit Reconfigured			CLO	PE1BE	37.00										
	V to P Conversion, Cable Pairs Assigned to Collo Space per 700 prs or fraction thereof			CLO	PE1B7	592.00										
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			CLO	PEIAC	16.16	2,903.66	2,903.66								
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4.32	2,000.00	2,000.00								
	Physical Caged Collocation-Space Prep-Power Delivery, per 40 amp Feed			CLO	PE1SN		142.40									
	Physical Caged Collocation-Space Prep-Power Delivery, per 100 amp Feed			CLO	PE1SO		185.72									
	Physical Caged Collocation-Space Prep-Power Delivery, per 200 amp Feed			CLO	PEISP		242.05									
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97	242.00									
	Phycical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49										
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber,			CLO	PE1CP PE1CQ	2.56	044.07									
	per cable Physical Caged Collocation-Floor Space-Land & Buildings, per						944.27									
	sq. ft. Physical Caged Collocation-Cable Support Structure-Cable			CLO	PE1FS	5.94										
	Racking, per entrance cable Physical Caged Collocation-Power-Power Construction, per amp			CLO	PE1CS	21.47			<u> </u>							
	DC plant Physical Caged Collocation-Power-Power Consumption,per amp			CLO	PE1PN	3.55										
	AC usage Physical Caged Collocation-2-wire Cross Connects-Voice Grade			CLO	PE1PO	2.03										
	ckts, per ckt.  Physical Caged Collocation-4-wire Cross Connects-Voice Grade			CLO	PE12C	0.0475	7.68									
	Ckts, per ckt.  Physical Caged Collocation-DS1 Cross Connects-connection to			CLO	PE14C	0.0475	7.68									
	DCS, per ckt.  Physical Caged Collocation-DS1 Cross Connects-Connection to			CLO	PE11S	7.68	41.65									
	DSX, per ckt.  Physical Caged Collocation-DS3 Cross Connects-Connection to			CLO	PE11X	0.38	41.65									
	DCS, per ckt.			CLO	PE13S	53.96	298.03									

COLLOCATI	ON - Tennessee												Attachi	ment: 4	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged Collocation-DS3 Cross Connects-Connection to			CLO	PE13X	9.32	298.03									
	DSX, per ckt.  Physical Caged Collocation-Security Access-Access Cards, per			CLO	PE13X	9.32	298.03									
	5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure, per cable, per linear ft.			CLO,UDF	PE1ES	0.0013										
	Physical Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable, per lin. ft.			CLO, UE3, USL	PE1DS	0.0019										
	Physical Collocation - Co-Carrier Cross Connects - Application Fee, per application			CLO	PE1DT		585.09									
PHYSICAL COL				CLO	FLIDI		363.09									
1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-													İ		
	Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20			<u> </u>	<u> </u>	20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20	1				20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	10.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 03		0.00	10.20	10.20					20.00	10.01	10.02	11.10
	Wire ISDN		<u> </u>	UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	DEADA	0.50	40.00	10.00					20.35	40.54	40.00	1.40
ADJACENT CO				UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
	Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1P2	0.034	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
				UEA,UHL,UDL,UCL,												
	Adjacent Collocation - 4-Wire Cross-Connects			CLOAC	PE1P4	0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects			USL,CLOAC	PE1P1 PE1P3	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS3 Cross-Connects Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC CLOAC	PE1F3 PE1F2	19.03 3.49	26.23 26.23	15.51 15.51	13.40 13.41	10.77 10.78			1.77 1.77	1.77 1.77	1.12 1.12	1.12 1.12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.50	2,973.00	10.02	0.9475	14.57			1.77	1.11	1.12	1.12
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate			01.040	DEAEC											
-	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate		<u> </u>	CLOAC	PE1FD	11.64			1		<del>                                     </del>					
	per AC Breaker Amp			CLOAC	PE1FE	17.45										
-	Adjacent Collocation - 277V, Three Phase Standby Power Rate			020/10		17.43			-		<b>†</b>					
	per AC Breaker Amp			CLOAC	PE1FG	40.30										
	LLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76					ļ		
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		24.69									
<del>                                     </del>	Physical Collocation in the Remote Site - Security Access - Rey  Physical Collocation in the Remote Site - Space Availability		l	520110			24.03		+		<del>                                     </del>	<b> </b>				
	Report per Premises Requested			CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81		1							
- Incorporate	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
PHYSICAL COL	LOCATION IN THE REMOTE SITE - ADJACENT								1		-					
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
<del>-                                    </del>	Tomoto Sito riajaconi Concoation - no i ower, per breaker amp		l	520110		0.21			+		<del>                                     </del>	<b> </b>				
	Remote Site-Adjacent Collocation - Real Estate, per square foot	l .	ı	CLORS	PE1RT	0.134			1	l	1	l	l		ı	

COLLOCATI	ON - Tennessee												Attachr	nent: 4	Exhil	oit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE:	If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	vill negotiate a	ppropriate rate	s.		·						

# ATTACHMENT 5 ACCESS TO NUMBERS AND NUMBER PORTABILITY

### TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where Knology is utilizing its own switch, Knology shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, Knology will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 Where BellSouth provides local switching or resold services to Knology, BellSouth will provide Knology with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Knology acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Knology acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that Knology return unused intermediate numbers to BellSouth. Knology shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow Knology to designate up to 100 intermediate telephone numbers per rate center for Knology's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Knology acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

# 2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where Knology subscribes to BellSouth's local switching, BellSouth shall bill and Knology shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and Knology will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and Knology.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the end user.
- 2.7 BellSouth and Knology will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

#### 3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

# **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

# TABLE OF CONTENTS

3.	MISCELLANEOUS	5
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3

#### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide pre-ordering, ordering, provisioning, and maintenance and repair services to Knology that are equivalent to the pre-ordering, ordering, provisioning, and maintenance and repair services BellSouth provides to itself or any other CLEC where technically feasible. The guidelines for pre-ordering, ordering, provisioning, and maintenance and repair are set forth in the various guides and business rules, as appropriate, and as they are amended from time to time during this Agreement. The guides and business rules are found at http://www.interconnection.bellsouth.com and are incorporated herein by reference.
- 1.2 For purposes of this Agreement, BellSouth's regular working hours for provisioning are defined as follows:

Monday – Friday – 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated,
coordinated orders and order
coordinated-time specific)
Saturday - 8:00 a.m. – 5:00 p.m. (Excluding Holidays)
(Resale/UNE non-coordinated
orders)

- 1.2.1 The above hours represent the hours, either Eastern or Central Time, of the location where the physical work is being performed.
- 1.2.2 To the extent Knology requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or Project Manager to work outside of regular working hours, overtime billing charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or Project Manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of Knology, BellSouth will not assess Knology additional charges beyond the rates and charges specified in this Agreement.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide Knology access to operations support systems ("OSS") functions for pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of

Knology to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for Knology's access and use of BellSouth's electronic interfaces are set forth at <a href="https://www.interconnection.bellsouth.com">www.interconnection.bellsouth.com</a> and are incorporated herein by reference.

- 2.1.1 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Access is provided through the Local Exchange Navigation System (LENS) interface and the Telecommunications Access Gateway (TAG) interface. Customer record information includes customer specific information in CRIS and RSAG. Knology shall provide to BellSouth access to customer record information including circuit numbers associated with each telephone number where applicable. Knology shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, Knology shall provide to BellSouth paper copies of customer record information including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.
- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. Knology will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit Knology's access to customer record information. If a BellSouth audit of Knology's access to customer record information reveals that Knology is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to Knology may take corrective action, including but not limited to suspending or terminating Knology's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 <u>Service Ordering</u>. BellSouth will make available the Electronic Data Interchange (EDI) interface and the TAG ordering interface for the purpose of exchanging order information, including order status and completion notification, for noncomplex and certain complex resale requests and certain network elements. Knology may integrate the EDI interface or the TAG ordering interface with the TAG pre-ordering interface. In addition, BellSouth will provide integrated pre-ordering and ordering capability through the LENS interface for non-complex and certain complex resale service requests and certain network element requests.
- 2.1.4 <u>Maintenance and Repair</u>. Knology may report and monitor service troubles and obtain repair services from BellSouth via electronic interfaces. BellSouth provides

several options for electronic trouble reporting. For exchange services, BellSouth will offer Knology non-discriminatory access to the Trouble Analysis Facilitation Interface (TAFI). In addition, BellSouth will offer an industry standard, machine-to-machine Electronic Communications Trouble Administration (ECTA) Gateway interface. For designed services, BellSouth will provide non-discriminatory trouble reporting via the ECTA Gateway. BellSouth will provide Knology an estimated time to repair, an appointment time or a commitment time, as appropriate, on trouble reports. Requests for trouble repair will be billed in accordance with the provisions of this Attachment. BellSouth and Knology agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via the Internet at http://www.interconnection.bellsouth.com.

- 2.2 <u>Change Management</u>. BellSouth provides a collaborative process for change management of the electronic interfaces through the Change Control Process (CCP). Guidelines for this process are set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 2.3 <u>BellSouth's Versioning Policy for Electronic Interfaces.</u> BellSouth's Versioning Policy is part of the Change Control Process (CCP). Pursuant to the CCP, BellSouth will issue new software releases for new industry standards for its EDI and TAG electronic interfaces. The Versioning Policy, including the appropriate notification to Knology, is set forth in the CCP document as amended from time to time during this Agreement. The CCP document may be accessed via the Internet at http://www.interconnection.bellsouth.com.
- 2.4 <u>Rates.</u> Charges for use of OSS shall be as set forth in Attachments 1 and 2 of this Agreement and are incorporated herein by reference.

#### 3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by Knology will be held for a maximum of thirty (30) days from the date the order is placed on hold. After such time, Knology shall be required to submit a new service request. Incorrect or invalid requests returned to Knology for correction or clarification will be held for thirty (30) days. If Knology does not return a corrected request within thirty (30) days, BellSouth will cancel the request.
- 3.2 <u>Single Point of Contact</u>. Knology will be the single point of contact with BellSouth for ordering activity for network elements and other services used by Knology to provide services to its end users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected end user. Knology and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of end-user authorization will not be necessary with every request. The Parties shall each be

entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law including, until superseded, the FCC guidelines and orders applicable to Presubscribed Interexchange Carrier (PIC) changes, including Un-PIC. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by Knology to provide service to that end user and may reuse such network elements or facilities to enable such other carrier to provide service to the end user. BellSouth will notify Knology that such a request has been processed but will not be required to notify Knology in advance of such processing.

- 3.2.1 Neither BellSouth nor Knology shall prevent or delay an end-user from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall provide access to customer service records (CSRs), Firm Order Confirmations (FOCs) and Local Service Request rejects within the intervals set forth in Attachment 9 of this Agreement.
- 3.2.3 Knology shall return a FOC to BellSouth within thirty-six (36) hours after Knology's receipt from BellSouth of a valid LSR.
- 3.2.4 Knology shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of Knology elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to Knology by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify Knology that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier ("IXC") (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining end user billing account and other end user information required under subscription requirements.
- 3.6 <u>Cancellation Charges</u>. If Knology cancels a request for network elements or other services, any costs incurred by BellSouth in conjunction with the provisioning of Version 3Q02: 09/06/02

that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if Knology places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements or services requested in accordance with the transmission characteristics of the network elements or services requested, cancellation charges described in this Section shall not apply. Where Knology places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, Knology may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should Knology elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by Knology, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

# **Attachment 7**

**Billing** 

### TABLE OF CONTENTS

1.	PAYMENT AND BILLING ARRANGEMENTS	3
2.	BILLING DISPUTES	
3.	RAO HOSTING	8
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	14
Ra	ites	Exhibit A

#### **BILLING**

#### 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS) and through the Customer Records Information System (CRIS) depending on the particular service(s) provided to Knology under this Agreement. BellSouth will format all bills in CBOS Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth orders and receives from Knology, Knology shall bill BellSouth in CABS format.
- 1.1.2 If either Party requests multiple billing media or additional copies of bills, the billing Party will provide these at a reasonable cost.
- 1.1.3 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.4 BellSouth will submit invoices to Knology each month for resold lines and for all other services for each of Knology's accounts.
- 1.1.5 BellSouth will calculate charges and credits on an individual End User account level, including, if applicable, any charge or credit for usage or usage allowances, but will apply relevant charges and credits to Knology's master accounts. BellSouth will also bill Knology, and Knology will be responsible for and remit to BellSouth, all undisputed charges directly applicable to resold services imposed by any governmental entity, including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees. Bills will not be rendered for any charges which are incurred under this Agreement on or before one (1) year preceding the bill date. However, both Parties recognize that situations exists that would necessitate billing beyond the one year limit as permitted by law. These exceptions include:

- (i) charges connected with jointly provided services where by meet point billing guidelines require either Party to rely on records provided by a third Party.
- (ii) charges incorrectly billed due to error in or omission of customer provided data such as PLU or PIU factors or other ordering data.
- 1.1.6 BellSouth will not perform billing and collection services for Knology as a result of the execution of this Agreement. All requests for billing services should be referred to the appropriate entity or operational group within BellSouth.
- Establishing Accounts. After receiving certification as a local exchange carrier from the appropriate regulatory agency, Knology will provide the appropriate BellSouth account manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Number (OCN) assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Group Access Code (GAC), Access Customer Name and Abbreviation (ACNA), as applicable, and a tax exemption certificate, if applicable.
- 1.2.1 Payment Responsibility. Payment of all charges owed by Knology to BellSouth under this Agreement will be the responsibility of Knology. Knology shall make payment to BellSouth for all charges for services billed. Payments made by Knology to BellSouth as payment on account will be credited to Knology's accounts receivable master accounts. BellSouth will not become involved in billing disputes that may arise between Knology and Knology's customer. Payment of all charges or credits owed by BellSouth to Knology will be the responsibility of BellSouth. BellSouth shall make payment to Knology for all charges for services billed. Knology will not become involved in billing disputes that may arise between Bellsouth and BellSouth's customer.
- 1.3 Payment Due. Payment for services provided will be due on or before the next bill date (i.e., same date in the following month as the bill date) and is payable in immediately available funds. Payment is considered to have been made when received by BellSouth.
- 1.4 If the payment due date falls on a Sunday or on a Holiday that is observed on a Monday, the payment due date shall be the first non-Holiday day following such Sunday or Holiday. If the payment due date falls on a Saturday or on a Holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-Holiday day preceding such Saturday or Holiday. If

payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.

- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of a tax exemption certificate from Knology, the total amount billed to Knology will not include those taxes or fees from which Knology is exempt. Knology will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the end user of Knology.
- Late Payment. If any portion of the payment is received by either Party after the payment due date as set forth preceding, or if any portion of the payment is received by a Party in funds that are not immediately available to either Party, a late payment charge shall be due the receiving Party. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. For BellSouth, the late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. For Knology, (The late payment shall be) a simple interest rate equal to the lesser of (i) 1 ½ % per month or (ii) the maximum rate permitted by law. In addition to any applicable late payment charges, either Party may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to applicable state law.
- 1.7 <u>Discontinuing Service to Knology</u>. The procedures for discontinuing service to Knology are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by Knology of the rules and regulations of BellSouth's tariffs; provided, however, that BellSouth shall provide notice of such use, violation or noncompliance to Knology and provide Knology with a reasonable opportunity to cure, except in the event of imminent threat of damage to the network or security thereof, in which case BellSouth may provide notice immediately after or contemporaneously with denial of service.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment of undisputed charges after notice and Knology's opportunity to cure in accordance with the provisions hereof. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to Knology that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment is not received by the fifteenth day following the date of the notice. In

addition, BellSouth may, at the same time, provide written notice to the person designated by Knology to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to Knology if payment of undisputed charges is not received by the thirtieth day following the date of the initial notice; provided, however, that in no event shall BellSouth terminate the provision of existing services to Knology for nonpayment of disputed charges during the pendency of any billing dispute in accordance with Section 2.1

- 1.7.3 In the case of such discontinuance, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 If BellSouth does not discontinue the provision of the services involved on the date specified in the thirty days notice and Knology's noncompliance continues, nothing contained herein shall preclude BellSouth's right to discontinue the provision of the services to Knology for such noncompliance without further notice.
- 1.7.4.1 Upon discontinuance of service on Knology's account, service to Knology's end users will be denied. BellSouth will reestablish service for Knology upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. Knology is solely responsible for notifying the end user of the proposed service disconnection. If within fifteen (15) days after Knology has been denied and no arrangements to reestablish service have been made consistent with this subsection, Knology's service will be disconnected.
- 1.8 Deposit Policy. Knology shall complete the BellSouth Credit Profile and provide information to BellSouth, if it has not already done so, regarding credit worthiness. Based on the results of the credit analysis, BellSouth, to the extent it has reasonable concerns as to Knology's creditworthiness, reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash or at BellSouth's sole discretion, an Irrevocable Letter of Credit (BellSouth form), or Surety Bond (BellSouth form). Any such security deposit shall in no way release Knology from its obligation to make complete and timely payments of its undisputed invoices. Knology shall pay any applicable deposits prior to the inauguration of service. If, in the sole reasonable opinion of BellSouth, Knology's creditworthiness has deteriorated and/or gross monthly billing has substantially increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security. Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event Knology fails to remit to BellSouth any deposit requested pursuant to this Section, service to Knology may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to Knology's account(s).

- 1.9 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from Knology, shall be forwarded to the individual and/or address provided by Knology in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by Knology as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address. BellSouth shall send disconnection notices in writing both to the contact person and the individuals designated in the Notices provision of the General Terms and Conditions of this Agreement; provided, however, upon written notice from Knology to BellSouth's billing organization, a final notice of disconnection of services purchased by Knology under this Agreement shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement at least 30 days before BellSouth takes any action to terminate such services.
- 1.10 Rates. Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

#### 2. BILLING DISPUTES

- Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. Knology shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be explained by the disputing Party and supported by written documentation, which shows with specificity the basis for disputing charges. By way of example and not by limitation, a billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal notification and collection

procedures in Section 1.7. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.

- 2.3 Resolution of a dispute is expected to occur at the first level of management resulting in a recommendation for settlement of a dispute and closure of a specific billing period. If the issues are not resolved at the first level of management to a Party's satisfaction, the following resolution procedure will begin:
- 2.3.1 If the dispute is not resolved at the first level of management, the dispute will be escalated to the second level of management for each of the respective Parties for resolution. If the dispute is not resolved to a Party's satisfaction, the dispute will be escalated to the third level of management for each of the respective parties for resolution.
- 2.3.2 If the dispute is not resolved at the 3<sup>rd</sup> level of management, either Party may seek dispute resolution pursuant to Section 12 of the General Terms and Conditions of this Agreement.

#### 3. RAO HOSTING

- 3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to Knology by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.2 Knology shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to Knology on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 Knology must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, Knology must request that BellSouth establish a unique hosted RAO code for Knology. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.

- 3.5 BellSouth will receive messages from Knology that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. Knology shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from Knology.
- 3.7 All data received from Knology that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from Knology that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by Knology and will forward them to Knology on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and Knology will be via CONNECT:Direct.
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and Knology for the purpose of data transmission. Where a dedicated line is required, Knology will be responsible for ordering (or otherwise providing) the circuit and coordinating the installation with BellSouth or a third party, as applicable. Knology is responsible for any applicable BellSouth or third party charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Knology. Additionally, all message toll charges associated with the use of the dial circuit by Knology will be the responsibility of Knology. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the Knology end for the purpose of data transmission will be the responsibility of Knology.
- 3.11 All messages and related data exchanged between BellSouth and Knology will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.

- 3.12 Knology will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for Knology to send data to BellSouth more than sixty (60) days past the message date(s), Knology will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or Knology, where necessary, to notify all affected LECs.
- 3.14 In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for delivering the data will make every effort to restore and retransmit such data.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from Knology, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify Knology of the error. Knology will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, Knology will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.16 In association with message distribution service, BellSouth will provide Knology with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by Knology as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between Knology and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by Knology and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by Knology, is covered by CATS. Also covered is traffic that either is originated by or billed by Knology, involves a company other than Knology, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).

- 3.18.3 Once Knology is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of Knology. BellSouth will distribute copies of these reports to Knology on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of Knology. BellSouth will distribute copies of these reports to Knology on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by Knology from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of Knology. BellSouth will remit the revenue billed by Knology to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on Knology. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Knology via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by Knology within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of Knology. BellSouth will remit the revenue billed by Knology within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to Knology via a monthly CABS miscellaneous bill.
- 3.18.8 BellSouth and Knology agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

#### 4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from Knology, BellSouth will provide the Optional Daily Usage File (ODUF) service to Knology pursuant to the terms and conditions set forth in this section.
- 4.2 Knology shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a Knology customer.
- 4.4 Charges for the ODUF will appear on Knologys' monthly bills. The charges are as set forth in Exhibit A to this Attachment.

4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 4.6 Messages that error in the billing system of Knology will be the responsibility of Knology. If, however, Knology should encounter significant volumes of errored messages that prevent processing by Knology within its systems, BellSouth will work with Knology to determine the source of the errors and the appropriate resolution. 4.7 The following specifications shall apply to the ODUF feed. 4.7.1 ODUF Messages to be Transmitted 4.7.1.1 The following messages recorded by BellSouth will be transmitted to Knology: 4.7.1.1.1 Message recording for per use/per activation type services (examples: Three -Way Calling, Verify, Interrupt, Call Return, etc.) 4.7.1.1.2 Measured billable Local 4.7.1.1.3 Directory Assistance messages 4.7.1.1.4 IntraLATA Toll 4.7.1.1.5 WATS and 800 Service 4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Knology.

- 4.7.1.4 In the event that Knology detects a duplicate on ODUF they receive from BellSouth, Knology will drop the duplicate message and will not return the duplicate to BellSouth.
- 4.7.2 ODUF Physical File Characteristics
- 4.7.2.1 ODUF will be distributed to Knology via CONNECT:Direct or another mutually agreed medium. The ODUF feed will be a variable block format (2476) with a Logical Record Link (LRECL) of 2472. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and Knology for the purpose of data transmission as set forth in Section 3.10.1 above.
- 4.7.3 ODUF Packing Specifications
- 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Knology which BellSouth RAO that is sending the message. BellSouth and Knology will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Knology and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 Knology will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Knology will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Knology by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 Knology will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Knology's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Knology for reasons stated in the above section.

#### 4.7.6 ODUF Testing

4.7.6.1 Upon request from Knology, BellSouth shall send ODUF test files to Knology. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that Knology set up a production (live) file. The live test may consist of Knology's employees making test calls for the types of services Knology requests on ODUF. These test calls are logged by Knology, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

#### 5. ACCESS DAILY USAGE FILE

- Upon written request from Knology, BellSouth will provide the Access Daily Usage File (ADUF) service to Knology pursuant to the terms and conditions set forth in this section.
- 5.2 Knology shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that Knology has purchased from BellSouth.
- 5.4 Charges for ADUF will appear on Knology's monthly bills. The charges are as set forth in Exhibit A to this Attachment. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of Knology will be the responsibility of Knology. If, however, Knology should encounter significant volumes of errored messages that prevent processing by Knology within its systems, BellSouth will work with Knology to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to Knology:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to Knology.

- 5.6.3 In the event that Knology detects a duplicate on ADUF they receive from BellSouth, Knology will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to Knology via CONNECT:Direct or another mutually agreed medium. The ADUF feed will be a fixed block format (2476) with an LRECL of 2472. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 5.6.4.2 Data circuits (private line or dial-up) will be required between BellSouth and Knology for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Knology which BellSouth RAO is sending the message. BellSouth and Knology will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Knology and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- Knology will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Knology will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Knology by BellSouth.
- 5.6.7 ADUF Control Data
- 5.6.7.1 Knology will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Knology's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Knology for reasons stated in the above section.

- 5.6.8 ADUF Testing
- Upon request from Knology, BellSouth shall send a test file of generic data to Knology via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

ODUF/ADUF	/EODUF/CMDS - Alabama												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Dee	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O	EDUF/CMDS															
	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000113										
	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.000011										
	ODUF: Message Processing, per message				N/A	0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.000094										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	ICED OPTIONAL DAILY USAGE FILE (EODUF)		1		N/A	0.22			<del> </del>							<u> </u>
	EODUF: Message Processing, per message								la Dantiaaa		the Deuter					<del></del>
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or tur	iction will be as set	tortn in appi	icable BellSout	n tariii or as n	egotiated by t	ne Parties upoi	request by e	tner Party.					

ODUF/ADUF	/EODUF/CMDS - Florida												Attachr	nent: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Das	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCES	S DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.014391										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00012973										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000071										
	ODUF: Message Processing, per message				N/A	0.006835										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.96										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010811										
CENT	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
ENUA	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
ENHA	ICED OPTIONAL DAILY USAGE FILE (EODUF)				N/A	0.220100			<del> </del>							
Neter	EODUF: Message Processing, per message					0.229109	- t-=:ff -=		La Dantiaaa		than Danter					
Notes:	If no rate is identified in the contract, the rate for the specific	service	or tun	ction will be as set	rortn in appi	cable BellSout	n tariii or as n	egotiated by t	ne Parties upor	request by e	tner Party.					

ODUF/ADUF	F/EODUF/CMDS - Georgia												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonre	curring	Nonrecurrin	a Disconnect	1		oss	Rates(\$)	ı	ч——
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	EDUF/CMDS															
	SS DAILY USAGE FILE (ADUF)				+											1
7.002	ADUF: Message Processing, per message				N/A	0.0136327										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0001275										
	ODUF: Message Processing, per message				N/A	0.0082548										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	28.85										<b></b>
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000434										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															1
	CMDS: Message Processing, per message				N/A	0.004										
ENHA	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	EODUF: Message Processing, per message				N/A	0.0034555		İ	1		İ					1
	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	n tariff or as i	negotiated by t	he Parties upo	n request by e	ither Party.					1

ODUF/ADUF	F/EODUF/CMDS - Kentucky												Attachi	ment: 7	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O																
	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message				N/A	0.001857										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000136										
	ODUF: Message Processing, per message				N/A	0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010372										
	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message	1			N/A	0.235889	·									

ODUF/ADUF/	EODUF/CMDS - South Carolina												Attachi	ment: 7	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						D	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/OE	DUF/CMDS															
ACCESS	S DAILY USAGE FILE (ADUF)															
,	ADUF: Message Processing, per message				N/A	0.008061										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00013036										
	AL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000216										
	ODUF: Message Processing, per message				N/A	0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.00010863										
	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	CED OPTIONAL DAILY USAGE FILE (EODUF)				N1/A	0.050004			ļ							
	EODUF: Message Processing, per message	L	<u> </u>	L	N/A	0.258301		L.,.,.,	<u> </u>	L	<u> </u>					
Notes: I	If no rate is identified in the contract, the rate for the specific	service	e or fun	oction will be as set	torth in appli	icable BellSout	n tariff or as n	egotiated by t	he Parties upoi	n request by ei	ther Party.					

ODUF/ADUF	F/EODUF/CMDS - Tennessee												Attachi	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			DATES/\$\			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svo
CATEGORI	NATE ELEMENTS	m	Zone	863	0300		RATES(\$)		per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l		
						Rec	Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/O	DEDUCIONDO								1							<u> </u>
	SS DAILY USAGE FILE (ADUF)		-													<b></b>
ACCES	ADUF: Message Processing, per message	1			N/A	0.004										
	ADOF. Wessage Processing, per message	1			IN/A	0.004										
	ADUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message				N/A	0.0000044										
	ODUF: Message Processing, per message				N/A	0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned				N/A	52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message				N/A	0.0000339										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message				N/A	0.004										L
ENILIAN	CMDS: Data Transmission (CONNECT:DIRECT), per message				N/A	0.001										
	EODUF: Message Processing, per message	-	-		N/A	0.004			-	<b> </b>	-					<del> </del>
	If no rate is identified in the contract, the rate for the specific	<u> </u>	1	L												<b></b>

Version 3Q02: 09/06/02

# **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

Knology and BellSouth have entered into a stand-alone Agreement pursuant to 47 U.S.C. § 224, for nondiscriminatory access to any Rights-of-Way, Conduits, or Poles owned or controlled by BellSouth.

# **ATTACHMENT 9**

# PERFORMANCE MEASUREMENTS

### PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at https://pmap.bellsouth.com. At the request of the Tennessee Regulatory Authority (TRA), the following Regional Service Quality Measurements (SQM) plan is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues an Order pertaining to Performance Measurements, such Performance Measurements shall supersede the Regional SQM contained in the Agreement.

# BellSouth Service Quality Measurement Plan (SQM)

**Region Performance Metrics** 

Measurement Descriptions Version 0.06

Issue Date: June 4, 2002

### Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)<sup>1</sup> and its Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Mississippi, and North Carolina have and continue to influence the SQM.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3<sup>rd</sup> Party audit requirements and Commission requirements.

This document is intended for use by someone with knowledge of telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <a href="https://pmap.bellsouth.com">https://pmap.bellsouth.com</a> in the Documentation Downloads folder.

# **Report Publication Dates**

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (https://www.pmap.bellsouth.com) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. Final validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. SEEM reports will posted on the 15th of the following month. Payments due will also be paid on the 15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of June. Final validated SEEM reports will be posted and payments mailed on July 15th. In the event the 15th falls on a weekend or holiday, reports and payments will be posted/made the next business day.

-

Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

# **Report Delivery Methods**

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. Commissions will be given access to the web site. In addition, a copy of the Monthly State Summary reports will be filed with the appropriate Commissions as soon as possible after the last day of each month.

Document Number: RGN-V005-122101

# **Contents**

Section 1: Operations Support Systems (OSS)	1-1
OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)	
OSS-2: Interface Availability (Pre-Ordering/Ordering)	
OSS-3: Interface Availability (Maintenance & Repair)	1-7
OSS-4: Response Interval (Maintenance & Repair)	
PO-1: Loop Makeup - Response Time – Manual	1-11
PO-2: Loop Make Up - Response Time - Electronic	
Section 2: Ordering	2-1
O-1: Acknowledgement Message Timeliness	
O-2: Acknowledgement Message Completeness	
O-3: Percent Flow-Through Service Requests (Summary)	
O-4: Percent Flow-Through Service Requests (Detail)	
O-5: Flow-Through Error Analysis	
O-6: CLEC LSR Information	
LSR Flow Through Matrix	
O-7: Percent Rejected Service Requests	
O-8: Reject Interval	
O-9: Firm Order Confirmation Timeliness	
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
O-11: Firm Order Confirmation and Reject Response Completeness	
O-12: Speed of Answer in Ordering Center	
O-13: LNP-Percent Rejected Service Requests	
O-14: LNP-Reject Interval Distribution & Average Reject Interval	
O-15: LNP-Firm Order Confirmation Timeliness Interval Distribution & Firm Order Confirma	
Average Interval.	
Section 3: Provisioning	
P-1: Mean Held Order Interval & Distribution Intervals	
P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-3: Percent Missed Installation Appointments	
P-5: Average Completion Notice Interval	
P-6: % Completions/Attempts without Notice or < 24 hours Notice	
P-7: Coordinated Customer Conversions Interval	
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% Within Interval and Average Interval	
P-7B: Coordinated Customer Conversions – Average Recovery Time	
P-7C: Hot Cut Conversions - % Provisioning Troubles Received Within 7 days of a completed	
Service Order	
P-8: Cooperative Acceptance Testing - % of xDSL Loops Tested	
P-9: % Provisioning Troubles within 30 days of Service Order Completion	
P-10: Total Service Order Cycle Time (TSOCT)	
P-11: Service Order Accuracy	
P-12: LNP-Percent Missed Installation Appointments	3-30 3_37
P-13: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribu	

	3-34
P-14: LNP-Total Service Order Cycle Time (TSOCT)	
Section 4: Section 4: Maintenance & Repair	4-1
M&R-1: Missed Repair Appointments	
M&R-2: Customer Trouble Report Rate	
M&R-3: Maintenance Average Duration	
M&R-4: Percent Repeat Troubles within 30 Days	
M&R-5: Out of Service (OOS) > 24 Hours	
M&R-6: Average Answer Time – Repair Centers	4-11
M&R-7: Mean Time To Notify CLEC of Network Outages	4-12
Section 5: Billing	5-1
B-1: Invoice Accuracy	5-1
B2: Mean Time to Deliver Invoices	
B3: Usage Data Delivery Accuracy	
B4: Usage Data Delivery Completeness	
B5: Usage Data Delivery Timeliness	
B6: Mean Time to Deliver Usage	
B7: Recurring Charge Completeness	
B8: Non-Recurring Charge Completeness	5-10
Section 6: Operator Services And Directory Assistance	6-1
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll	6-1
OS-2: Speed to Answer Performance/Percent Answered with "X" Seconds - Toll	6-2
DA-1: Speed to Answer Performance/Average Speed to Answer - Directory Assista	. ,
DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Direction	•
(DA)	6-4
Section 7: Database Update Information	7-1
D-1: Average Database Update Interval	7-1
D-2: Percent Database Update Accuracy	
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date	7-5
Section 8: E911	8-1
E-1: Timeliness.	
E-2: Accuracy	
E-3: Mean Interval	8-3
Section 9: Trunk Group Performance	9-1
TGP-1: Trunk Group Performance-Aggregate	
TGP-2: Trunk Group Performance-CLEC Specific	
Section 10: Collocation	10-1
C-1: Collocation Average Response Time	
C-2: Collocation Average Arrangement Time	
C-3: Collocation Percent of Due Dates Missed	
Section 11: Change Management	11-4
CM-1: Timeliness of Change Management Notices	11-4
CM-2: Change Management Notice Average Delay Days	

CM-3: Timeliness of Documents Associated with Change	11-6
CM-4: Change Management Documentation Average Delay Days	11-7
CM-5: Notification of CLEC Interface Outages	11-8
Section 12: Bona Fide / New Business Request Process	12-1
BFR-1: Percentage of BFR/NBR Requests Processed Within 30 Business Days	12-1
BFR-2: Percentage of Quotes Provided for Authorized BFR/NBR Requests Processed V	Within X
(10/30/60) Business Days	12-2
Appendix A: Reporting Scope	1
A-1: Standard Service Groupings	
A-2: Standard Service Order Activities	1
Appendix B: Glossary of Acronyms and Terms	1
Annendix C: RellSouth Audit Policy	1

# **Section 1: Operations Support Systems (OSS)**

# OSS-1: Average Response Time and Response Interval (Pre-Ordering/ Ordering)

### **Definition**

Average response time and response intervals are the average times and number of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service & feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

### **Exclusions**

None

### **Business Rules**

The average response time for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the client application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is returned to the client application. The number of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the number of accesses which take more than 6 seconds, and the number which are less than or equal to 6.3 seconds are also captured.

### Calculation

**Response Time** = (a - b)

- a = Date & Time of Legacy Response
- b = Date & Time of Legacy Request

### Average Response Time = c / d

- c = Sum of Response Times
- d = Number of Legacy Requests During the Reporting Period

### **Report Structure**

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
• Report Month	Report Month
• Legacy Contract (per reporting dimension)	Legacy Contract (per reporting dimension)
Response Interval	Response Interval
Regional Scope	Regional Scope

### SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• RSAG – Address (Regional Street Address Guide-	
Address) – stores street address information used to	
validate customer addresses. CLECs and BellSouth query	
this legacy system.	
• RSAG – TN (Regional Street Address Guide-Telephone	
number) – contains information about facilities available	
and telephone numbers working at a given address.	

- CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.
- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)
   Information on feature and rate availability. BellSouth queries this legacy system.

**Table 1: Legacy System Access Times For RNS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSACCTS	CSR	X	X	X	X	X
OASIS	OASISCAR	Feature/Service	X	X	X	X	X
OASIS	OASISLPC	Feature/Service	X	X	X	X	X
OASIS	OASISMTN	Feature/Service	Х	X	X	Х	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

**Table 2: Legacy System Access Times For R0S** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSOCSR	CSR	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

**Table 3: Legacy System Access Times For LENS** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
HAL	HAL/CRIS	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	X	Х	X	X	Х
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	Х

**Table 4: Legacy System Access Times For TAG** 

System	Contract	Data	< 2.3 sec.	> 6 sec.	<6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
CRIS	CRSECSR	CSR	X	X	X	X	X

### **SEEM Measure**

SEEM Measure						
Yes	Tier I					
	Tier II	X				

**Note**: CLEC specific data is not available in this measure. Queries of this sort do not have company specific signatures.

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation SEEM Analog/Benchmark** • RSAG – Address (Regional Street Address Guide-• Percent Response Received within 6.3 seconds: > 95% Address) – stores street address information used to Parity + 2 seconds validate customer addresses. CLECs and BellSouth query this legacy system. • RSAG – TN (Regional Street Address Guide-Telephone number) - contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system. ATLAS (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system. **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system. • **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy HAL/CRIS (Hands-Off Assignment Logic/Customer Record Information System) – a system used to access the

Business Office Customer Record Information System (BOCRIS). It allows BellSouth servers, including LENS, access to legacy systems. CLECs query this legacy system.

- P/SIMS (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems)

   Information on feature and rate availability. BellSouth queries this legacy system.

### **SEEM OSS Legacy Systems**

System	BellSouth	CLEC					
Telephone Number/Address							
RSAG-ADDR	RNS, ROS	TAG, LENS					
RSAG-TN	RNS, ROS	TAG, LENS					
ATLAS	RNS,ROS	TAG. LENS					
	Appointment Schedu	ling					
DSAP	RNS, ROS	TAG, LENS					
CSR Data							
CRSACCTS	RNS						
CRSOCSR	ROS						
HAL/CRIS		LENS					
CRSECSRL		TAG					
CRSECSR		TAG					
	Service/Feature Availability						
OASISBIG	RNS, ROS						
PSIMS/ORB		LENS					

1-4

# **OSS-2: Interface Availability (Pre-Ordering/Ordering)**

### **Definition**

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for pre-ordering and ordering. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss\_hour.html)

### **Exclusions**

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of pre-ordering and ordering systems.

### Calculation

**Interface Availability (Pre-Ordering/Ordering)** = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

### **Report Structure**

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
Report Month	Report Month
• Legacy Contract Type (per reporting dimension)	• Legacy Contract Type (per reporting dimension)
Regional Scope	Regional Scope
Hours of Downtime	<ul> <li>Hours of Downtime</li> </ul>

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

# **OSS Interface Availability**

Application	Applicable to	% Availability
EDI	CLEC	X
TAG	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	Under Development
SOG	CLEC	Under Development
DOM	CLEC	Under Development
DOE	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

# **SEEM OSS Interface Availability**

Application	Applicable to	% Availability
EDI	CLEC	X
HAL	CLEC	X
LENS	CLEC	X
LEO Mainframe	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X

# **OSS-3: Interface Availability (Maintenance & Repair)**

### Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection web site: (www.interconnection.bellsouth.com/oss/oss\_hour.html)

### **Exclusions**

- CLEC-impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service, e.g., slow response time, loss of non-critical functionality, etc.

### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BST entities are given comparable opportunities for use of maintenance and repair systems.

### Calculation

OSS Interface Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

### **Report Structure**

- · Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

### **Data Retained**

	Relating to CLEC Experience	Relating to BellSouth Performance
•	Availability of CLEC TAFI	Availability of BellSouth TAFI
	Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM	<ul> <li>Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM</li> </ul>
	ECTA	THE DICTOR, EAT und OUI CIVI

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• >= 99.5%

# **OSS Interface Availability (M&R)**

OSS Interface	% Availability
BST TAFI	X
CLEC TAFI	X
CLEC ECTA	X
BellSouth & CLEC	X
CRIS	X
LMOS HOST	X
LNP	X
MARCH	X
OSPCM	X
PREDICTOR	X
SOCS	X

### **SEEM Measure**

SEEM Measure		
Yes	Tier I	
	Tier II	X

### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Regional Level	• >= 99.5%

# **OSS Interface Availability (M&R)**

OSS Interface	% Availability
CLEC TAFI	X
CLEC ECTA	X

# **OSS-4: Response Interval (Maintenance & Repair)**

### **Definition**

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

### **Exclusions**

None

### **Business Rules**

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface\_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

### Calculation

**OSS Response Interval** = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

**Percent Response Interval** (per category) =  $(c / d) \times 100$ 

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

where, "X" is  $\leq 4$ ,  $\geq 4$ ,  $\leq 10$ ,  $\leq 10$ ,  $\geq 10$ , or  $\geq 30$  seconds.

### **Report Structure**

- · Not CLEC Specific
- Not product/service specific
- · Regional Level

### **Data Retained**

Relating to CLEC Experience	Relating to BellSouth Performance
CLEC Transaction Intervals	BellSouth Business and Residential Transactions
	Intervals

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Regional Level	• Parity